



## **Warnings and Cautions**

*Please retain this instruction for future usage and read carefully before assembly.*

*Make sure you have all the parts & hardware as item list shows.*

***2 adults or more** are recommended to install your gazebo.*

*Do not discard any of the packaging until you have checked that you have all the parts and pack of fittings.*

*Check all bolts for tightness before use, and periodically check and tighten bolts ensure your gazebo works properly.*

*Some parts might have sharp edges/corners. Please follow basic safety precautions to reduce the risk of hurts.*

*Maximum weight capacity is **1000 pounds**.*

*It is essential to place the gazebo on level ground and not less than **6 feet** from any obstruction such as fences, garages, the house, overhanging branches, laundry lines, or electrical wires.*

*If you have questions or concerns.*

*Please contact us via email at **service@domioutdoorliving.com***



8'x8'

SKU:LGCF1694

WALL MOUNT GAZEBO

**Assembly Manual**

**T**hank you for your purchase of

*Domi outdoor living's Gazebo*

Read and follow this assembly and operation guide.

To reduce personal injury and damage to your gazebo

We recommend a **two-person team** for assembly and disassembly.

If you like our products, please tell other customers

If you have prbblem with our products, please tell us

**Please feel free to contact us.**

**DOMI OUTDOOR LIVING**




## Pre-assembly

### TOOLS THAT MAY BE REQUIRED (Not included in boxes)

*\*NOTE: Tools / equipment are not shown to actual size and scale.*



LEVEL




RUBBER Mallet




PHILLIPS SCREW



DRILL



ALLEN KEY



ALLEN KEY

### EQUIPMENT REQUIRED ( Not included in boxes )

*\*NOTE: Equipment are not shown to actual size and scale.*



SAFETY HAT



GLOVES



SAFETY GOGGLES



STEPLADDER

### Matters needing attention



1. Two or more people are required for assembly.





2. Do not fully tighten screws prior to complete assembly.




## IMPORTANT

The construction of a gazebo may require a municipal permit or be subject to specific building codes. It is the responsibility of the consumer to check and ensure compliance with any local regulations or restrictions before proceeding with assembly.













1





× 12














If the deck is hard wood and the depth of it is over 3 inch, you can use **5/16 in. ×4 in. Structural Wood Screw** to mount the pergola.


























2


















If the ground is concreted and the depth of it is over 3 inch, you can use 1/4 inch expansion bolts to mount the pergola




<div data-bbox="73 277 219 320" data-label="Text"> <p>E<sub>1</sub> 1X</p> </div> 	<div data-bbox="1151 277 1296 320" data-label="Text"> <p>E<sub>2</sub> 1X</p> </div> 
<div data-bbox="62 580 219 624" data-label="Text"> <p>F<sub>1</sub> 1X</p> </div> 	<div data-bbox="1140 580 1296 624" data-label="Text"> <p>F<sub>2</sub> 1X</p> </div> 
<div data-bbox="62 884 219 927" data-label="Text"> <p>G<sub>1</sub> 1X</p> </div> 	<div data-bbox="1140 884 1296 927" data-label="Text"> <p>G<sub>2</sub> 1X</p> </div> 
<div data-bbox="62 1171 219 1214" data-label="Text"> <p>H<sub>1</sub> 1X</p> </div> 	<div data-bbox="1140 1171 1296 1214" data-label="Text"> <p>H<sub>2</sub> 1X</p> </div> 
<div data-bbox="73 1474 208 1517" data-label="Text"> <p>I<sub>1</sub> 2X</p> </div> 	<div data-bbox="1151 1474 1285 1517" data-label="Text"> <p>I<sub>2</sub> 2X</p> </div> 


 <p>J<sub>1</sub> 1X</p>	 <p>J<sub>2</sub> 1X</p>		
 <p>J<sub>3</sub> 4X</p>	 <p>J<sub>4</sub> 2X</p>		
 <p>K<sub>1</sub> 2X</p>	 <p>K<sub>2</sub> 2X</p>	 <p>K<sub>3</sub> 4X</p>	 <p>K<sub>4</sub> 1X</p>
 <p>K<sub>5</sub> 4X</p>	 <p>L<sub>1</sub> 45X D12/d6. 2*H2</p>	 <p>L<sub>2</sub> 45X</p>	 <p>M<sub>1</sub> 8X</p>
 <p>M<sub>2</sub> 2X</p>			




 1# 2X ST4. 8*13	 2# 2X ST5*16	 3# 12X ST4. 2*10 (B型)
 4# 100X M6*16	 5# 8X M6*12	 6# 45X M6*30
 7# 4X M6*30	 8# 24X M6*40	 9# 41X M6
 10# 14X ST6*70	 11# 14X	 12# 1X M5*12
 13# 1X	 14# 1X S4	 15# 1X S13




A1 1X




A2 1X




C2 2X






4# 6X




14# 1X








B3 1X





B4 1X




ST5\*16

2# 2X






C3 6X




4# 6X






14# 1X

⚠ (1) If you don't consider fixing it to the wall, you can skip this step.


(2) The bracket #C3 is used to fix the post against the wall. You can assemble only 2 pieces for each post according to the actual installation situation.








K1 2X




M6\*16


4# 4X



S4


14# 1X










13# 1X

Use silicone sealant (part #13) to affix the gap between the two Beams.











M6\*16



M6\*30



S4

4#


6X


7#

4X


14#

1X







I<sub>1</sub> 1X




I<sub>2</sub> 1X







4# 8X



14# 1X








K4


1X



M6\*16

4#



2X




S4

14#

1X






M6\*40

8#


8X







S4

14#

1X








K<sub>2</sub>


1X



M6\*16

4#



2X






S4


14#

1X










K<sub>2</sub>


1X



M6\*16

4#



2X




S4


14#

1X







4# 4X




8# 16X




14# 1X







I<sub>1</sub> 1X




I<sub>2</sub> 1X




4# 8X




14# 1X






F1 1X

F2 1X




K3 1X




M6\*16

4# 10X



S4


14# 1X



4#/K3

F1

F2



F2

4#

K3

4#

4#

4#

F1

4#


4#

4#


4#

4#


4#




K5 4X




5# 8X




14# 1X





M6\*16






S4


4#

8X


14#

1X






M<sub>1</sub> 8X




M<sub>2</sub> 2X

▲ Remove the protective film of the panels before installing the roofing panels.





2X








8X










Rubber gaskets L1 is necessary to install together with bolts to prevent roof leaking.












ST4. 2\*10 (B型)

J<sub>3</sub> 4X


3# 12X







13# 1X

Use silicone sealant (part #13) to affix the gap between the two finishing bars.



- (1) Install this step if you need fix the canopy to the wall. Otherwise please skip this step.
- (2) In this step, you are required to drill the corresponding bottom holes for the expansion screws on the wall. It is recommended to drill the holes at the positions of the fixing holes according to the actual height and dimensions of the site and the tent.







J<sub>4</sub> 2X







10# 6X



11# 6X




13# 1X








ST6\*70




10# 8X



11# 8X



2X



6X



## **Care and Cleaning**

Wash frame parts with mild soap and water, rinse thoroughly.

Do not use bleach, acid, or other solvents on the frame parts.

Please inspect and tighten all bolts or fasteners on a regular basis to ensure proper performance and safety of your gazebo.

# Warranty

## Frames

Frames constructions are warranted to be free from defects in material and workmanship for 1 year from item purchased. Damage to frame from negligence won't be covered by this warranty.

## Bolts & nuts

Bolts and nuts are warranted to be free from defects in material and workmanship for 1 year from item purchased. Damage from exposure to chemicals (including not only oils ,spills, fluids) won't be covered by this warranty.

## Warranty Limitation

This warranty is for the original purchase order only. (Order number required). This warranty is non-transferable. Domi outdoor living is responsible for the free replacement part including shipping charges for the 1 year warranty.

## Warranty Exclusion

This warranty does not cover products subject to negligence, abuse usage, inappropriate installation. Domi outdoor living reserves the right to explain warranty exclusions. When the replacement item is applied, the 1 year warranty automatically expires. Please feel free to contact us for applying warranty.



RESORT COMFORT IN YONR  
OWN BACKYARD

**Support:**



**Business cooperation contact email:**

[marketing@domioutdoorliving.com](mailto:marketing@domioutdoorliving.com)

**After-sales contact email:**

[service@domioutdoorliving.com](mailto:service@domioutdoorliving.com)

Please tell us your order ID when contact.

Attach photos of damaged part for instant reply.