


.....

INTERLOCKING STEEL

BARRICADE, PACK OF 4

.....



USER GUIDE

SKU: ADIPR202-01-4-KD



Thank you for your purchase.

.....

AdirPro is known for its quality products in the construction industry, all manufactured to the highest standards.

.....


We strive to help you complete your project in the most reliable, safe, and cost-effective manner. We deliver everything with accuracy you can count on so your team can count on you.

Table of Contents

- 2** Parts List
- 3** Hardware List
- 4** Specifications
- 5** Assembly Instructions
- 14** Warranty
- 15** Notes


Parts List

A




Top Frame (x4)

B




Bottom Crossbar (x4)

C




Expansion Tube (x8)

D




Left Support (x4)

E







Right Support (x4)

F




Vertical Pole (x24)

Hardware List

1  Screw 1 (M6*22) (x24)	2  Screw 2 (M6*45) (x8)
3  End Plug-Fixed Dia 32mm Tube (x8)	4  End Plug-Fixed Dia 22mm Tube (x8)

Tools Needed

5  Allen Key 6mm (x1)

Specifications

Product Dimensions: 40" H x 19.1" W x 60.8" L

Weight: 85.4 lbs.

Recommended

Recommended Number of People Required for Assembly




2 persons

Assembly Instructions


Step 1:

- A.** Insert both Expansion Tubes (C) into the openings on the Top Frame (A).
- B.** Push the tubes in until they are fully seated and aligned.
 - a.** Make sure both tubes are positioned evenly.
- C.** Install the End Plugs 22mm Tube (4) into the two exposed tube ends on the Top Frame (A), as shown.




Step 2:

- A.** Insert all Vertical Poles (F) into the corresponding openings on the Top Frame (A).
 - a.** Push each pole down until it is fully seated and aligned evenly across the frame.




Step 3:

- A.** Position the Bottom Crossbar (B) along the lower section of the assembled Frame from the previous steps.
- B.** Align all screw holes carefully, then fasten the crossbar in place using two Screw 1's (1).
 - a.** Tighten each Screw securely to stabilize the Frame.




Step 4:

- A.** Insert the Left Support (D) into the open end of the assembled Frame.
- a.** Make sure the support is fully inserted and correctly oriented.
- B.** Insert the End Plug – Fixed Ø32 mm Tube (3) into the exposed end of the Tube.
- a.** Push it in firmly until it is fully seated and flush with the edge.
- b.** Verify that the support is positioned as shown in the correct orientation diagram, with the End Plug (3) properly installed.




Step 5:

- A.** Secure the Left Support (D) to the assembled Frame using one Screw 2 (2).
- a.** Insert the Screw 2 (2) through the Left Support (D) and the End Plug Ø32 mm (3), making sure all holes are properly aligned.
- B.** Tighten the Screw (2) firmly until the Left Support (D) is securely fixed in place.




Step 6:

- A.** Insert the Right Support (E) into the open end of the assembled Frame, making sure it is fully inserted and positioned in the correct orientation as shown.
- B.** Insert the End Plug – Fixed Ø32 mm Tube (3) into the exposed end of the Tube.
- a.** Push it in firmly until it sits flush with the edge. Check that the End Plug – Fixed Ø32 mm Tube (3) is oriented correctly before proceeding.




Step 7:

- A.** Secure the Right Support (E) to the assembled Frame using one Screw 2 (2).
- a.** Insert the Screw 2 (2) through the Right Support (E) and the End Plug Ø32 mm (3), making sure the holes are perfectly aligned.
- B.** Tighten the Screw 2 (2) firmly until the Right Support (E) is securely fixed in place.



Step 8:


- A.** Secure the assembled Frame using four Screw 1's (1). Insert and tighten all four with the Allen Key (5), ensuring each connection is fully tightened and the structure is stable.




Step 9:

- A.** Check that all screws are fully tightened and that the entire structure is stable. Make sure all components are properly aligned and securely assembled.

Your unit is now fully assembled and ready for use.



Note: This Barricade features an interlocking design, allowing you to easily connect multiple units together for extended coverage. This pack includes 4 Barricades that can be joined to create a continuous barrier.



Warranty

1. Adir Corp (the "Company" or "Tiger Companies") warrants to the purchaser that the product will be free from defects in workmanship and materials for a period of 1 year from the date of purchase. The warranty period is not extended if we repair, replace, exchange, or provide a refund for the product (as determined in our sole discretion). We may change the availability of this limited warranty at our discretion, but any changes will not be retroactive.
2. These warranties are not assignable or transferable to any other person, including, without limitation, any subsequent owner or other transferee of the product.
3. This Warranty does not apply to: (a) damage caused by misuse, tampering, abuse, neglect, or accident; (b) damage caused by improper installation, modification, or service; (c) alteration of the serial number; or (d) use that violates the instructions furnished by the Company will void this warranty.
4. The sole responsibility of the Company shall be limited to (a) the repair or replacement (in its sole discretion) of any component of the product which fails to conform to this; (b) a refund the purchase price of such product (in its sole discretion), at no cost to the purchaser for the period of the warranty, or (c) an exchange for a similar product, comparable in function and price.
5. Contact the Company directly at 1-(800)-805-1790 to obtain service under this warranty. If it becomes applicable to send a defective product to the Company, a Return Authorization Number must first be obtained from the Company. In order to obtain service under this warranty, purchaser may be required to provide the Company with the following items (a) proof of purchase, (b) photographs and or videos (of the damage, and (c) a written testimonial describing the defect.
6. Products shipped without prior Return Authorization and Return Authorization Number may not be accepted, and the Company will not be responsible for their disposition and/or cost of return to the owner.
7. The Company will not assume any responsibility for any loss or damage incurred in shipping and or delivery.
8. The product(s) must be returned within 14 calendar days of receiving the return authorization from the Company and must include the original proof of purchase for the warranty to be honored.
9. Any implied warranties that the purchaser may have are limited to the duration of the warranties described above. There are no further warranties that extend or apply beyond the face hereof, and the Company expressly disclaims and excludes any and all warranties of merchantability or fitness for a particular purpose. Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.
10. THE REMEDIES DESCRIBED ABOVE ARE YOUR SOLE AND EXCLUSIVE REMEDIES AND THE COMPANY'S ENTIRE LIABILITY FOR ANY BREACH OF THIS LIMITED WARRANTY. OUR LIABILITY SHALL UNDER NO CIRCUMSTANCES EXCEED THE ACTUAL AMOUNT PAID BY YOU FOR THE DEFECTIVE PRODUCT, NOR SHALL WE UNDER ANY CIRCUMSTANCES BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL OR PUNITIVE DAMAGES OR LOSSES, WHETHER DIRECT OR INDIRECT. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATIONS OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE LIMITATION MAY NOT APPLY TO YOU.
11. This warranty gives you specific legal rights, and you may also have additional rights which vary from state to state.

[illegible]



SKU: ADIPR202-01-4-KD

© 2025 AdirCorp

adircorp.com