




Product Installation Instructions







Ax1




Bx1




Cx2




Dx1




Ex1




Fx1




Gx2




Hx4




Ix2


























Jx3




Kx4




①				Two In One Screw (6x28mm)		16pcs +4pcs	
②				Two In One Nut (10x12mm)		16pcs +4pcs	
③				Non-slip pads (50x10mm)		4pcs +2pcs	
④				Corner Bracket,Screw (4x8mm)		32pcs +2pcs	
⑤				Screw (4x8mm)		32pcs +2pcs	
⑥	 			Rebound device & Screw (3x16mm)		8pcs +2pcs	
	   			Iron sheet&Hinge		8 p c s	4 p c s
⑦				Laminate Support Nail& Screw (6x16mm)		12pcs +1pcs	
⑧				Wire clamp		3pcs +1pcs	
⑨				Double end connecting line		1pcs	
⑩				LED Strip Controlle		1pcs	
⑪	 x2  x4  x2  (3. 5x14mm) x2  x2 (4x45mm)			Anti Fall Hardware		1pcs	
AC/DC Adapter (12V = 3. 0A)  1pcs				 1pcs  Double-head screwdriver, use as required 2			

Product structure decomposition




Use parts ① and ②




Step1



Step2





Step3



Use a screwdriver to lock in the direction of the "+" sign


Disassemble along the direction of "-" sign

Step 1




Step 2

2




x8




Step 3

1




x8




Step 4

2




x8



Note orientation of Panel A & Panel D


Step 5

3






x4




Tear off release paper and stick the black foot pad on the board




Step 6



Prohibited: Electric screwdriver use.




Install this hole






Do not fully tighten the screws.

Step 7

4


x4

x4








It is recommended to have two people assist with the installation.



Step 8




Prohibited: Electric screwdriver use.



- | | | | |
|---|---|---|---|
| ④ |  | ⑤ |  |
| | x8 | | x8 |
| ⑥ |  | |  |
| | x1 | | x4 |




Install this hole





Do not fully tighten the screws.

Step 9


4


x4


x4



Tighten all screws.




It is recommended to have two people assist with the installation.


Step 10

Note: Rotate the cabinet that the back panel faces you before proceeding to Step 10.

4






x8




x8


Tighten all screws.



Tighten all screws.





Step 1



Prohibited: Electric screwdriver use.




It is recommended to have two people assist with the installation.

Step 11




Prohibited: Electric screwdriver use.

Unscrew the screws first.




Install this hole




Do not fully tighten the screws.

Step 12


4




x4



x4




Tighten all screws.









It is recommended to have two people assist with the installation.

Step 13




Prohibited: Electric screwdriver use.

Unscrew the screws first.




Install this hole




Do not fully tighten the screws.

Step 14


4




x4



x4



Tighten all screws.




It is recommended to have two people assist with the installation.


Step 15

Note: Rotate the cabinet that the back panel faces you before proceeding to Step 15.


4



x8






x8




Prohibited: Electric screwdriver use.

Tighten all screws.







Tighten all screws.




It is recommended to have two people assist with the installation.

Step 16


7  x12  x12  x12






Step 17



Step 18




First, loosen the screws.




Note the orientation of the door hinge: the end with the screws faces toward the cabinet interior.

Step 19


First, loosen the screws.



6







x2




x2

1. Take out the white pad
2. Fit the pad around the edge of the glass panel
3. Then slide the metal clamp over the assembled position
4. Finally, tighten the screws securely




Locking screw




If you feel loose, please pinch the accessory before installation

Step 20


First, loosen the screws.



6





x2







x2

1. Take out the white pad
2. Fit the pad around the edge of the glass panel
3. Then slide the metal clamp over the assembled position
4. Finally, tighten the screws securely



Locking screw




If you feel loose, please pinch the accessory before installation

Step 21


Pay attention to the direction of
the door hinge during installation

6




x2


When installing a glass door, it is recommended to
have two people install it to avoid the glass door
colliding or hitting oneself.



first




Remove white pad



Fit the pad around glass edge


second

Insert the glass into
the door hinge's
slot.



third


Locking screw



Step 22


Pay attention to the direction of
the door hinge during installation

6




x2


When installing a glass door, it is recommended to
have two people install it to avoid the glass door
colliding or hitting oneself.



first




Remove white pad



Fit the pad around glass edge


second

Insert the glass into
the door hinge's
slot.




third

Locking screw






Step 23

8




x3

Behind the cabinet, insert the cable clips into the glass






Step 24

9




x1






Step 25


10






x1



Step 26




x1




Step 27




Install as required



3.5x14mm



Install the anti fall hardware on the cabinet as shown in the picture first





Pen

Then mark the wall with a pen through the holes in the anti-fall hardware




Step 28

11




 x2

 x2  x2

Wall Mount



Drill the hole with an electric drill and punch in the colloidal particles




4x45mm

Fix the dressing table to the wall

Smart Box Plus Power Off

8433



Select English Language


Select the corresponding device to download.
Note: If the download fails,
please turn off the “Enhanced Protection”
in the Pure Mode settings of the device.




1

2

It turns blue after clicking



3




4




5

Unplug the smart box




6

7 Plug in the smart box power plug.




8

The appearance of this program icon indicates that the matching is complete



9



10



Now you can freely adjust the lighting according to your preferences

User's Guide

Thank you for purchasing this product.

To use this product, please plug it into a 12V DC power supply.

Please use if the product works normally after connecting to power.

Introduction

The box is an intelligent controller. With 4 touch buttons, it can turn ON/OFF the light and turn ON/OFF the induction function, change light colors, and adjust the light luminance.

The lights can be controlled through both the touch buttons and a dedicated app.

Operation



This touch button is the master switch of the smart box, which can turn off all functions of the box and control the light strips on/off operation.

The operation that can be turned on and off with just a light tap. Press and hold to adjust the brightness. Upon first power-up, the default light will be set to white.



This touch button is used to turn on/off the induction function.

A. touch this button once to turn on the induction function (indicator light on).

After the person leaves or remains stationary for more than 30 seconds, the light strip goes out; people and objects within a range of 1 meters move will light up the light strip.

B. Long press this button for 0.5 seconds to turn off the human body induction function (the indicator light goes out).

At this point, Keep the light strip as it was before turning off and no longer be affected by human and object activities.

By default, induction function is enabled when powered on.



This touch button is the Dynamic Phantom Color Mode, which includes 5 magical lighting effects.


Simply tap to cycle through the options. (Attention: This mode cannot adjust the brightness)



This touch button controls the single-color switching function of the light strips, offering 7 different colors to choose from.

Phantom Color Mode Button

7-Color Mode Button



Induction Button

Master Switch Button



ATTENTION PLEASE

1. If there is no touch response suddenly, Re-plug the power to reset the touch static electricity.
2. If you have any questions when installing, please feel free to contact us. Thank you.