


ASSEMBLY INSTRUCTIONS


Read instruction carefully . Be sure you have all parts before you start assembling (see PART LIST & HARDWARE LIST) . To avoid scratching , lay the parts on a clean soft area such as carpet or rugs . Do not tighten all screws unless is instructed .



PAGE 1/2

ASSEMBLY INSTRUCTIONS


STEP 1




Use allen key (F) , JCBC screw 50MM (A) , spring washer (B) and flat washer (C) to assemble left and right side apron (#4L & 4R) to chair front leg (#2) .

Use philips screw driver and screw 38MM (D) to assemble both strecthers (#5) to chair front leg (#2). Do not tighten screws .

STEP 2



Use alien key (F), JCBC screw 50MM (A), spring washer (B) and flat washer (C) to assemble left and right side apron to chair back (#1). Tighten all screws.



After few days of initial assembly, the product may have acclimated to new environment, please retighten all hardware again.


PAGE 2/2

ASSEMBLY INSTRUCTION

IMPORTANT NOTE :

BEFORE YOU BEGIN, PLEASE READ AND FOLLOW THE ASSEMBLY INSTRUCTIONS CAREFULLY.

- O IDENTIFY AND SEPARATE ALL PARTS BEFORE DISCARDING PACKAGING.
- O PLACE WOODEN PARTS ON A CLEAN SOFT SURFACE TO AVOID SCRATCHING THE PARTS.
- O DO NOT USE POWER TOOL FOR ASSEMBLY.
- O AS WITH ALL FURNITURE, OCCASIONALY CHECK TO INSURE HARDWARE IS TIGHT.



ATTACH THE TABLE LEGS (2) TO THE CORNER BLOCK WITH JCBC BOLT (A) SPRING WASHER (C) AND FLAT WASHER (B). TIGHTEN THE JCBC BOLT (A) BY USING ALLEN KEY (D)

