




User's Manual



**Please Do Not Return the Product to the Store.
Contact us with any questions.**

After-sales email address: aftersales@ekika.net

INSTALLATION INSTRUCTIONS



ANSI

APMO R&T

UPC

UPC

CERTIFICATE OF LISTING

5001 East Philadelphia Street, Ontario, California 91761-2816 - USA - 909-472-4100 - 909-472-4244 - www.iapmo.org

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO RAT Product Listing Directory at pld.iapmo.org

Effective Date: December 2019 -Rev. 2/24/2020- Void After: December 2024

Product: Flexible Water Connectors File No. 5311

Issued To: Fanki Group Inc.
Mechanical & Electrical
Industrial Zone,
Yuhuan County,
Yuhuan 317600, ZHEJIANG
China

Identification: Products shall be marked with manufacturer's name or trademark, a statement "For use with water in accessible locations only." The products shall also bear the cUPC® certification mark. Markings shall be by means of either a permanent mark on the product, a label on the product or a tag attached to the product.

Characteristics: Flexible water connectors manufactured in various sizes, lengths and metal end fittings for hot or cold water applications that consist of an inner tube, which may or may not have an outer braided cover. Connectors are to be installed for use in accessible locations only. To be installed in accordance with the manufacturer's instruction, and the latest edition of the Uniform Plumbing Code and National Plumbing Code of Canada.

Products listed on this certificate have been tested by an IAPMO RAT recognized laboratory. This recognition has been granted based upon the

Tom Collins

Chairman, Product Certification Committee

Ran Cheng

CEO, The IAPMO Group

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

APPROVED FOR LISTING

DATE: 12/15/2019

FILE NO: 5311

ANSI

APMO R&T

UPC

UPC

CERTIFICATE OF LISTING

5001 East Philadelphia Street, Ontario, California 91761-2816 - USA - 909-472-4100 - 909-472-4244 - www.iapmo.org

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO RAT Product Listing Directory at pld.iapmo.org

Effective Date: November 2019 Void After: November 2024

Product: Plumbing Fixture Fittings File No. 10633

Issued To: Aqua Gallery Co., Ltd
11th-15th AIO Block
International Ceramics
Sanitary City, 528000
Foshan,
China

Identification: Plumbing supply fittings complying with this Standard shall be marked with the manufacturer's recognized name, trademark, or other mark or, in the case of private labeling, the name, trademark or other mark of the customer for whom the fitting was manufactured. The marking shall be accomplished by use of a permanent mark or by placing a permanent label on the product. Markings on plumbing supply fittings shall be visible after installation.

Single-handle, single-control, and automatic compensating mixing bath and shower valves shall have identifiable temperature control settings in which the settings are indicated by words ("cold", "warm", "hot", etc.), by numbers, or graphically.

Packages shall be marked with the manufacturer's name, trademark, or other mark as well as the model number or, in the case of private

Tom Collins

Chairman, Product Certification Committee

Ran Cheng

CEO, The IAPMO Group

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

APPROVED FOR LISTING

DATE: 11/15/2019

FILE NO: 10633

ANSI

APMO R&T

UPC

UPC

CERTIFICATE OF LISTING

5001 East Philadelphia Street, Ontario, California 91761-2816 - USA - 909-472-4100 - 909-472-4244 - www.iapmo.org

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO RAT Product Listing Directory at pld.iapmo.org

Effective Date: March 2019 Void After: March 2024

Product: Plumbing Fixture Fittings - Components File No. MC-9703

Issued To: Ningbo Manhai Cartridge Technology Co., Ltd.
Xiachen Zone, Chunhui
Fenghua, JIANGSU 315518
China

Identification: Each fitting component shall bear permanent legible markings to identify the manufacturer. This marking shall be the trade name, trademark, or other mark known to identify the manufacturer. The product shall also bear all other markings required by the standard. The marking shall be applied so as to be visible after installation. The product or packaging shall also bear the cUPC® certification mark along with the term "COMPONENT" above.

Characteristics: Plumbing fixture fitting components to be installed in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAPMO RAT recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):
Uniform Plumbing Code (UPC®)

Tom Collins

Chairman, Product Certification Committee

Ran Cheng

CEO, The IAPMO Group




This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

APPROVED FOR LISTING

DATE: 03/15/2019

FILE NO: MC-9703

PRODUCT DIMENSION



INSTALLATION INSTRUCTIONS

Before Installation

Before installation, confirm that your bathtub supports a deck-mounted tub faucet. Ensure there is sufficient space underneath the tub deck for valves, hoses, and water connections.

Important:

- Verify all mounting hole locations before drilling.
- Confirm the bathtub surface is flat and level.
- Flush water supply lines before connecting the faucet.


Installation Hole Requirements

This faucet requires openings for:

- Tub spout
- Hot water valve
- Cold water valve
- Hand shower

Confirm hole spacing and dimensions according to the product diagram before installation.

Plumbing Connection Diagram:



INSTALLATION STEPS

1. Prepare Faucet Components

- Remove mounting hardware as needed.
Keep all removed parts in a safe location for reassembly.

2. Install Faucet Components

- Insert faucet components through the corresponding bathtub openings.
Install washers and mounting hardware underneath the deck. Tighten securely.
Do not overtighten.

3. Connect Water Supply Lines

- Turn off hot and cold water supplies before installation.
Connect HOT water supply to the hot inlet and COLD water supply to the cold inlet.

4. Connect Mixing Valve and Outlet Hoses

- Connect the mixing valve and outlet hoses according to the installation diagram.
Ensure all connections are secure and hoses are not twisted or kinked.

5. Install Hand Shower

- Connect the hand shower hose to the designated outlet.
Install the hose weight (if included). Attach the hand shower and tighten by hand.

CARE AND MAINTENANCE

To maintain a clean appearance and optimal performance of your faucet, please follow these care instructions:

1. Rinse with clean water and dry with a soft cotton cloth.


2. For surface dirt or limescale buildup, use a mild liquid detergent or a colorless, non-abrasive glass cleaner. A non-abrasive polish may also be used.

3. DO NOT use: abrasive detergents or polishes, emery cloth, paper towels, scrapers, or other abrasive materials.

4. DO NOT use: acidic cleaners or cleaners and soaps containing insoluble abrasive granules

5. Mineral deposits may accumulate in the hand shower over time, reducing water flow. If this occurs, unscrew the hand shower, rinse it thoroughly with clean water, and reinstall it.





**Please Do Not Return the Product to the Store.
Contact us with any questions.**

After-sales email address: aftersales@ekika.net