


Shown in Matte White  
with Light Maple Blades



# Alessandra TROPICAL



A classic palm leaf form with a twist. With a wide range of blade finishes, including an exciting assortment of pastel finishes, the Alessandra Tropical can accommodate any space. This thoughtfully crafted and versatile fan will complement any aesthetic and improve the health and comfort of any room. Highly customizable, the Alessandra Tropical is available in five different body finishes, ten (10) blade options, and even an option with a CCT light kit. This fan is suitable for wet locations. Backed by a limited lifetime warranty, our fans are of the highest quality and will dutifully perform for years to come. Constructed of cast aluminum and heavy stamped steel, the Alessandra Tropical has a limited lifetime warranty.

## Product Features



DC Motor



Wet Location



Silent



Remote Control



Optional Wall Control



30° Slant Ceiling Canopy



Optional 60° Cathedral Ceiling Canopy



## Blade Options



# Alessandra TROPICAL

## FINISH AND BLADE OPTIONS

SKU#	AKTP-XXXX-XXX (Model+Finish+Blade)	
Standard Finishes	Brushed Brass	<b>BRBR</b>
	Brushed Nickel	<b>BN</b>
	Matte Black	<b>BK</b>
	Matte White	<b>MWH</b>
	Textured Bronze	<b>TB</b>
Blade Finishes	Barn Wood Tone	<b>BW</b>
	Gray Ash Tone	<b>GA</b>
	Light Maple Tone	<b>LM</b>
	Matte Black	<b>BK</b>
	Matte White	<b>MWH</b>
	Walnut Tone	<b>WN</b>
	Light Blue	<b>BL</b>
	Light Pink	<b>PI</b>
	Light Yellow	<b>YE</b>
	Lilac	<b>LI</b>
Fan Diameter	48 inches / 121.92 cm <b>48</b>	

## TECHNICAL SPECS

Fan Diameter	48 inches / 121.92 cm <b>48</b>
Blade Material	ABS
Overall Drop	8 inches / 20 cm + downrod length
Fan Weight	18 lbs
Downrods Lengths Field cuttable Non-threaded	inches: 5, 10, 20, 30, 48, 72 centimeters: 13, 25, 51, 76, 122, 183
Downrod Diameter	1 inch
Voltage	110
Motor Type	DC
Environment	Wet location. All weather blade system. Neither outdoor coastal, saltwater nor chlorine compatible
Ambience	Silent
Safety Certification	UL / CUL
Warranty	Limited Lifetime

## NEW JAN 21, 2020 DOE MOTOR EFFICIENCY DATA

Fan Diameter	48 inch / 121.92cm
RPM (Low / High)	50 / 170
CFM (Low / High)	1393.5 / 4536.5
Watts (High)	34.98
CFM/Watt (High)	143
Blade Pitch	16°

## STANDARD EQUIPMENT

One downrod of 10 inches / 25 cm
Slant ceiling canopy for up to 30°

## ACCESSORIES

Black 6-speed RF  
remote control  
with reverse



Decora-style,  
3-speed,  
non-dimmable  
wall control




60° cathedral ceiling canopy  
mounting system



# Alessandra TROPICAL

## TECHNICAL SPECIFICATIONS



CEILING PITCH TABLE	
0/12	0 degrees
1/12	4.76 degrees
2/12	9.46 degrees
3/12	14.04 degrees
4/12	18.43 degrees
5/12	22.62 degrees
6/12	26.57 degrees
7/12	30.26 degrees
8/12	33.69 degrees
9/12	36.87 degrees
10/12	39.81 degrees
11/12	42.51 degrees

CEILING HEIGHT / DOWNROD TABLE	
Ceiling Height	Downrod Lengths <i>Field cuttable. Non-threaded</i>
10 ft or less	5 inches / 13 cm <i>Use safety cages if applicable</i>
10 -12 feet	10 inches / 25 cm
13 feet	20 inches / 51 cm
14 feet	30 inches / 76 cm
15 feet	48 inches / 122 cm
16 feet +	72 inches / 183 cm

### Matthews Fan Company

1881 Industrial Drive  
Libertyville, IL 60048

Tele: 847.680.9043

Fax: 847.680.8140

[www.matthewsfanco.com](http://www.matthewsfanco.com)

© 2023 Matthews Fan Company. All rights reserved.

