# GLASS CHANDELIER

## USER MANUAL



## Welcome!

## Thank you for your purchase.

### IMPORTANT:

This is a GLASS product.
We included 10% spare glass parts for minor shipping damage.
Any issues? Please contact us via the platform before returning.
We are here to help!


# DIRECTORY


1.Product Overview ..... 02

2.Product Parameters ..... 03

3.Product Installation ..... 04

4.After-sale Service ..... 07





# 1.PRODUCT OVERVIEW


Modern Glass Design

Add elegance to your space.


Perfect for living rooms, dining areas, entryways, and more.




## 1.1 USE CASE



Flat Ceilings




Sloped Ceilings



Vaulted Ceilings

# 2.PRODUCT PARAMETERS






This type of chandelier is suitable for all bundled glass.




The quantity and model of light bulbs shall be based on the actual product.

* Take this product as an example

| | |
|---|---|
| Voltage | 110V(US Standard) |
| Material | Glass, Metal |
| Room Type | Bedroom, Living Room, Dining Room, Foyer, Entryway, Staircase |
| Color Temperature | 3000K~6500K |
| Luminous Flux | 1000 Lumen |
| Light Source Type | LED |
| Power Source | AC/DC |
| Color Rendering Index | 80 |

# 3.PRODUCT INSTALLATION

## 3.1 TOOLS YOU WILL NEED



Electric drill



Gloves



Screwdriver



Ladder

**WARNING:** Turn off power before installation.


## 3.2 STEP 1: MOUNT PLATE

Drill holes and secure the metal mounting plate to the ceiling.




# 3.2 STEP 2: CONNECT WIRES

## 1. Schematic




## 2.On-site Photo




### Wiring Instructions

Connect the wires as follows:

* Black (Live) → Connect to either white fixture wire.
* White (Neutral) → Connect to the remaining white wire.
* Ground → Connect to the un-stripped wire with the teal stripe.

**Note:** The two white wires are interchangeable.
Twist wire nuts tightly.

**if you are not familiar with electrical wiring, please hire a licensed electrician.**

# 3.3 ATTACH FIXTURE & GLASS

## 1.THREAD & TWIST



Thread the metal wire through the small hole at the top of the glass. Twist and tighten securely.

**⚠ CAUTION**

**Glass is fragile.**
**Do not over-tighten, or it will break the glass.**

## 2. TIE & HANG (RIGHT WAY)



Tie the wire to the frame. Keep the tie point level with the glass head or slightly lower. The glass should stand upright and point outward.

## 3. WRONG WAY



Do not let the wire go above the glass head. Tying it too high will make the glass hang upside down and look droopy.

# 4. AFTER-SALE SERVICE

We're Here to Help!

Please contact us via the platform before leaving a review.

We reply within 24 hours.

| | |
|---|---|
| About Delivery | Your order may arrive in multiple packages. Please wait a few days for all to arrive. |
| About Color | Actual colors may vary slightly due to lighting and screens. |
| About Support | Missing or damaged parts? Contact us with your order ID. We will send replacements ASAP. |

# PRODUCT DISPLAY





