


WARRANTY

We strive to offer high-quality product and we also try our best to satisfy each customer that orders from us with product or service as needed.

Each customer a record of their order such as the order number, or item receipt for any items that are out of the warranty period you may also still receive replacement parts by purchasing them with our company if they are available.

Owner Manual



NOTE:

This brochure contains IMPORTANT safety info. Please read and keep for future reference.

MAINTENANCE AND WARNING

- Keep furniture away from heat and fire.
- Keep furniture away from sharp objects.
- Do not clean furniture with harsh cleansers or polish. Do not use detergents, Solvents, abrasives, spray packs or leather cleaner. Use non-color mild soap with warm water clean spills(Mix 1:10 soap to water)
- Do not place furniture under direct sunlight, material will possibly fade over time.
- Do not jump or strike on the furniture.
- Do not write on furniture without a padded barrier to protect the surface.
- Not for commercial use, For residential use only.




Weight Limitation

400LBS

PARTS LIST

A*1



Sofa frame

B*1



Back frame

C*1



Back cushion

D*1



Seat cushion

E*1



Pillow

HARDWARE and TOOL LIST

F*4




Legs


Be sure to check all packing material fitting the packing list. Be careful for small parts, which may have come loose inside the carton during shipment.

ASSEMBLY INSTRUCTIONS

step1




Open the compression bag, take out the armrest, pillow, cushion, let it recover shape, full recovery takes about 24 hours, and you can use your hand to beat to speed up the recovery.




Place the bottom of the sofa frame upward on a clean plane, align the screw of the wooden foot with the screw hole reserved at the bottom of the sofa and rotate clockwise to install the wooden foot firmly.

step2



Align the tip of the insert on the top of seat frame with the reserved hole on the bottom of backrest ,insert it into the reserved connector, and press down vigorously until the backrest with sofa are firmly combined.

step3



Remove the Velcro covering on the bottom of the cushion, place the cushion on the sofa, align the edge of the cushion with the edge of the sofa, then put the backcushion in the corresponding position and arrange it to make it beautiful.