



Installation Instructions




Parts Included


A*1




B*2




C*1




D*1



E*1



F*1



G*1




H*1





I*1




J*1



K*1




1 Install the armrest



1-1. Remove the pre-installed screws on the seat.

2 2-1. Align the screw holes on the armrest and the seat.

Note: If the screw holes are not aligned, insert a screwdriver and pry the screw holes to align them. As shown in the figure, or scan the code to watch the video.







3

Installing the Backrest

- 3-1. Remove the 4 pre-installed screws from the back of the backrest.
 3-2. Rotate the chair and place one side of the armrest on the ground.
 3-3. Place the backrest onto the seat, align the screw holes on the backrest and armrest, and insert and turn the screws (note: do not tighten the screws yet).
 3-4. Rotate the seat back to the upright position, ensure the backrest is upright, and then tighten all the screws.

Note: If the screw holes are not aligned, insert a screwdriver and pry the screw holes to align them. As shown in the figure, or scan the code to watch the video.


B*1



4

- 4-1. Invert the chair and screw four long screws into the seat.

Please note that there are two lengths for the four screws. Insert two long screws at the front end of the seat, and two short screws at the back end of the seat.





5

Connect the base F and the column E

- 5-1. Pass the long end of the wrench through the socket tool for tightening the nuts in the next step.

- 5-2. Align the four screw holes of E and F, insert screws respectively, and then fix them by screwing on nuts at the bottom.





6



Connect the seat and the base

- 6-1. Insert the seat into the four screw holes of the base.


- 6-2. Place the washers and nuts respectively, and tighten them.



7 Install the shampoo basin and J (drain pipe)




7-1. Attach J to the connection point on the shampoo basin.





7-2. Remove the 4 pre-installed screws and washers from the shampoo basin.

8 Install K onto part E.





8 Install the shampoo basin




8-1. Insert the shampoo basin onto part E.

8-2. Through the side opening of E, reattach and tighten the washers and nuts removed in the previous step.

9 Place G, H, and I onto the shampoo basin separately.



Chair Operation Guide




- 1-1. Below the water valve, there are two water pipes. One pipe can connect to the hot water outlet, and the other can connect to the cold water outlet (choose either one, no need to distinguish).
- 1-2. Adjust cold or hot water by rotating the valve left or right.

Steps for Applying Teflon Tape to Pipe Threads:

- | | | |
|---|----------|--|
| <p>1</p> | <p>2</p> | <p>3</p> |
| <p>1-2. Wrap tape from the thread edge inward, keeping it flat and tight.</p> | | <p>3. Cover threads evenly with 2-3 wraps, slightly thicker at the edge.</p> |
| <p>4</p> <p>4. Press tape firmly onto threads.</p> | | <p>5</p> <p>5. Screw fitting clockwise until secure.</p> |


2. Drainage

Drainage can be conducted through the internal drainage pipe of the shampoo chair.



3. Adjusting the angle of the shampoo basin

Adjust the angle of the shampoo basin by rotating it up and down.



Trouble and Solution

NO.	Trouble	Potential Issues	Solution
1	Missing screws.	Some screws are pre-installed.	Most screws are pre-installed on the chair's components. Please check again to see if there are screws in the screw holes on the chair's components.
2	Missing parts.	The chair is shipped in two packages.	If your chair is shipped in two separate packages, we will send you the tracking numbers for both packages via Amazon after the chair has been shipped. Please keep an eye out for them. The two packages may not arrive simultaneously.
3	Damaged	The chair leather, metal, and other accessories are damaged.	If you find any damage to the chair after receiving it, please do not rush to return it. Please contact us and provide pictures of the damage in your message so that we can quickly identify the required parts. We will promptly send you the replacement parts.
4	Other issues	Contact Us	. In order for us to better understand and resolve the issue quickly, please provide relevant pictures or videos related to the problem in your email.

WARNING:
ANY PACKING BAGS OF THIS PRODUCT ARE NOT TOYS. TO AVOID THE DANGER OF SUFFOCATION, KEEP AWAY FROM BABIES AND CHILDREN. DO NOT USE IN CRIBS OR BEDS.