


Extendable Dining Table

Assembly Instructions

CZ088




Assembly Overview



Parts List


1 Tabletop assembly

Qty: 1




2 Leg frame

Qty: 1




3 Leg frame

Qty: 1




4 Extension leaf

Qty: 1



5 Support bar

Qty: 1




Hardware List

A Hex socket screw

M8 × 45MM


5 + 1 PCS



B Flat washer

M8 × Ø19MM


5 + 1 PCS



C Spring washer

M8

5 + 1 PCS




Tool

D Hex key

M5 × 100MM


Qty: 1



Choose the Correct Screws


Using the correct screws helps prevent damage to components.

Example




Incorrect

Oversized screws can crack the panel.



Correct

Use the correct size screws.




Step 1

Join leg frames (2) and (3) as shown. Do not fully tighten yet.


Hardware: A × 1, B × 1, C × 1 Tool: D × 1

Turn the assembled leg frames upright.



Step 2

Unlock the latches underneath tabletop assembly (1).
Pull the two sides of the tabletop apart as shown.




Step 3

Place the opened tabletop assembly (1) on the assembled leg frames.

Fasten with A, B and C using D; insert support bar (5).


After aligning and installing all hardware, tighten the hardware left loose in Step 1.

Hardware: A × 4, B × 4, C × 4 Tool: D × 1




Step 4

Fit extension leaf (4) as shown, aligning the fittings.
Close the locking latch as illustrated.




Step 5

Assembly is complete. Adjust the feet to level the table.




Step 6

To store the extension leaf, unlock the latch underneath the tabletop.
Pull the tabletop in the direction shown by the arrows.



Step 7

Fold extension leaf (4) into the position shown.
Then close the tabletop.



Step 8

Lock the latch underneath the tabletop to complete the adjustment.

