


Hall Tree





Warning: Please read this instruction manual carefully before using the product.



GAUTION: When tightening the screws, tighten sequentially. Do not tighten any screws fully and then towards the next one. When every part is OK, then tighten all the screws.










Cam Lock Fastening System

This Cam Lock Fastening System will be used throughout the assembly process






Make sure to use the correct screws to avoid damaging components




the board




Wrong size screw can split Correct screw size is correct

Matters needing attention


- (1) When installing the screws in the installation step, the screws do not need to be tightened. After this installation step is confirmed and the holes are aligned, then tighten all the screws.
- (2)If the screws are tightened during the installation process, it will cause problems such as misalignment of the screw holes and misalignment of the board in subsequent installations.




Note that if you find that there are no plastic granules on the wooden block, the table cannot be assembled, please don't worry, please use the spare plastic granules in the screw bag



Note, please use a tool to carefully align the plastic pellets with the holes and then knock them down





ASSEMBLY INSTRUCTION FOR HALL TREE STEP3 (12)Note the installation direction of component "12" (12)B B A 2PCS 8/27





ASSEMBLY INSTRUCTION FOR HALL TREE STEP5 В \bigcirc B 1PC STEP6 \overline{E} E). 0 E 0 E ST5x40 4PCS


10/27
















16/27

ASSEMBLY INSTRUCTION FOR HALL TREE STEP17 (18) 24) 23) (17)ST5x40 8PCS STEP18 (E)E(16) E @ $\widehat{18}$ 16 $\overline{19}$ (18)(17)ST5x40 6PCS 17/27







STEP19

 \bigcup


3PCS

Carefully remove the plastic film on the back of the light belt and transparent buckle, align the light belt with the hole, and carefully pass through; Then put the light belt into the card slot and fix it, and then paste the light belt and transparent buckle to the desired position.






ASSEMBLY INSTRUCTION FOR HALL TREE STEP21 Flip (15)26 FX22 KX22 18F S ST5x3.5x12 22PCS \mathbb{K} 22PCS 0 22/27



23/27



ASSEMBLY INSTRUCTION FOR HALL TREE STEP24 \bigcirc H \bigcirc H F F \bigcirc [] H H

4PCS

M3.5x12

F

M4x18 2PCS/4PCS

 \mathbb{H}

2PCS

G Co

4PCS

STEP24

To install the door plate, first install the top H connector into the corresponding hole of component "1", then press the end of the bottom H connector until the door plate can be easily pushed into the corresponding hole of component "2", release the hand to spring up the connector H.

