



Brockway™ | K-3200-PSG

36" wall-mount utility sink

Features

- Single bowl
- 36" (914 mm) total width
- Painted Spring Green underside finish
- Requires two K-730T70 faucets one K-8880 soap dish (sold separately)



Sustainability



Available Colors/Finishes

Color tiles intended for reference only.

■ H15 150th Spring Green



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-30-2026 05:21 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ASME A112.19.1/CSA B45.2

Technical Information

Number of Deck Holes:	4
Faucet Hole(s) Size:	1-1/2" (38 mm)
Soap/Lotion Hole Size:	5/16" (8 mm)
Drain Hole Diameter:	2-1/8" (54 mm)
Minimum Base Cabinet Width:	33" (838 mm)
Basin Configuration:	Single Bowl

Material

- KOHLER® enameled cast iron
- Acid-resistant enamel finish

Recommended Products/Accessories

K-23726 Drain treatment

K-8880 Soap dish

K-8820 Brass sink strainer for 2" outlets

K-23725 Cast iron cleaner

K-730T70-4AJR Wall-mount lavatory faucet, 1.2 gpm


K-730T70-4AR Wall-mount service sink faucet, 12 gpm

Warranty

See website for detailed warranty information.

KOHLER® Enameled Cast Iron Kitchen and Bathroom Sink
 Lifetime Limited Warranty





Installation

- Wall-mount

Installation Notes

Install this product according to the installation instructions.

NOTICE: Countertop manufacturer or cutter must use the current product template available at www.kohler.com or by calling 1-800-4KOHLER. Kohler Co. is not responsible for cutout errors when the incorrect cut-out template is used.



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

7-30-2026 05:21 - US-CA