260611

Assembly Instruction

LGR260AQ



EN

General Guidelines

- Please read the following instructions carefully and use the product accordingly.
- Please keep this manual and hand it over when you transfer the product.
- This summary may not include every detail of all variations and considered steps. Please contact us if further information or assistance is needed.

Notes

- The product is intended for indoor use only. It must be assembled and used in accordance with the provisions of the manual. Personal injury and/or damage to the product may occur if the product is used outside of its intended purpose and/or if it has been changed/modified from its original design. The seller does not assume any responsibility or liability for injury or damage caused by incorrect assembly or improper use.
- Avoid long-term exposure to humid environments to prevent mildew.
- Keep the product away from fire sources and high temperatures. Do not expose the product to direct sunlight.
- Do not place any hot objects on the surface of the product.
- If there are any defective or missing parts after unpacking, please cease assembly immediately and contact us.
- Assemble the item on a spacious surface and avoid placing the unwrapped product directly on the ground to prevent damage.
- Do not stand or sit on the wooden boards.
- Wear gloves during the assembly and/or disassembly process to avoid scratches from any sharp edges.
- Match each part and fitting based on the part number in the manual.
- If a part does not match the fitting, please check the manual for clarification.
- During assembly, first loosely align all screws with the corresponding pre-drilled holes, then tighten them one by one.
- Periodically inspect the screw tightness while the product is in use. Retighten if necessary to ensure structural integrity.
- If you accidentally spill water or any other liquid on the surface, immediately wipe it clean with a dry towel.
- Keep the product away from sharp, pointed objects and corrosive substances to prevent damage.
- Place the item on level, solid ground during use.

Warnings

- During assembly, keep all small parts out of the reach of children, as they may be fatal if swallowed or inhaled.
- Children should not climb or play on the product to avoid tipping over and causing serious injury.
- To avoid the potential danger of suffocation, keep all packaging materials (film, plastic bags, foam, etc.) away from babies and children.

Exploded(EN)


23
22
11
21
10
9
16
17
16
17
9
20
11
7
25
26
2
27
5
26
12
29
1
13
4
24
27
24
6
12
3
14
27
26
13
8
15
25
19
14
18
27
26


28 x12

Parts List(EN)









1  x1	2  x1	3  x1
4  x1	5  x1	6  x1
7  x1	8  x1	9  x2
10  x1	11  x2	12  x2
13  x2	14  x2	15  x1

Parts List(EN)









16  x2	17  x2	18  x1
19  x1	20  x1	21  x1
22  x1	23  x1	24  x2
25  x2	26  x4	27  x4
28  x12	29  x1	

Hardware List(EN)









A  6*40mm 4+1PC	**B**  15*9.5mm 20+2PCS	**C** 6*30mm 8+1PC	**D** ST5*40mm 4+1PC
E M3.5*12mm 2+1PC	**F** 5*80mm 8+1PC	**G** M6*12mm 36+2PCS	**H**  M6*28mm 32+2PCS
I  M6*38mm 60+3PCS	**J**  2PCS	**K**  2PCS	**L**  1PC
M  24+1PC	**N**  8+1PC	**O**  16PCS	**P**  4PCS
Q  4mm 1PC	**R**  1PC		

Instructions For Fastening
CAM-BOLT and CAM-LOCK

CAM-BOLT

CAM-LOCK

Tools Required



INSERTING AND TIGHTENING CAM-BOLT



Place Cam-bolt on pre-drilled hole and screw in vertically



Shoulder is flushed (on the same level) with the panel



Shoulder is above the panel

Place Cam-bolt on the designated pre-drilled holes on the panel. Use a Phillips Screwdriver to screw-in Cam-bolt vertically until shoulder is flushed (on the same level) with panel.

INSERTING CAM-LOCK



Insert Cam-lock with arrow align to Cam-bolt head



CORRECT WRONG

Align the arrow on the Cam-lock to the Cam-bolt head and insert the Cam-lock. Ensure Cam-lock is fully inserted.

TIGHTENING CAM-LOCK



Use a Flat-head Screwdriver to turn Camlock clockwise so it locks onto the head of the Cam-bolt. Turn until it is snug (about 3/4ths of a turn) -- over-tightening could damage Cam-lock or/and Cam-bolt.

Assembly Steps(EN)

STEP 1



B		x12
C		x6
F		x6

STEP 2



First tighten all screws to 80% torque. After all screws are aligned with the holes, fully tighten them to 100%.

H		x24

Assembly Steps(EN)

STEP 3



There are holes at the positions indicated by the arrows on the reverse side of member 11 here.

I		x6

STEP 4



H		x4

Assembly Steps(EN)

STEP 5



D		x4

STEP 6



A		x4

Assembly Steps(EN)

STEP 7



Place a piece of foam underneath for easier installation.

First tighten all screws to 80% torque. After all screws are aligned with the holes, fully tighten them to 100%.

B		x4
I		x10

STEP 8



G		x4
J		x2

Assembly Steps(EN)

STEP 9



G		x2

STEP 10





I		x2

Assembly Steps(EN)

STEP 11



I		x2

Assembly Steps(EN)

STEP 12



G		x2
I		x3

STEP 13



I		x2

Assembly Steps(EN)

STEP 14



G		x2
I		x1

STEP 15





I		x6

Assembly Steps(EN)

STEP 16

First tighten all screws to 80% torque. After all screws are aligned with the holes, fully tighten them to 100%.



I		x18

STEP 17



G		x6
K		x2

Assembly Steps(EN)

STEP 18



B		x4
C		x2
F		x2
H		x4

Assembly Steps(EN)

STEP 19



First tighten all screws to 80% torque. After all screws are aligned with the holes, fully tighten them to 100%.

I		x10

STEP 20



E		x2
L		x1

Assembly Steps(EN)

STEP 21



x4

STEP 22



x4

N		x8

Assembly Steps(EN)

STEP 23



x4

G		x20
P		x4

STEP 24





x4

O		x16

Assembly Steps(EN)

STEP 25



Assembly Steps(EN)

STEP 26







Finish!

M		x24