



Assembly Instructions



Single room




1 bedroom+1 living room



2 bedroom+1 living room

Parts List:



Instruction book



Ground nail



Repair kit



Air pump



Tent



Tent bag

Single room	Q'ty
Instruction book	1
Ground nail	8
Repair kit	1
Air pump	1
tent	1
Tent bag	1

1 bedroom+1 living room	Q'ty
Instruction book	1
Ground nail	12
Repair kit	1
Air pump	1
tent	1
Tent bag	1

2 bedroom+1 living room	Q'ty
Instruction book	1
Ground nail	17
Repair kit	1
Air pump	1
tent	1
Tent bag	1



ASSEMBLY INSTRUCTIONS



"IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY"



1、 Venue selection

Choose Flat, non-standing water, you can also drill nails to build the ground tents

2、 Spread out the tent

Please spread out the tent and find the air vent.

3、 Inflate

Whether using a high-pressure pump or electric pump , choose a suitable inflatable joint to link the tent inflatable nozzle, if the link falls off during the inflating process , re-increase the strength to insert , or manually hold the inflatable interface;

Under normal conditions, the tent will be fully filled and erect when the air pressure is charged (the approved pressure is 6-8 psi) , but it is also possible that the tent will not fully stretch and stand up when the air pressure is charged, at this point, please hand or into the tent to prop up the tent, do not continue to inflate beyond the rated air pressure value.

4、 Fixed tent

After the tent is inflated and erect, please fix the ground nail on the ground through the D-shaped buckle on the lower skirt of the tent to prevent the tent from shifting and pull the wind rope.

ASSEMBLY INSTRUCTIONS



1、About the rated air pressure

The air pressure value on the pump indicates the dial, and the rated air pressure value corresponds to the air pressure value indicating the green area of the dial.

2、Pump

Please pay attention to the barometer during the use, barometer pointer for the dynamic indicator, only indicating the [one stroke] inflation pressure at the moment, one stroke after the completion of inflation return to zero.

3、About temperature change

Please pay attention to the temperature changes during the use of tents:

1) The air column will be too high because of the heat after the sun exposure, can choose to release some gas, self-help safety valve will also automatically vent half of the time:

2) If the temperature difference is large, when the night air column can be properly replenished.

4、About Sharp objects

During the use of inflatable tents should avoid contact with sharp objects, so as not to cause damage to the tent.

5、About column displacement

The inflatable tent takes the inflatable column as the supporting structure, the inflatable column and the tent are connected and fixed through the wrapping cloth or the magic stick, and the inflatable column may shift after being folded in the process of use and storage, therefore, it is reasonable that the air column and the tarpaulin do not fit each other occasionally after inflating the tent, which needs to be adjusted manually. Method of adjustment: after inflating the tent, enter the inside of the tent, loosen the wrapping cloth, and manually adjust the position of the air column. If the displacement causes a bend in the air column, loosen the wrapping cloth, pull the other side of the air column as a whole to reset. Please re-tighten the wrapping cloth after the displacement is resolved.

ASSEMBLY INSTRUCTIONS



1、Collection

When the inflatable tent is collected, the gas in the tent air column must be evacuated

Proper method: the zipper of the door and window of the tent is in the open state, rotate the open air nozzle to deflate, stand for about 5-8 minutes, the gas in the air column can discharge most of it, fold and receive it in half, left and right first, the air can be discharged from the tent by rolling up the tent from the side without the air nozzle. The bag of the tent adopts the drawstring specially and increases the volume to adapt to the larger volume after receiving than the factory receiving state.

2、Condensation Dew

The condensation dew of a tent refers to the situation when the water vapor in the air inside the tent reaches a state of saturation. If the external temperature is lower than the internal temperature of the tent, the condensation water of the water vapor inside the tent will generally adhere to the tarp at the top of the tent, common in the morning after a night, this is a natural phenomenon. dew is a natural law that can not be eliminated. Keeping the tent well ventilated and discharging the excess moisture in time can reduce the occurrence of dew. For this reason, we have set up exhaust ports at the top of the entrance at both ends of the tent, please prop up the vent for ventilation if necessary.

3、Maintenance tips

After the use of tents need to dry in time, such as in the wet state to receive, cotton fabric will produce mildew, Oxford cloth, polyester nylon fabric waterproof coating will occur hydrolysis, will greatly damage the tent.

ASSEMBLY INSTRUCTIONS




1、 Lay your tent on the ground



2、 Find the air vent



3、 Connect the pump to inflate



4、 Pull the string, hammer in the ground, and secure the tent

Customer Service Guide



Thank you for choosing our product! We are committed to providing you with excellent service. If you find any missing parts, damaged packaging, or product damage after receiving all packages, please follow the steps below to quickly contact our customer service team. We will do our best to resolve your issue.

1. Missing Parts

Verify Parts:

1. Refer to the “Parts List” in the manual to verify the name, specifications, and quantity of the missing parts.
2. Take a clear photo of the parts list and mark the missing parts with detailed information, e.g., “Missing 5 pieces of M6x30mm screws.”

Contact Us:

- By Email:
Send an email to service@grandtunnel.com, with the subject line “Missing Parts Issue.” Include the following in the email:
 - A description of the missing parts and a photo of the parts list.
 - Order details (order number, purchase platform, purchase date).

2. Product or Packaging Damage

If it affects normal use:

Steps:

1. Take clear photos or videos showing the damaged parts and the extent of the damage (multi-angle shots are recommended).
2. Email the photos/videos along with other details to service@grandtunnel.com, with the subject line “Product Damage Issue.”

Resolution:

After verification, we will arrange for a replacement part, product exchange, or refund as quickly as possible.

Customer Service Guide



If it does not affect normal use:

Steps:

1. Contact our customer service team (by email: service@grandtunnel.com).
2. Provide a description of the damage and include relevant photos or videos.

Resolution:

We will provide repair guidance or an appropriate compensation plan based on the specific situation.

Contact Us:

Customer Service Email: service@grandtunnel.com

Helpful Tips:

To process your issue efficiently, please prepare the following information:

- Order details (order number, purchase platform, purchase date).
- Clear photos or videos.
- We are committed to providing quick and professional solutions, no matter the size of the issue, to ensure your satisfaction.

Thank you for your trust and support!

We hope you enjoy using our product!

SKU:
BC06C1-1A0A0
BC06C1-1A1A0
BC06C1-1B1A0

V1.0