









Installation 140-1


To avoid scratches and swallowing parts, please do not install by children!

Hardware List		Hardware List			
	Seat	1		Backrest	1
	Armrest	1		Sofa cover	1
	Seat cushion	1		Back cushion	1
	Armrest cushion	1		Pillow	1
	Legs	4		Buckle	1
	8x20mm screw	2			


1 Remove the backrest first, and then rotate the armrest to 45° before removing it.



2



3




4


Put on the sofa cover. Be careful to loosen all the zippers first. The mesh goes on the bottom of the couch. Suggestion: you'd better not remove the protective strip before finish putting the cover on.




5



6 Note that the direction of cushion placement is distinguished by the direction of Velcro, please follow the picture demonstration operation.














7 Apply the connection buckles to connect the seats together (or not, it's totally up to users).




Installation 140-2


To avoid scratches and swallowing parts, please do not install by children!

Hardware List		Hardware List			
	Seat	1		Backrest	1
	Armrest	1		Sofa cover	1
	Seat cushion	1		Back cushion	1
	Armrest cushion	1		Pillow	1
	Legs	4		Buckle	1
	8x20mm screw	2			


1 Remove the backrest first, and then rotate the armrest to 45° before removing it.



2



3




4


Put on the sofa cover. Be careful to loosen all the zippers first. The mesh goes on the bottom of the couch. Suggestion: you'd better not remove the protective strip before finish putting the cover on.




5



6 Note that the direction of cushion placement is distinguished by the direction of Velcro, please follow the picture demonstration operation.







7 Apply the connection buckles to connect the seats together (or not, it's totally up to users).




Installation 140-3

To avoid scratches and swallowing parts, please do not install by children!

Hardware List			Hardware List		
	Seat	1		Backrest	1
	Sofa cover	1		Seat cushion	1
	Back cushion	1		Pillow	1
	Legs	4		Buckle	1
	8x20mm screw	2			


1




2 Put on the sofa cover. Be careful to loosen all the zippers first.
The mesh goes on the bottom of the couch.
Suggestion: you'd better not remove the protective strip before finish putting the cover on.



3 Secure the legs of the sofa.



4 Note that the direction of cushion placement is distinguished by the direction of Velcro, please follow the picture demonstration operation.







5 Apply the connection buckles to connect the seats together(or not, it's totally up to users).



Installation 140-4

To avoid scratches and swallowing parts, please do not install by children!

Hardware List		Hardware List	
	1		1
	1		4
Seat		Sofa cover	
Seat cushion		Legs	

1 Unzipper the base cloth, take out the sofa seat bag and feet and other accessories, and then close the zipper.



2 Put on the sofa cover.
Suggestion: you'd better not remove the protective strip before finish putting the cover on.



3 Secure the legs of the sofa.



4

