









6x4 FT Outdoor Storage Shed
MS2609











Scan for Installation Video




















PART LIST


F5
20
F4
19
18
F4
11L
21L
11R
F6
21R
9
W15
F
8
7
W7
W5
W3
5
2
3
C
6
21
S5L
S1
S2
S3
15
23
M1
16
17R
C1
W1
17L
22
S5R
1
F17
F16
F15

NO.	PART.	Qty.
1		1
2		2
3		1
5		4
6		1
7		2
8		1
9		1
11L		2
11R		2
15		4
16		2
17L		1
17R		1

NO.	PART.	Qty.
18		1
19		2
20		4
21		4
21L		2
21R		2
22		1
23		1
W1		4
W3		5
W7		4
W5		2
C1		1
W15		4

NO.	PART.	Qty.
M1		2
C		4
F		4
F4		4
F5		2
F6		4
F7		50
F8		24
F9		2
F15		1
F16		1
F17		1
S1		1
S2		1

NO.	PART.	Qty.
S3		1
S4		192
S5L		1
S5R		1
S6		59
S6A		10
S7		63
S8		4
S9		4
S12		1
S15		1

Before You Start

* Preparation: Assembly requires 2 people and takes about 2 - 3 hours. Please check all parts against the list before starting.

* Site Requirements: Install on a flat, hard surface. Leave at least 60cm (2 ft) of clearance around the shed for easy access.


* Safety First: Wear gloves throughout the process—metal edges are sharp. Ensure ladders are stable when working at heights.

* Pro Tip: During frame assembly, tighten screws to about 80% first. Fully tighten them only after the entire frame is squared up to prevent misaligned holes.



Step 1: Build the Base Frame

NO.	PART.	Qty.
1		1
2		2
3		1
C		4
S4		16


Step 2: Install Posts


NO.	PART.	Qty.
5		4



Step 3: Install Top Frame


NO.	PART.	Qty.
6		1
7		2
8		1
F		4
S4		8

Step 4: Install the Side & Back Wall Panels


NO.	PART.	Qty.
W7		2
W5		2
S4		18
S6		3
S7		3






NO.	PART.	Qty.
W7		1
W3		5
S4		32
S6		6
S7		6



Step 4: Install the Side & Back Wall Panels


NO.	PART.	Qty.
W7		1
W1		4
C1		1
S4		18
S6		6
S7		6





NO.	PART.	Qty.	NO.	PART.	Qty.
17L		1	S6		2
17R		1	S7		2
S4		8			


Step 5: Install the Window

NO.	PART.	Qty.
F15		1
F16		1
F17		1
S4		8





NO.	PART.	Qty.
11L		2
11R		2
21L		2
21R		2
S6		12
S7		12
F6		4




NO.	PART.	Qty.
S4		16

Tips:Use S4 for downward installation.

NO.	PART.	Qty.
9		1

Step 6: Lay the Roof Panels


NO.	PART.	Qty.
W15		4
S4		30
F7		30

Use S4 and F7 for all installations.


Place the side with small distance between holes and edges on the top

NO.	PART.	Qty.
20		4
S4		8
F7		8

Use S4 and F7 for all installations.




NO.	PART.	Qty.
19		2
S4		2
S8		4
F4		4
F7		6



NO.	PART.	Qty.
F8		24

Mount F8 at the bottom of all visible screws under the eaves.


NO.	PART.	Qty.
18		1
F5		2
S4		6
F7		6



Step 7: Assemble the Door

NO.	PART.	Qty.
16		1
21		2
22		1
M1		1

left


Put 16 on the side farther from the hole in the center of the tile and 22 on the side nearer.




NO.	PART.	Qty.
S5L		1
S5R		1
S4		2
S6		4
S7		4



NO.	PART.	Qty.
15		2
S6		3
S6A		5
S7		8

When installing the 15 sliding doors, use S6A and S7.




NO.	PART.	Qty.
S1		1
S4		8
S6		2
S7		2




NO.	PART.	Qty.
16		1
21		2
23		1
M1		1

right

Put 16 on the side farther from the hole in the center of the tile and 23on the side nearer.




NO.	PART.	Qty.
S4		4




NO.	PART.	Qty.
15		2
S6		3
S6A		5
S7		8

When installing the 15 sliding doors, use S6A and S7.



NO.	PART.	Qty.
S2		1
S3		1
S4		8
S6		6



Step 8: Hang the Door & Install Door Stop

NO.	PART.	Qty.
S6		12
S7		12
S9		4

Pro Tip:

Test the door opens and closes smoothly before fully tightening hinge screws — prevents sagging and scraping.