



ASSEMBLY INSTRUCTIONS

NARO Sofa



Sofa Cushion Care Instructions



1. Fluffing Newly Unpacked Cushions

New sofa cushions are tightly compressed during sealed packaging and long-distance transportation. It is normal for cushions to look flattened and compact right after unpacking, which is not a product quality defect.

After taking out the cushions, pat the surface and edges of seat & back cushions repeatedly, and knead the inner filling gently. You may also hold the four corners of the cushions and shake them up and down a few times. The inner filler will distribute evenly, allowing cushions to regain their original plump shape with softer seating comfort.

2. Daily Maintenance Tips

If cushions turn slightly flat after long-term use, restore fullness by patting and shaking regularly. Rotate seat cushions periodically to ensure even stress distribution and prevent local sagging. Keep fabric upholstery away from sharp objects to avoid snags. Remove surface dust with a lint roller or vacuum cleaner regularly.

3. Warm Reminders

Do not machine wash or hand wash the inner cushion inserts. The outer fabric covers can be cleaned in accordance with the fabric care labels. Proper maintenance can greatly extend the service life and comfort of the sofa.



Wash in washing bag
in washing machine



No direct sunlight




Line dry


Right Arm Sofa Assembly Steps

Unpack RA and ARM packages.


A:2PC




B:1PC




C:1CP




D:1CP




E:1CP



F:1CP



G:1CP



H:2CP

No.1



M6*25MM
4pcs

No.2




M6*20MM
2pcs

No.3



M8*50MM
2pcs



No.4
M8*80MM
2pcs



No.5
M8




No.6

I:1CP J:1CP

Assembly Steps

STEP 1:




Accessory A is placed inside Armrest D;
unzip the armrest to take it out.




A:2PC

1. Secure sofa foot base A onto armrest D.

STEP 2:



No.1




M6*25MM
4pcs

An electric drill can be used with Screws No.6
for extra stability if needed (optional).


2. Fasten sofa backrest C to base G with Screws No.1 respectively.

Assembly Steps

STEP 3:



STEP 4:




4. Place seat cushions and back cushions in position, assemble footrest E and set it inside bottom frame G. The right arm sofa assembly is now complete.


Left Arm Sofa Assembly

Unpack LA and ARM packages.


A:2PC




B:1PC



C:1CP




D:1CP






E:1CP



F:1CP




G:1CP




5. Assemble the left arm sofa following the exact same steps as the right arm sofa.

Center Arm Console Assembly


Unpack CON packages




A:1PC




B:1PC



C:4CP



D:1CP




E:1CP

No.1



M8*20MM
8pcs

No.2




M8*50MM
4pcs

No.4



No.3



M8*30MM
2pcs




G:1CP




F:1CP

Assembly Steps

STEP 1:




STEP 2:




Assembly Steps

STEP 3:




STEP 4:




Assembly Steps

STEP 5:




STEP 6:




Armless Seat Assembly


Unpack AL packages




A:2PC




B:1PC




C:1CP



D:1CP




E:1CP



F:2CP

No.1



M6*25MM
4pcs



M6*20MM
2pcs



I:1CP




J:1CP


Assembly Steps

STEP 1:

An electric drill can be used with Screws No.6 for extra stability if needed (optional).




STEP 2:




Assembly Steps

STEP 3:



3. Arrange seat and back cushions properly, then assemble footrest E.


STEP 4:



4. Single armless seat assembly is completed.

Assembly Steps

STEP 5:



5.Connect all pre-assembled sofa sections with Screws No.4 and Nuts No.5.

STEP 6:

