


Outdoor Pet Shelter

Metal dog house

9.8 FT*9.8 FT



CUSTOMER SUPPORT

Dear customer

Thank you for your purchase.

This product is a non-permanent outdoor structure designed and manufactured for personal use rather than commercial use.

Please confirm whether the installation is permitted in your states firstly.

1. When you receive the product, please make sure that all the boxes have arrived, and all the parts are intact.
2. Please browse the entire installation manual before assembling, retain this instruction manual for future reference.
3. If any problem occurs unsatisfactorily as follows:
 - Lack of boxes, or some boxes are not arrived.
 - The outer box is damaged.
 - The product is damaged / bent / cracked while you open the box.
 - The parts / accessories / assembly tools are missing.
 - The product is hard to assemble.
 - The instructions are not clear, or hoping for assistance with installation.
 - The product has functional problems.
 - The product did not meet your expectations.
 - Other aspects that you are not satisfied with.

Please feel free to contact us for help firstly. If there is any damage, please send us clear photos. We will check and do our best to provide the best solution for you. The missing or damaged parts will be delivered to you within 5 days.

**DO NOT RETURN YOUR UNIT TO THE STORE
CONTACT US FIRST**



service@kmcglobe-us.com







(USA) +1 213-816-4788

PARTS

1. Please ensure that all parts, accessories and installation tools are complete before starting the installation.
2. Due to the variety of accessories, some parts may be glued together, some parts may be trapped inside the larger ones, please check carefully.
3. In case you cannot find or lose some small parts or screws during installation, we have provided extra parts.
4. If any accessories are missing or damaged, please contact us immediately.


✉ service@kmcglobe-us.com



CARTON: A

PART NO.	DIMENSION	STYLE PIC	QUANTITY
①	1420 mm		17
②	1280 mm		8
③	395+165 mm		2
④ -1	1420 mm		1
⑤	1310 mm		1
⑥	783 mm		4
⑦	783 mm		4
A	575 mm		2
B	1205 mm		2
C	Supporting rod		8
D	90° three-way		4
E	90° three-way (Footing)		4
F	three-way (Footing)		4
G1	three-way		1
G2	three-way		1
H	four-way		2
I	M10x45 Screw		4
J	M8x45 Screw		14
K	Big Mesh		1
L	Door Mesh		1
M	Hingers without pin		2


PARTS

CARTON: A


N	Hingers with pin		2
O	Stainless steel cable ties		1
P	Bracket		28
Q	Roof cloth		1
R	Wrap ties		1
S	M8x20 Screw		16
T	Metal clip		16
U	Ground Nail		8
V	Manual		1
W	Wrench		1
Y	Self-Tapping Screw		10
Z	Socket		1
	Glove		1

Step 1**Step 2**


- Repeat this step twice for the top and bottom frame



Step 3

A technical line drawing of a rectangular frame structure, likely a piece of furniture or a display case. The structure consists of a main rectangular frame with a smaller rectangular section attached to the bottom right. The frame is composed of several vertical and horizontal members. Eight circular callouts, each containing the number '1', are placed along the top edge of the main frame, indicating specific components or assembly points. The drawing is a black and white line art, showing the structure from a side-on perspective.

Step 6

When installing (P) bracket, do not lock the screw first. It can be locked only after it is adjusted according to the width of the door.

Step 7


Step 8**Step 9**

Step 10



Two persons together

Two people are required to install the net. Be careful when the net is unfolded. The edge interface of the net is sharp and you need to wear gloves.



When installing the net, first bind one end of the net to tube 5 with a tie, wrap the net on the frame, and bind tube 2 with a tie until the net is completely unfolded, and bind the other end to tube 2.


Steel bar

Steel bar

The mesh maybe too long. Wrap the excess part behind the tube 2, then secure it with cable ties.

A stainless steel strap in the middle of the two plastic straps makes the mesh more secure.

Step 11




Install the door frame.

Lock it with (Y) self-tapping screw to make it more firm

Step 12

The door mesh might be too long. Wrap the excess part behind the tube A, then secure it with cable ties.




Two Stainless Steel Cable Ties are rolled with plastic ties or iron wire ties in the middle,




When packaging, bundle L and K together.
However, during installation, they need to be separated.

Step 13


The net shall be tensioned up and down, and shall be fastened with ties around.



Lock it with (Y) self-tapping screw to make it more firm



A stainless steel strap in the middle of the two plastic straps makes the mesh more secure.

Step 14

Install the rain cover one the top of the dog run. Then a beautiful dog kennel with cover is finished.

AFTER-SALE

AFTER-SALE SERVICE

If you have any suggestions or encounter quality issues with our products, please contact us first.

Our after-sales team will respond within 24 hours, and we will do our best to provide a solution until you are satisfied.

GUARANTEED CUSTOMER SERVICE

Your shopping experience is very important to us!

If you feel unsatisfied or have any questions,
just contact us!

If you want to share how wonderful our smart product makes your home, **just contact us** and share your pictures!

For further information,
just contact us!



service@kmcglobe-us.com



(USA) +1 213-816-4788