
INSTRUCTION MANUAL



WARNING

Always install the trampoline with **at least two people.** keep head and face away from frame of trampoline. Failure to do so can cause serious injury to head or face, or lead to other serious injure. We are not liable for any injuries that may occur when using the trampoline.

Table of contents



Parts list ……3 , 4

Notes & Warnings ……..4

Assembly Instructions ……4, 5 , 6

Parts list

Ref.Number	Part Number	Description	Unit
1	TR01	bottom frame tube	6
2	TR02	Bottom W legs	3
3	TR03	Safety Net pole	6
4	TR04	Top frame tube（with foam）	6
5	TR05	Monkey bar support	2
6	TR06	Monkey bar top	1
7	TR07	Monkey bar “L”	2
8	TR08	Net	1
9	TR09	Jump mat	1
10	TR10	Springs	30
11	TR11	Cover pad	1
12	TR12	Spring tool	1
13	TR13	Gymnastic Rings	1
14	TR14	Ocean Balls	1
15	TR15	Basketball Backboard Combo	1
16	TR16	Sandbag	1
			1


 TR01 x 6pcs	 TR02 x 3pcs	 TR03 x 6pcs
 TR04 x 6pcs	 TR05 x 2pcs	 TR06 x 1pcs
 TR07 x 2pcs	 TR08 x 1pcs	 TR09 x 1pcs
 TR10 x 30pcs	 TR11 x 1pcs	 TR12 x 1pcs

Notes & Warnings


1. This product should not be used by persons weighting more than 110 Lbs.
2. The legs of the trampoline are installed tightly, please make sure not to pinch your fingers or hand during assembly.
3. The elastic springs can be stiff in the early stages of usage of the trampoline and will loosen with time. Please be careful while install the trampoline and do not hurt your body.
4. Must use elevated trampoline on wall to wall carpet or a floor than is not slippery so unit does not slide when used.

Assembly Instructions

1.Place all the accessories on the ground, then connect the 6 main frame circular tubes as show.




2. Attach the suction cup foot covers to the U-shaped leg tubes, then connect the 3 U-shaped legs to the main frame circular tubes respectively according to the diagram.



3. With the trampoline frame now open and take out the jump mat in the middle of the frame, Now. start to install the springs, step1, Install two spring by two side of the frame ,step2, Install the spring to other four side of the fram**e as show，** keep on install other springs as show step3 and step4. (attention: Install the jump mat need base on below Assembly Instructions**)**

Note: Please use the spring tool to install the springs.



Step 1



Step 2



Step 3




Step 4


4. Put the cover pad onto the trampoline frame ,Carefully position each of the 6 openings in the pad cover over their corresponding enclosure pole sockets. Insert the net pole into the main frame separately.



5. Take out six top frame tubes (with foam) and assemble them into a circle. Note that there are two four-way connectors—install them at the 3rd and 6th positions (on opposite sides of the circle) for mounting the monkey bar, as shown in the diagram.



6. Install the safety net as shown in the diagram. Note that the arched door should be placed on the front side. Pull the hooks at the bottom of the net down to the bottom of the trampoline, hook them onto the springs, and secure them tightly.



7. Now start installing the monkey bar: First, slide the two short tubes (TR05) onto the two sleeves of the top frame (as described in Step 5), ensuring the nuts face outward. Next, assemble the monkey bar top (TR06) with the monkey bar "L" tubes to form a U-shape, then fit the entire assembly over the support tube and secure it with two adjustable thumb screws—this monkey bar has 2 adjustable positions.



Attention: While installing the monkey bar, you can pre-install the gymnastics rings and sand bag. The backboard only needs to be fixed to a specific position on the circular tube with a rope.