

Apollo Tile



PIQUET



Piquet



APLALF88WHTA
Size: 2x10"




APLALF88GRAY
Size: 2x10"



APLALF88BLKA
Size: 2x10"

Product Code	Material	Surface	Size	Thickness	Packing pcs/box	Sheet or piece coverage sq.ft	Sold By	Sq.Ft/box	Weight/Sheet or sq.ft	Weight/Box
APLALF88WHTA	Ceramic	Glossy	2x10"	5/16"	44	0.122	box	5.38	3.36	18.1
APLALF88GRAY	Ceramic	Glossy	2x10"	5/16"	44	0.122	box	5.38	3.36	18.1
APLALF88BLKA	Ceramic	Glossy	2x10"	5/16"	44	0.122	box	5.38	3.36	18.1



APLALF88BLUE
Size: 2x10"



APLALF88VIRA
Size: 2x10"




APLALF88NAVY
Size: 2x10"

Product Code	Material	Surface	Size	Thickness	Packing pcs/box	Sheet or piece coverage sq.ft	Sold By	Sq.Ft/box	Weight/Sheet or sq.ft	Weight/Box
APLALF88BLUE	Ceramic	Glossy	2x10"	5/16"	44	0.122	box	5.38	3.36	18.1
APLALF88VIRA	Ceramic	Glossy	2x10"	5/16"	44	0.122	box	5.38	3.36	18.1
APLALF88NAVY	Ceramic	Glossy	2x10"	5/16"	44	0.122	box	5.38	3.36	18.1



Piquet



APLALF88MUSA
Size: 2x10"



APLALF88ROSE
Size: 2x10"



APLALF88MINT
Size: 2x10"



APLALF88BAHA
Size: 2x10"

Product Code	Material	Surface	Size	Thickness	Packing pcs/box	Sheet or piece coverage sq.ft	Sold By	Sq.Ft/box	Weight/Sheet or sq.ft	Weight/Box
APLALF88MUSA	Ceramic	Glossy	2x10"	5/16"	44	0.122	box	5.38	3.36	18.1
APLALF88ROSE	Ceramic	Glossy	2x10"	5/16"	44	0.122	box	5.38	3.36	18.1
APLALF88MINT	Ceramic	Glossy	2x10"	5/16"	44	0.122	box	5.38	3.36	18.1
APLALF88BAHA	Ceramic	Glossy	2x10"	5/16"	44	0.122	box	5.38	3.36	18.1



APLALF88SLVR
Size: 2x10"



APLALF88GOLD
Size: 2x10"

Product Code	Material	Surface	Size	Thickness	Packing pcs/box	Sheet or piece coverage sq.ft	Sold By	Sq.Ft/box	Weight/Sheet or sq.ft	Weight/Box
APLALF88SLVR	Ceramic	Glossy	2x10"	5/16"	44	0.122	box	5.38	3.36	18.1
APLALF88GOLD	Ceramic	Glossy	2x10"	5/16"	44	0.122	box	5.38	3.36	18.1



CARACTERÍSTICAS TÉCNICAS – TECHNICAL DATA SHEET

a) **DIMENSIONES – DIMENSIONS**

Característica Characteristic	Norma Norm	Valor medio según dimensión nominal N Average value depending on nominal dimension N		
		7 cm ≤ N < 15 cm	N ≥ 15 cm	
Longitud y anchura Length and width	EN ISO 10545-2	± 0.75 mm	± 0.5 %	± 2.0 mm
Espesor Thickness	EN ISO 10545-2	± 0.5 mm	± 10 %	± 0.5 mm
Rectitud de lados Straightness of sides	EN ISO 10545-2	± 0.5 mm	± 0.3 %	± 1.5 mm
Planitud de la superficie Surface flatness	EN ISO 10545-2	+ 0.75 mm	+ 0.5 %	+ 2.0 mm
Curvatura central Central curvature		- 0.50 mm	- 0.3 %	- 1.5 mm
Curvatura lateral Side curvature		+ 0.75 mm	+ 0.5 %	+ 2.0 mm
		- 0.50 mm	- 0.3 %	- 1.5 mm

b) **PROPIEDADES FÍSICAS – PHYSICAL PROPERTIES**

Característica Characteristic	Norma Norm	Valor medio Average value
Absorción de agua Water absorption	EN ISO 10545-3	> 10 % (BIII)
Fuerza de rotura Breaking of rupture	EN ISO 10545-4	> 600 N
Resistencia mecánica Modulus of rupture	EN ISO 10545-4	> 15 N/mm ²
Resistencia al rayado (MOHS) Scratch hardness (MOHS)	EN 101	3
Resistencia al choque térmico Resistance to termal shock	EN ISO 10545-9	Garantizada* Guaranteed
Resistencia al cuarteo Crazing resistance	EN ISO 10545-11 ASTM C424	Garantizada* Guaranteed
Pequeñas diferencias de color Slight colour differences	EN ISO 10545-16	ΔE _{cmc} < 0.75
Destonificación Shade Variation	---	V2
Reacción al fuego Reaction to fire	---	A1- s1, d0

No para los colores Silver y Gold / Not for Silver and Gold

c) **PROPIEDADES QUÍMICAS – CHEMICAL PROPERTIES**

Característica Characteristic	Norma Norm	Valor medio Average value
Resistencia a las manchas Resistance to stains	EN ISO 10545-14	5*
Resistencia a productos químicos Chemical resistance	EN ISO 10545-13	GLA*
Ácidos y álcalis de baja concentración Low concentration acids and alkalis		GHB*
Ácidos y álcalis de alta concentración High concentration acids and alkalis		GA*
Productos domésticos Household chemicals		

Exclusive Distributors:

Apollo Tile
Ph: +1 415 316-0898
e-mail: info@apollo-tile.com
www.apollo-tile.com