


Assembly Instructions

Caution : You must read this before you proceed











Remind: Umbrella open diameter max. 70 inches

Umbrella Base




Umbrella Base Weight : Appr. 55lbs

Parts List

Label	Picture	Description	QTY
A		Umbrella Base	1
B		Support Pole	1
C		Adjustable Screw	1
D		Adapter For 35mm Parasol Pole	1
E		Adapter For 38mm Parasol Pole	1
F		Adapter For 48mm Parasol Pole	1
G		Locking Bolt	1
H		Washer Ring	1
I		Socket Wrench	1
J		Washer	1

Assembly Preparation

Before
Beginning
Assembly:



- Read instructions, cover to cover-



- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-



- Assemble on a clean non-marring surface (packing foam)-



- Save all packaging until finished-

WARNING : AVOID CHOKING / CHOKING HAZARDS : Do not allow children to play with plastic wraps and / any small parts in this package.

Notice: As a safety precaution, when umbrella is not in use please turn down umbrella. Remove Umbrella from this base and store in safe location

This base is NOT suited and NOT recommended to be used as a free-standing Umbrella Base.


This base must be used under a matching table and matching Umbrella size.

ATTENTION : This Umbrella Base is exclusively recommended to be used together under a table with the matching umbrella with diameter of 70inches to 78inches.

The matching Support Pole diameter : 38mm - 48mm.

Assembly Steps

Parts Introduction




This UMBRELLA BASE has multiple parts and may require up to some 30 minutes to assemble.

To give you an overview of the UMBRELLA BASE parts, the above picture is to help you put the various parts into perspective.

Please read through the instructions herebelow to familiarise the parts and steps before assembly.

Step 1



This is a 2-person tem assembly product.


Tilt the Umbrellas Base to its side as pictured.

Place the Support Pole(B) through the Umbrella Base (A) and attach them using Locking Bolt (G) and Washer(H) by Socket Wrench (I).

Tighten all joints completely.


Turn over the Umbrella Base

Step 2




Screw Adjustable screw (C) into Support Pole (B).

Step 3 - A




For the Umbrella pole with diameter as 35mm, use dia.35mm Adapter (D) & dia.38mm Adapter (E) & dia.48mm Adapter (F) added together, insert the dia.38mm Adapter (E) & dia.48mm Adapter (F) into the Support Pole (B) firstly, and then put the dia.35mm Adapter (D) onto the dia.38mm Adapter (E), to hold the Adapters in place. The Umbrella base is fully assembled and ready for use.

Step 3 - B



For the Umbrella pole with diameter as 38mm, use dia.38mm Adapter (E) & dia.48mm Adapter (F) added together, insert the dia.48mm Adapter (F) into the Steel tube (B) firstly, and then put the dia.38mm Adapter (E) onto the dia.48mm Adapter (F) to hold the Adapters in place. The Umbrella base is fully assembled and ready for use.

Step 3 - C



For the Umbrella pole with diameter as 48mm, use dia.48mm Adapter (F) only, insert the dia.48mm Adapter (F) into the Steel tube (B) to hold the Adapters in place. The Umbrella base is fully assembled and ready for use.

Caution: This Umbrella Base only be used on a flat, level surface.

Care & Maintenance



- Do not put hot items directly on furniture surface.



- Do not clean furniture with harsh cleansers or polish.



- To obtain the longest lifespan of your outdoor products, minimizing exposure to direct sunlight is recommended.



- Children should not climb or jump on the furniture.



- Do not write on furniture without a padded barrier to protect the surface.



- To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine. Whenever possible cover the product and /or place under patio or awnings.



- Not for commercial use. For residential use only .



- Stains may be removed with mild soap solution and damp cloth.



- Dust and pick-up spills using a clean, non-colored, lint-free cloth .