
Assembly Instructions

Caution : You must read this before you proceed


Care & Maintenance




- **Not for commercial use.For residential use only.**




- **Furniture may scratch floors. We recommend using furniture pads to protect your floors.**



- **Do not put hot items directly on furniture surface.**



- **Do not clean furniture with harsh cleansers or polish.**




- **Do not place furniture under direct sunlight.**




- **Do not place furniture near heating or cooling vents.**




- **Do not write on furniture without a padded barrier to protect the surface.**




- **Do not place furniture outside. For indoor use only.**



- **Stains may be removed with mild soap solution and damp cloth.**




- **Children should not climb or jump on the furniture.**





- **Dust and pick-up spills using a clean,non-colored, lint-free cloth.**

Please look in Seat frame for hardware packs and legs.
Sets often ship in multiple boxes and may arrive a day or two apart.




DINING CHAIR



Parts List


Label	Picture	Description	QTY
A		U FRAME	1
B		FRONT LEG (L)	1
C		FRONT LEG (R)	1
D		BACK LEG (L)	1
E		BACK LEG (R)	1
F		SEAT FRAME	1
G		CUSHION HEAD SUPPORT	1
H		CUSHION HEAD	1
I		CUSHION SEAT	1

Hardware

Label	Picture	Description	QTY
1		JCBC SCREW (M6*50MM)	10
2		JCBC SCREW (M6*30MM)	2
3		M6 SPRING WASHER	10
4		M6 X 19 FLAT WASHER	10
5		CSK M4 X 20MM	2
6		CSK M4 X 32MM	7
7		CSK M4 X 38MM	2
8		WOOD BUTTON (14.5*9)	2
9		ALLEN WRENCH (M4*100MM)	1
10		White Glue	1

Assembly Preparation


Before Beginning Assembly :



A



B




C



D



E



F




G




H




I

1  X 10 PCS

2  X 2 PCS

3  X 10 PCS


4  X 10 PCS

5  X 2 PCS

6  X 7 PCS

7  X 2 PCS

8  X 2 PCS

9  X 1 PC

10 

X 1 PC




- Read instructions, cover to cover-




- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-




- Assemble on a clean non-marring surface (packing foam)-




- Save all packaging until finished-


Assembly Steps



This Chair has multiple parts and may require to some 30 minutes to assemble. To give you an overview of the chair parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.


Step 1







Place all Parts on a clean, flat surface.

Step 2







1		JCBC SCREW (M6*50MM)	4
3		SPRING WASHER (M6)	4
4		FLAT WASHER (M6*13MM)	4
9		ALLEN WRENCH (M4*100MM)	1

Place the Front Leg (L) (B) , Front Leg (R) (C) , Seat Frame (F),On a clean, non marring surface. Install the Front Leg (L)(B), Front Leg (R) (C),into Seat Frame Using JCBC Screw (M6*50mm)①,Spring Washer (M6) ③, Flat Washer (M6*13MM) ④ as pictured above.

NOTE : Do not fully tighten the Bolts in this step.

Step 3







6		CSK SCREW (M4*32MM)	2


Install U Frame (A),using CSK Screw (M4*32mm) ⑥, as pictured above.

NOTE : Do not fully tighten the Bolts in this step.

Step 4







1		JCBC SCREW (M6*50MM)	4
3		SPRING WASHER (M6)	4
4		FLAT WASHER (M6*13MM)	4
9		ALLEN WRENCH (M4*100MM)	1


Install the Back Leg (L) (E),Back Leg (R) (D) into Seat Frame (F),using JCBC Screw (M6*50mm)①,Spring Washer (M6) ③, Flat Washer (M6*13MM)④ as pictured above.

NOTE : Do not fully tighten the Bolts in this step.

Step 5






1		JCBC SCREW (M6*50MM)	2
3		SPRING WASHER (M6)	2
4		FLAT WASHER (M6*13MM)	2
9		ALLEN WRENCH (M4*100MM)	1

Place the assembled chair as shown.Using JCBC Screw (M6*50mm)①,Spring Washer (M6) ③, Flat Washer (M6*13MM)④ as pictured above.

NOTE : Do not fully tighten the Bolts in this step.


Step 6



10		White Glue	1

Place the assembled chair as shown. Install Cushion Head Support (G) into Back Leg (L) (E),Back Leg (R) (D),Using White Glue ⑩ as pictured above.

Step 7




7		CSK SCREW (M4*38MM)	2

Place the assembled chair as shown.Using CSK Screw M4*38MM⑦,as pictured above.

NOTE : Do not fully tighten the Bolts in this step.

Step 8




5		CSK SCREW (M4*20MM)	2

Place the assembled chair as shown.Using CSK Screw M4*20MM ⑤ , as pictured above.

NOTE : Do not fully tighten the Bolts in this step.

Step 9





2		JCBC SCREW (M6*30MM)	2
9		ALLEN WRENCH (M4*100MM)	1
8		WOOD BUTTON	2

Place the assembled chair as shown. Using JCBC Screw (M6*30MM) ②,with Allen Wrench (M4*100mm) ⑨, Then Use Wood Button ⑧ as pictured above.

NOTE : Once the assembly is completed, proceed to tighten all Bolts sequentially.

Step 10






6		CSK SCREW (M4*32MM)	5

Place the assembled chair as shown. Install Cushion Seat (I) using CSK Screw (M4*32mm) ⑥, as pictured above.

NOTE : Once the assembly is completed, proceed to tighten all Bolts sequentially.



Place the chair on a LEVEL SURFACE to see if it wobble**s.**

CAUTION 1 : When tightening the screws and bolts, tighten sequentially. If there are any wobbles after tightening,loosen the screws and bolts and execute this same process.

Ensure all screws and bolts are fully locked into position**.**

CAUTION 2 : This chair can only be used on a flat, level surface.

Your Chair is ready for use.