Inflatable Product User Manual

(Need help? Contact us
inflatable-serve@outlook.com)

Scan To See the User's Guide Tutorial
www.youtube.com/@Bouncinlife

Package Includes

Inflatable product、Air blower、Sand bag、Ropes、Stakes、Hammer、Repair patch

(Please check the other included accessories on the product page.)

Troubleshooting & Customer Support

If you encounter any of the following:

-Blower stops working or overheats

-Significant air leakage or visible damage

-Uneven inflation or instability

STOP USE IMMEDIATELY & CONTACT OUR SUPPORT TEAM

Customer Service

Email: inflatable-serve@outlook.com

Or find us on the purchase platform's mailbox.

When contacting, please provide:

-Your order number

-Purchase date

-Detailed issue description/photos

Daily Checklist

-Ensure the outlet is protected by a GFCI (Ground Fault Circuit Interrupter).

-Do not use extension cords. If absolutely necessary, use a heavy-duty outdoor-rated cord (12 AWG or thicker, shorter than 25 ft).

-Ensure all tether points and stakes are secure.

-Ensure all deflation zippers and flaps are closed.

-Keep the blower motor dry and elevated from ground moisture.

-Regularly check the power cord and blower for damage before operation.

Catalogue Contents

P1……Warranty & Daily Check

P3-4——**Safety Warnings & Safety Instructions**

P4-10——**Bounce House Manual**

P5-7……Set Up & Pack Up

P8……Repair Instructions

P9-10……Bounce House Series

P11-16——**Water Slide Manual**

P12……Set Up Safety Warning

P13……Water Pipe Installation

P14……Instructions For Use

P15-16……Water Slide Series

P17-21——**Volleyball Pool Manual**

P18……Set Up

P19……Pack Up

P20……Troubleshooting

P21……Volleyball Pool Series

P22-25——**Outdoor Sport Games Manual**

P26-28——**Bubble House Manual**

P29-30——**About Us & Quality Guarantee**

Safety Warnings ⚠



Adult
set-up and
supervision
required



No hands or feet
on net



Maximum weight:
Pls refer to
description




Do Not Play if
you have any
medical condition



Age to use:
Pls refer to
description



No rough play



Must be anchored
firmly and
securely using
stakes.Only
install on Soft
Surface, like lawn



No shoes,
glasses, jewelry,
googles or
any loss objects



Riders must slide
on their back
and feet first



Keep children
away from
electrically
operated products



No double sliding



Do Not leave out,
use in rain or
windy conditions

Safety Instructions

WARNING!
TO ENSURE YEARS OF SAFE AND FUN OPERATION, PLEASE READ THIS MANUAL THOROUGHLY BEFORE USE.

-Always supervise children during play. Limit the number of users based on the recommendedcapacity label.
-Children with pre-existing health conditions (e.g., back/neck problems, heart conditions) should not use the bouncer.
-Users should be in good physical condition. Avoid prolonged use.
-Keep away from open flames, sharp objects, and hot surfaces.
-Do not use in rain, strong wind (above 15 mph), or extreme weather.
-Ensure the outlet is protected by a GFCI (Ground Fault Circuit Interrupter).
-Surface & Clearance: Set up only on a flat, level, clean lawn (preferred), dirt, or asphalt.
-The unit MUST be securely anchored using all provided stakes or sandbags.
-Keep the blower motor dry and elevated from ground moisture.
-Do not touch the blower or power cord with wet hands.
-Cord Safety: If required use an extension, use only a heavy-duty, outdoor-rated cord.

* Maintenance & Emergency Procedures
-Cleaning: Clean with mild soap and water. Harsh chemicals can damage the material.
-Storage: Ensure the unit is COMPLETELY DRY before folding and storing in a cool, dry place.
-Power Failure: In case of sudden deflation, remain calm. Guide children to the exit calmly and assist them out. Check the power connection and blower.

By using this product, you agree to assume all risks associated with its operation and to enforce these rules for the safety of all participants.

SET UP (Unfolding and Blower Set up)



1. Check the package for missing parts.



2. Unfold the product from the center area.



3. Wrap drawstring around and tie it securely. Keep children away from blower.

SET UP (Fix and Inflating)



1. Staked the product and blower securely to the ground before use. (Make sure 7ft. obstacle-free zone around this product.)



2. Close the air release port and stick the Velcro tightly. Plug the blower into a properly grounded GFCI outlet, switch power ON. Product will inflate in less a minute.

WARNING! (Keep the product continuously inflated during use)
Blower must be running continuously inflate during use. Do not try to repair or seal seams if you hear air flow out of fabric. This is intent to allow air through seams.

PACK UP (Deflating)



1. Turn off and unplug the blower. Unhook the strap on the blower tube.



2. Open the air release port to speed up the deflation.



3. Pull out the stakes around the unit and pack them up.



4. Walk from front to back to remove any remaining air and to drain the water.

PACK UP (Cleaning and Folding)



1. Wipe with a dry cloth to clean. Throughly dry the unit before rolling up.



2. Make two half folds to the middle and walk around to remove air.



3. Store the unit and blower indoors in a dry place.

Tip: Please store the unit in a dry place after it is dry thoroughly.

Maintenance

-Unplug and store the blower indoors in a dry place when not in use.
-Do not immerse the blower in water. To clean, wipe with a damp cloth.
-Store the blower upright position on a stable surface.
-To clean inflatable obstacle course: Using a dry cloth or a cloth wetted with a neutral solution or water to wipe the surface.
-Never store this product in wet. Throughly dry before rolling up.

Repair Instructions


WARNING: This is not a toy. Keep out of reach of children. Adult use only.



1. Cut the patch and round the corners. (Corners cannot be sharp.)



2. Apply repair glue on damaged area and repair patch.



3. Place the patch over the damaged area and press. Ensure the seal is even and let it sit for 30 min before inflating.

CAUTION: Always deflate this product before repair the damaged area.

Troubleshooting

Trouble Shooting Inflatable Air Flow (failure to inflate):
ATTENTION: Airleaking from sewn seams is normal, during operation!

The most common reasons for improper air-flow are listed below. Please rule out Air Leakage from the seams — as this is a correct feature of inflatable operation.
Lets check the following:

- Is the air fill tube twisted restricting air into the unit?
- Are the deflation zippers closed? (On both sides of the product)
- Is the air fill tube securely attached to the blower with minimal air leaking out?
- Are you using the original blower?
- Make sure there is no debris in the blower intake.

Bouncy Castle Series



King09

(Specification) 13.5x11.5x10ft; up to 4-6 kids or 3-4 Adult

Note:The bounce house area on this page is not suitable for wet use.



King23/King23s

14.8x14.8x10ft(13.12x13.12x10ft)



King24

15.8x14.1x10.5ft

Bounce Castle & Slide



King08-L
16x11.7x10ft



King31
25x8x8.2ft



King32
26x7.87x8.9ft

Note:Except for K08L & K30, the ball pit of the remaining bounce house on this page can all be used wet.

Newest Obstacle Course



King61
21.98x7.87x8.2ft



King62
22.97x7.87x8.86ft



King63
29.86x7.87x7.87

Safety Instructions

WARNING!
FAILURE TO FOLLOW THESE INSTRUCTIONS CAN RESULT IN SERIOUS INJURY, DROWNING.
THIS IS A HIGH-ACTIVITY PRODUCT REQUIRING CONSTANT VIGILANCE.

Site Preparation & Setup

-Surface: Set up ONLY on a soft, flat, level lawn. The area must be free of rocks, roots, sprinkler heads, debris, and animal waste.
-Anchoring: Use ALL provided ground stakes or sandbags.
-Drainage: Ensure a sufficient water supply and proper drainage to prevent creating a muddy, slippery surrounding area.
-Clearance: Maintain a clearance zone on all sides and at the slide exit. This area must be free of obstacles (fences, furniture, trees).


Water & Electrical Safety (CRITICAL)

-Slip Hazard: The entire water slide will become extremely slippery after being used with water. Use caution when walking.
-Pool/Landing Area Safety: Never allow diving, head-first sliding, or piling up in the landing area.
-Water Purity: Use clean water only.If using a recirculating pump system, follow local health codes for water treatment.
-Electrical Hazard: The blower motor MUST be connected to a GFCI-protected outlet and placed on a stable, dry surface, protected from water splash and pooling.

By using this inflatable water slide, you (the operator/supervisor) assume all responsibility for injury or damage and agree to enforce these rules rigorously.
For Malfunctions, Damage, or Safety Concerns:
STOP USE IMMEDIATELY.
Contact Customer Support:
inflatable-serve@outlook.com.

Slide water pipe installation





1.The hose has been installed on the slide, please unscrew the connector to connect your garden hose.

2.Turn on the garden faucet, and the nozzle on the safety net will start working.

Please keep the product continuously inflated during use.

Water slide drain





1.Pool: The drain is at the front of the pool,Open the drain to help drain the pool when not in use.

2.There are two openings at the bottom of the product. Please close them when inflating and open them when draining.

ATTENTION: Leakage at the seams is a normal occurrence during operation.Please close the Slide drain's velcro tightly before inflating.

Instructions For Use



The holes inside the zipper was caused by the workers in order to maintain the air circulation.



The bubbles in the gaps are caused by the circulation of air and water during use, and can be used normally.

Note: Don't worry if you see pinholes in the product just the position holes from sewingworkersand doesn't affect its quality or usage.

FAQ (Frequently Asked Question)

1.Why can't it be fully inflated?
Please ensure:
-Close all exhaust outlets;
-The air column remains unobstructed;
-Tighten the connection of the blower;
-Use a heavy-duty outdoor-rated cord/outlet.
If the slide still fails to fully inflate after all the above steps are confirmed, pls contact our customer service immediately.
2.What should be done if damage occurs after use?
If the damage is irreparable or affects the resale, please contact our customer service and send us the damaged pictures for confirmation. We will provide you with a satisfactory solution.
-If the slide have any repairable damages, pls follow the method on page 8 for repair.
-If the stitches tear, please try to repair it with fishing line / Contact us.
-If any of the accessories are damaged/missing, we're happy to replace them for you.
All unresolved issues: Contact Customer Support:
inflatable-serve@outlook.com

Water Slide Series



King25
23.95x13.12x11.81ft



King26
21x10.93x13.45ft



King36
24x13.2x13.2ft



King38
25.92x11.81x13.78ft



King50
21x9.02x11.98ft



King51
21x9.02x11.98ft

Water Slide Series



King52
21x9.02x11.98ft



King53
22.47x10.83x12.3ft



King55
23.95x11x11.98ft



King56
21x9.02x12.8ft



King57
20x7.51x9.38ft



King58
26x10.4x8.13ft

New Water Slide Series

King90

25.98x11.81x13.78ft

King91

29.86x14.76x18.04ft

Inflatable Volleyball Pool

SET UP (Unfolding and Air Pump Set Up)



1. Check the package for missing parts.



2. Lay the product flat on the ground.



3. Connect the air pump and the inflation valve.

SET UP (Fix and Inflation)



1. Turn on the air pump to inflate, inflation done within 3 minutes



2. Put the garden hose onto the volleyball poll to drain water



3. Stake the product to the ground with the ground stakes.


WARNING!

- **Setup only on a perfectly flat, level, and clear grassy area.**
- **Do not use in winds exceeding 15 mph (24 kph), rain, lightning, or extreme temperatures.**
- **Deflate and store during adverse conditions.**

PACK UP (Deflation and Drain)



1. Open the inflation pore to deflating.



2. Open the drainage port to drain.



3. Pull out the stakes. Wipe with a dry cloth to clean. Thoroughly dry the unit before rolling up.

Maintenance

-To clean the volley pool: Use a dry cloth or a cloth wetted with a neutral solution or water to wipe the surface.
-Never store this product wet. Thoroughly dry before rolling up.

Troubleshooting

There are two tvpes of air leakage


1. There is air leakage inside the air valve, and a clear air leakage sound can be heard. (Because the product is squeezed and hit during express delivery, the spring inside the air valve pops out) In this case, Remove the switch cover, then press the button and rotate it to the right to open the air valve, and the sound of deflation appears. Then press the button to close it to the left. After two steps, the air valve spring can return to its original position.



Trouble Shooting
Air leakage
(failure to inflate)

2. There is air leakage around the air valve, and soapy water is needed to detect the leak. Pour soapy water to the air valve mouth, and bubbles appear, which means that there is air leakage around the air valve. In this case, deflate the entire product and then tighten the entire air valve.





Volleyball Pool Series



King20

(Specification) 33x16.5x7ft; 800W air pump

(Commercial Grade) 0.6mm reinforced PVC; stable structure

(Exclusive Patent Design) U.S. Patented

(Giant Volleyball Pool Games) Outdoor Games for Family or friends



King54

(Specification) 33x16.5x5.9ft; 800W air pump

(Commercial Grade) 0.6mm reinforced PVC; stable structure

(Giant Volleyball Pool Games) Summer Outdoor Games

Inflatable Soccer Darts Board



King29



King81

(Size)10.2x5.1x9.84ft; suitable for kids and adults
(Upgrade Material)210D Oxford fabric,tear-resistant
(Soccer Dart Board)X Ultra-Stable Base,blower; Velcro soccer balls
(Wide Application)Parties,backyard,school,company, more

SET UP (Unfolding and Blower Set up)



1. Check the package for missing parts.



2. Lay the dart board flat,better with mat to keep it clean.



3.Plug in a properly grounded GFCI outlet. Product will inflate in less minute.

SET UP (Fix and Inflating)



1. Staked the product and blower securely to the ground before use. (Make sure 7ft. obstacle-free zone around this product.)



3. Close the air release port and stick the Velcro tightly. Plug the blower into a properly grounded GFCI outlet, switch power ON. Product will inflate in less a minute.



3.Pump up an inflatable soccer ball

WARNING! (Keep power away from water！)
Blower must be running continuously inflate during use. Do not try to repair or seal seams if you hear air flow out of fabric. This is intent to allow air through seams.

PACK UP (Deflating)



1.Disconnect and unplug, open the zipper to vent the air.



3. Pull out the stakes around the unit and pack them up.



4. Walk from front to back to remove any remaining air. Zipper opening at rolled up end.

PACK UP (Cleaning and Folding)



1. Make two half folds to the middle and walk around to remove air.



2. Store the unit and blower indoors in a dry place.

STORAGE:
Store the unit and blower indoors in a dry place.

Maintenance

-Unplug and store the item indoors in a dry place when not in use.
-To clean the item: Using a dry cloth or a cloth wetted with aneutral solution or water to wipe the surface.

Outdoor Sport Games Series



King82

Size:9.84x9.84x9.84ft

Inflatable basketball shooting target

You can enjoy team competitions for multiple players.



King83

Size:12.47x10.5x9.84ft

Inflatable rugby football shooting target

Suitable for enjoying various team outdoor activities.

Inflatable Bubble House



King17
9.8ft diameter
8.2ft high




King12-3
10ft diameter
5.75ft long for tunnel

Troubleshooting

Note:Since the bubble house is sealed by the zipper at the opening, once the zipper is pulled open, the bubble house will "collapse", which is a normal phenomenon.

-Set up ONLY on a soft, flat, level lawn. The area must be free of rocks, roots, sprinkler heads, debris, and animal waste.
-Use ALL provided ground stakes or sandbags.
-Ensure all deflation zippers and flaps are closed.
-Keep the blower motor dry and elevated from ground moisture.
-If any of the accessories are damaged/missing, we're happy to replace them for you.

All unresolved issues: Contact Customer Support: inflatable-serve@outlook.com




Installation Diagram

Product Packaging Details




Step 1


Open and spread out the product



Step 2

Install ground stakes






Placement position of the blower

Step 3

Inflate the support air pillars for the passage



Step 4

Connect the blower

Inflatable Bubble House Installation

①



Spread







Smooth Out



Product Packaging Details

②



Install Ground Stakes



Note:slanting installation



Drive all into the ground



The two ground pegs at the passage need to be installed at a 45° angle




Diagram of Ground Peg Distribution (Wind machine location marked in red)

③



Inflate the Inflatable Column



Rotate the air pump after inserting it into the inflation nozzle



Inflate for 3-5 minutes, pressing with your hand to determine hardness



After the inflation column is fully inflated, adjust its position to prevent any distortion

④




Blower installation



Secure the air inlet to the blower outlet



After inflation is complete, straighten the inflation tube



Fixed Blower

About Us

Established in 2012, Qingzhou Inflatable Model Co., Ltd. stands as a seasoned expert in crafting high-quality inflatable equipment like fun and cool bounce houses, slides, carnival games, obstacle courses, and much more, boasting over a decade of industry experience.

Our spacious factory facility spans an impressive 2000 square meters, housing our research, development, production, and sales operations under one roof. Backed by our team of adroit designers, and adept sewing and sealing professionals, we take pride in our innovative product lineup.

Quality Control: To maintain the high-quality standard of every single product, we only select certified materials. Each product is strictly quality tested before shipment to ensure the design products meet our client's expectations.

"Every stitch, every safety check, is a promise from us to you. We're not just building bouncy castles; we're crafting spaces for family memories."

- Kinkor, Head of Product Design



Quality Guarantee


All Qingzhou inflatables are manufactured to be safe and durable.

Our inflatables are FIRE RETARDANT and LEAD-FREE.

Anti-jumping safety netting on all our slides to prevent players' unsafe behavior. Anchors and safety strips are included in all inflatable games. Warning signs and other safety signs sewn at the entrance. Here, our absolute highest priority is always the safety of the families using our products. That's why we use only select certified materials and strictly quality tested for every product before shipment to maintain the high-quality standard of every package. Each heavy package carton is reinforced and wrapped to ensure that the packaging of your goods remains intact after sea transportation.









Question? Contact us first!

For immediate help with assembly or products information, please email to

inflatable-serve@outlook.com

Or find us on the

purchase platform's mailbox.

Our staffs are ready to provide assistance.

Office Hours M-F From 8:30 AM to 5:30 PM PST

WARNING ⚠

-Failure to follow these instructions could result in serious injury or death.

-Adult set-up and supervised required. Keep children away from the blower.

-Any products are intended for outdoor domestic for family use only. Not used for public areas. The warranty will be void by using residential units for commercial purposes.

-Do not place the constant air inflatable near or under overhead electrical lines.

-Keep all electrical lines, radios, speakers and other electrical devices away from the constant air inflatable.

-Precautions should be observed during handling and use to prevent electric shock.