

## NOTICE

\*Please make sure that you have all parts indicated and they are in good condition before you begin assembly of this item. Refer to part list and hardware list below for guidance.

\*This item should be assembled on a soft surface to prevent scratching the finish during assembly.

\*This item may require periodic tightening.

\*

## PREPARATION

\* Before beginning assembly of product, make sure all parts are present. Compare parts with part contents list and hardware contents list.

\* If any part is missing or damaged, do not attempt to assemble the product.









\* Estimated Assembly Time: 10 minutes.

\* **Tools Required for Assembly (included): Allen Key**


## CARE AND MAINTENANCE

Store outdoor furniture indoors or cover well when not in use. Dust regularly with small brush or vacuum. Spills should be taken care of immediately before they harden or stain with a slightly damp sponge.

### Part List and Hardware List

PIECE	DESCRIPTION	PICTURE	QUANTITY
A	Leg Frame		2X
B	Back Frame		1X
C	Seat frame		1X
D	Cross bar of leg		2X
CSH1	Seat cushion		1X
HW1	Screw: M6 x0.5 x60 mm		8X
HW2	Screw: M6 x0.5 x40 mm		2X
HW3	Allen key 4		1X

Product Dimensions: 24.2" W x 24.8" D x 33.5" H



**Weight Capacity : 220 lbs**

**Warning : Do not stand on chair**

**Warning : Do not over torque bolts / screws**

# PREPARATION

\*Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list.


\*If any part is missing or damaged, do not attempt to assemble the product.

\*Estimated Assembly Time : 10 minutes.

\*Tools Required for Assembly (included): Allen Key

\*


1



## Step 1

Use screws (HW1) to attach leg frames (A) to back frame (B), seat frame (C) & cross bar of leg (D), tighten with allen key (HW3).

2




## Step 2

Use screw (HW2) to connect seat frame (C) and back frame (B), tighten (HW2) by allen key (HW3).  
Complete.

## PREPARATION

- \*Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list.
- \*If any part is missing or damaged, do not attempt to assemble the product.
- \*Estimated Assembly Time : 10 minutes.
- \*Tools Required for Assembly (included): Allen Key
- \*

3



### Step 3

Put Seat Cushion (CSH1) on the Chair.  
The Chair is ready to be used.