ASSEMBLY INSTRUCTIONS

DINING TABLE

ASSEMBLY REQUIREMENTS:

30 MINUTES Assembly Time (Approximate)

2-Person Assembly

Thank you for purchasing our product!

Please refer and use this assembly instruction to assemble the product.

Contact our customer service department in case there are any missing or damage parts or hardware. Replacement parts are normally shipped within 2 or 3 days.

We appreciate your business!

ASSEMBLY PREPARATION

- 1. Remove all packaging materials, staples and packing straps from the carton.
- 2. Refer to Parts List and Hardware List and ensure they are complete before you start assembling.
- 3. Place all wooden parts on a clean, flat and soft surface(e.g. carpet or rug) to prevent parts from getting scratched.

SAFETY PRECAUTION:

- 1. KEEP ALL HARDWARE PARTS OUT OF REACH OF CHILDREN.
- DISPOSE PLASTIC PACKAGING MATERIAL IMMEDIATELY TO AVOID ANY RISK OF SUFFOCATION TO CHIDREN AND ANIMALS.

TIPS FOR ASSEMBLY:

- 1. Allow ample room for assembly and in close proximity to where product will be placed.
- 2. Assemble the product on a surfaces that does not scratch or damage the exterior gloss and finish of the furniture.
- 3. Please check all of the parts and quantities are included before assembly. Contact customer service for missing parts.
- 4. Identify all of the parts, hardware and quantities required for each step.
- 5. During assembly, do not over-tighten any fittings as this may cause damage.
- 6. DO NOT USE POWER TOOLS TO ASSEMBLE THIS PRODUCT.
- 7. Always place the product on a flat surface.
- 8. Do not sit or stand on the partially assembled product; only use the product for which it is intended.

CARE AND MAINTENANCE


CLEANING - Use a slightly damp cloth to clean the product. Do not use bleach or abrasive cleaning material. FITTINGS - Check all the fittings periodically and re-tighten as necessary. Do not use the product if any of the parts is damaged or broken.

This product is for indoor and household use only - not for commercial use.


ASSEMBLY INSTRUCTIONS **DINING TABLE**

PARTS LIST				
1	TABLE TOP	1PC		
2	TABLE LEGS	4PCS		

HARDWARE LIST				
Α	JCBB BOLT		8PCS	
В	FLAT WASHER	0	8PCS	
С	SPRING WASHER		8PCS	
D	ALLEN KEY		1PC	



Place the Table Top(1) bottom-side up on a clean and soft surface. Attach individual Table Leg(2) using JCBB Bolts(A), inserted with Spring Washer(C) and Flat Washer(B). Tighten with Allen Key(D). Do not over-tighten JCBB Bolts(A). Turn table right-side up with the help of another person.



ASSEMBLY INSTRUCTIONS DINING CHAIR

ASSEMBLY REQUIREMENTS:

30 MINUTES
Assembly Time
(Approximate)

2-Person Assembly

Thank you for purchasing our product!

Please refer and use this assembly instruction to assemble the product.

Contact our customer service department in case there are any missing or damage parts or hardware. Replacement parts are normally shipped within 2 or 3 days.

We appreciate your business!

ASSEMBLY PREPARATION

- 1. Remove all packaging materials, staples and packing straps from the carton.
- 2. Refer to Parts List and Hardware List and ensure they are complete before you start assembling.
- 3. Place all wooden parts on a clean, flat and soft surface(e.g. carpet or rug) to prevent parts from getting scratched.

SAFETY PRECAUTION:

- 1. KEEP ALL HARDWARE PARTS OUT OF REACH OF CHILDREN.
- 2. DISPOSE PLASTIC PACKAGING MATERIAL IMMEDIATELY TO AVOID ANY RISK OF SUFFOCATION TO CHIDREN AND ANIMALS.

TIPS FOR ASSEMBLY:

- 1. Allow ample room for assembly and in close proximity to where product will be placed.
- 2. Assemble the product on a surfaces that does not scratch or damage the exterior gloss and finish of the furniture.
- 3. Please check all of the parts and quantities are included before assembly. Contact customer service for missing parts.
- 4. Identify all of the parts, hardware and quantities required for each step.
- 5. During assembly, do not over-tighten any fittings as this may cause damage.
- 6. DO NOT USE POWER TOOLS TO ASSEMBLE THIS PRODUCT.
- 7. Always place the product on a flat surface.
- 8. Do not sit or stand on the partially assembled product; only use the product for which it is intended.

CARE AND MAINTENANCE

CLEANING - Use a slightly damp cloth to clean the product. Do not use bleach or abrasive cleaning material. FITTINGS - Check all the fittings periodically and re-tighten as necessary. Do not use the product if any of the parts is damaged or broken.

This product is for indoor and household use only - not for commercial use.

ASSEMBLY INSTRUCTIONS **DINING CHAIR**

HARDWARE(FOR TWO CHAIRS)					
NO.	DESCRIPTION		QTY		
Α	JCBC BOLT		12PCS		
В	SPRING WASHER		12PCS		
С	FLAT WASHER	0	12PCS		
D	SCREW	0	16PCS		
Е	ALLEN KEY	-	1PC		

TOOLS REQUIRED(NOT PROVIDED)


PAI	PARTS LIST(FOR TWO CHAIRS)				
NO.	DESCRIPTION	QTY			
1	CHAIR BACK	2PCS			
2	SIDE RAIL	4PCS			
3	LEG FRAME	2PCS			
4	STRETCHER	4PCS			
5	CHAIR SEAT	2PCS			



Note: Fasten screws and bolts manually with the Allen Key provided. Do not use power tools/drills to fasten screws and bolts. Excessive pressure and/or torque will cause irreparable damage to the parts.


Attach Side Rail(2) to the Leg Frame(3) via 2x Wood Dowel and 1x JCBC Bolt(A) inserted Use Allen Key (E) to tighten (A).

Do not tighten completely at this time.




Step 3

- 3-1: Position the assembly chair frame with the legs facing up as shown. Use Screw(D) to fasten the Stretcher(4) to the legs with a Phillips Screwdriver (Not provided)
- 3-2: Next, fully tighten all the bolts and screw at this time.



Step 2

Insert Stretcher(4) with the pre-drilled screw holes faced down to the Leg Frame (3). Next, insert the other ends of with Spring and Flat Washers(B & C respectively) the Side Rail(2) and Stretcher(4) to the Chair Back(1). Fasten Side Rail(2) to Chair Back(1) with JCBC Bolt(A) inserted with Spring and Flat Washers(B & C respectively). Do not tighten completely at this time.



Step 4

Place Chair Seat(5) bottom-side up on an elevated surface (e.g. Table top). Position the chair frame assembly with the legs facing up as shown. Center the seat frame to the Chair Seat with rear of the Chair Seat against the Chair Back. Use a Phillips Screwdriver to drive Screw(D) to fasten Chair Seat to Seat Frame.

