



Iron Works® Historic™ | K-710-P5

66" x 36" freestanding bath

Features

- Traditional design brings classic, eye-catching style to the bathroom
- Oval basin creates a spacious bathing experience
- Integral lumbar support
- Safeguard® slip-resistant surface provides excellent traction underfoot
- Integral lumbar support



Sustainability



Available Colors/Finishes

Color tiles intended for reference only.

■ 0BL Black Exterior with White Interior



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
8-10-2026 17:04 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ASME A112.19.1/CSA B45.2
ASTM F462

Technical Information

All product dimensions are nominal.

Drain Location:	Reversible
Drain Hole Diameter:	2-1/4" (57 mm)
Basin Area, Bottom:	47-1/2" x 25" (1207 mm x 635 mm)
Basin Area, Top:	55" x 29" (1397 mm x 737 mm)
Water Depth:	12-5/8" (321 mm)
Water Capacity:	64 gal (242.3 L)
Minimum Floor Load:	57 lbs/ft²
Weight:	350 lbs (158.8 kg)

Material

- KOHLER® enameled cast iron
- Painted exterior surface smoothness can vary from product to product

Recommended Products/Accessories

K-1491 Bath/whirlpool pillow, removable
K-1601 Bath/whirlpool footstop, removable
K-23726 Drain treatment
K-7104 Exposed bath drain for above-the-floor installation
K-7178 Decorative 1-1/2" adjustable pop-up bath drain for 5' whirlpool with tailpiece
K-23725 Cast iron cleaner

Required Products/Accessories


- K-1103 ball-and-claw feet

Warranty



See website for detailed warranty information.

KOHLER® Enameled Cast Iron Bath and Shower Base
Lifetime Limited Warranty





No change in measurements if connected with drain illustrated. (K-7178)



Installation

- Reversible drain
- Freestanding

Installation Notes

Install this product according to the installation instructions.

Measure your actual product for rough-in details.

The hot water supply should be 70% of the capacity of the bath or greater. Installations will vary.



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

8-10-2026 17:04 - US-CA