




Assembly Instruction

Note: All parts are contained in one box. It is required that at least two people or more assemble this item. Please follow all instructions in order to assemble easily




Hardware Pack


The following hardware drawings on the left are to scale. During assembly if you are unsure which piece to use, please refer to this page and you can match the drawing to the right hardware.




⚠ Hardware Note:
Please do not completely tighten all the hardware, until the entire assembly is complete, unless otherwise indicated in the step-by-step instructions




Step 1. Attach the board onto the metal frame of the headboard. Have the board on the floor with the holes facing up. Align the metal frame with the holes and make sure that the sticker with BACKSIDE is facing you when assembling. Use bolts (2) to assemble the board onto the headboard.




Step 2. Attach the foot board onto the legs by having the board (C) on the floor with the two holes on each side facing up. Match on Legs (E) with the holes of the board, with using bolts (4) & washers (6)




Step 3. Attach the middle support bars to the bottom of each base frame (F). Make sure the frame is not upside down by having the center support bar on the bottom. You will find two holes on the center support bar. Align the holes from Leg (H, small legs) and place the bolts (3) from the top and tighten. Do this for each base frame




Step 4. Once each base frame has a leg, connect the two base frames. There will be one hole on each base frame on the center. Align the two like the image and place the center leg (H, the smaller leg) by aligning the holes on the two base frames to the legs and placing the bolts from the top




Step 5. Once all three center legs are assembled, the side rail support bars are ready to be assembled. Leg G (The bigger legs) will go in the center of the two base frames. Align the holes of the leg to the center and assemble with bolt (1) and nut (5) on the bottom Assemblable both legs on each side and tighten once finished.



Step 6. Once all the base frame legs are assembled, the headboard is ready to be assembled. Align the holes of the bed frame to the headboard holes and use bolts (4) & washers (6) to connect the frame to the headboard. Do not tighten all six bolts until all are secured first. Once secured, you may tighten



Step 7. Once the headboard is assembled, the footboard is ready to be assembled. Align the holes of the base frame to the holes on the footboard and use bolts (4) & washer (6) to connect the frame to the footboard. Do not tighten all six bolts until all are secured first. Once secured you may tighten.



Your bed is now complete! Please keep the tools that were used just in case the bolts come loose in the future. The bed is a platform bed so a box spring is not required.