


# Assembly Instruction





## 1 DRAWER NIGHT TABLE






## IMPORTANT PLEASE READ BEFORE YOU CONTINUE FURTHER WARNING, CARE AND MAINTENANCE

- Please keep the original packaging until the item is fully assembled and in place. In the unlikely event that you need to return your product, it must be returned in its original packaging to avoid further damage. Failure to comply will result in rejection of the return.
- Important: Keep this page for future reference.
- Due to the size of this product, we recommend that it is assembled in the room intended for use.
- When you are ready to start, make sure that you have the right tools, plenty of space which is clean and dry for assembly.
- Unwrap all packaging materials and place the components on top of the carton box or on a clean floor to prevent scratches on product or floor.
- Check that all parts and hardware are present.
- Ensure that this product is fully assembled as illustrated before use.
- Tools not included.
- Ensure all screws and bolts are tightened and inspect regularly.
- This product should be used on firm level ground.
- Keep small parts out of reach of children.
- Make sure the legs are always in contact with the ground.
- Do not use power tools to assemble this product.
- Do not over tighten screws and bolts.
- Do not use this product if parts are missing, damage or worn.
- Do not sit and stand on the product.
- For general cleaning, use a dry, soft cotton or micro fibre cloth, and do not use detergents of any kind.
- Never use scourers, abrasives or chemical cleaners.

# Assembly Instruction




**(TOOLS NOT PROVIDED)**



**Use a screwdriver to tighten the cam nuts as the sequence above.  
A quarter turn clockwise is all that is needed.**

**This is how a cam nut works:**




The head of the cam bolt goes into the open mouth of the cam nut.  
You then turn the cam nut so it tightens over the bolt.

## **TWO PERSONS REQUIRED TO ASSEMBLE THIS PRODUCT**


1. Please check that you have all parts listed before you start assembling. If you do find that something is missing, do not continue assembly. Please contact your supplier immediately.
2. Lay out all of the components on a soft surface as if you were preparing to do jigsaw puzzle.
3. Separate and identify each component from the hardware pack and rest each one in its proper location before fastening.

# Assembly Instruction


## 1 DRAWER NIGHT TABLE




REQUIRED  
ASSEMBLY TOOLS




REQUIRED  
ASSEMBLY TOOLS



REQUIRED  
ASSEMBLY TOOLS



















REQUIRED  
ASSEMBLY TOOLS




NO POWER  
TOOLS NEEDED



2 PERSON  
ASSEMBLY



 6 x 25mm 14pcs	 3.1 x 16mm 1pc	 3.5 x 14mm 8pcs	 4 x 32mm 6pcs	 M6 x 40mm 8pcs	 15MM Screw Cap 8pcs	 M6.2x8MM EURO Screw 4pcs	 8a 15MM Myfix Minifix 6 Sets	 8b 15MM Myfix Minifix 6 Sets	 17MM MiniFix Cap 9pcs	 10a 10b 1 Set (300mm)	 Backply Stopper 1pc
 2838 PVC Handle -128mm 1pc	 Nail 25pcs	 Nail Leg 4pcs	 Allen Key M4 1pc								

## PART LIST





# Assembly Instruction

## Step 1




## Step 2




# Assembly Instruction

## Step 3





## Step 4




# Assembly Instruction


## Step 5




 ➔ Step 6



## Step 6




 ➔ Step 7




# Assembly Instruction

## Step 7






## Step 8




# Assembly Instruction


## Step 9



## Step 10



\* Cover all the screw (5) 's head with the pvc cap provided by pushing the cover's stem onto the hole of screw head.



\* Cover all the mini fix (nuts) (8a) 's head with the pvc cap provided by pushing the cover's stem onto the hole mini fix (nuts).

## Complete

