

SCR1225B



34.38" x 11.88" x 22.38" (H x W x D)

12" wide built-in undercounter commercial glass door beverage center designed for the display and refrigeration of beverages, with lock, digital thermostat, and LED lighting

Highlights:

Flexible design allows built-in or freestanding use under counters

Commercially listed to NSF-7 standards and meets UL-471

Triple pane glass door provides full visibility while protecting stored items

Product Features:

Built-in capable	Make the best use of space by installing your appliance under the counter
Commercially approved	Meets UL Commercial Standard 471 and is ETL-S listed to NSF-7 commercial standards
Glass door with stainless steel trim	Provides a full display of stored contents with a heat-safe triple pane tempered design
Factory installed lock	Keyed security on the door
Digital thermostat	Electronic controls for precise temperature management.
Digital display	Temperature readout can be shown in Celsius or Fahrenheit
LED lighting	Gentle illumination with an on/off switch
Automatic defrost	Reduced maintenance with the convenience of auto defrost
Adjustable chrome shelves	Slide-out shelves offer attractive and convenient storage for beverages

SCR1225B Specifications:

Overview	
Height of Cabinet	34.38" (87 cm)
Width	11.88" (30 cm)
Depth	22.38" (57 cm)
Depth with Handle	24.13" (61 cm)
Depth with door at 90°	33.0" (84 cm)
Capacity	2.2 cu.ft. (62 L)
Defrost Type	Automatic
Door	Glass
Cabinet	Black
US Electrical Safety	ETL
Canadian Electrical Safety	ETL-C
Sanitation	ETL-S
Amps	1.25
Voltage/Frequency	115 V AC/60 Hz
Weight	66.0 lbs. (30 kg)
Shipping Weight	69.0 lbs. (31 kg)
Parts & Labor Warranty	1 Year
Compressor Warranty	5 Years
Refrigerator Features	
Door Swing	RHD
Reversible	Yes
Shelf Type	Chrome
Shelf Qty	4
Adjustable Shelves	Yes
Thermostat Type	Digital
Fan Type	Interior and Exterior
Refrigerant Type	R600a
Refrigerant Amount	0.88oz.
High Side PSI	150.0
Low Side PSI	50.0
Level Legs Qty	4
Interior Light	Yes
Dimensions	
Interior Height	25.0" (64 cm)
Interior Width	9.13" (23 cm)
Interior Depth	17.0" (43 cm)
Compressor Step Height	3.75" (10 cm)

Compressor Step Width	9.13" (23 cm)
Compressor Step Depth	4.5" (11 cm)



