


Owner Manual



INSTALLATION GUIDE

ONE PERSON ASSEMBLY: 30 MINUTES (APPROXIMATE)

TOOLS REQUIRED: ALLEN WRENCH (PROVIDED)

BEFORE ASSEMBLY

- 1.Remove all packaging materials, staples and packing straps from the carton.
- 2.Confirm with Parts Checklist in Page 3.

ATTENTION

- 1.Leave sufficient space for assembly.
- 2.Do not assemble on the ground that may hurt the product.
- 3.Do not over-tighten any fittings as it may cause damage.
- 4.DO NOT USE POWER TOOLS TO ASSEMBLE THIS PRODUCT.
- 5.Do not sit or stand on it before the assembly is complete.

DAILY MAINTENANCE

- 1.Recommended for indoor use only.
- 2.Wipe with a soft, dry cloth. Keep away from abrasives and household cleaners.
- 3.Check all the fittings periodically and re-tighten if necessary. Do not use the product if any part is damaged or broken.

Warranty & Return Policy

Office desk chairs are warranted from the date of purchase due to material and workmanship factors. Details as follows:

- 1 YEAR on all unmovable metal parts;
- 1 YEAR on upholstered PU leather and foam;
- 1 YEAR on component parts including control mechanism, gas cylinder, wood, plastic parts, base and casters.

To make a warranty claim, please contact us with model number purchase proof, problem descriptions as well as pictures or videos that shows the problem clearly.

Problem verified, We will:







- a) Send replacement parts.
- b) Send a new product if necessary, customer need to return the original item to our warehouse.



RETURN POLICY

30 days return policy after receiving is provided. We offer prepaid return labels for product quality issues.


Note: Original Box has to be kept for the return until you decide to keep the item.

PARTS CHECKLIST


 Ax4 (M6x20mm)	 Bx4 (M8x50mm)	 Cx2 (M6x40mm)	 Dx10 (M6x16mm)	 Ex1	 Fx5
 Gx1	 Ix2	 Jx1	 Kx1	 Lx1	 Mx2
 Hx5					 Nx1




Step 1: Insert Base Legs [F] one by one to the Base Center. Next, screw ten Screw [D] into the holes with the Allen Wrench [E] to attach the base and the legs.




Step 2: Insert the Casters [H] into the five star base. This may take significant force. Gentle squeeze the base cover and place around the center of the 5 star base.
Insert the Gas Lift Cylinder [N] into the center of the base.




Step 3: Assemble the Tilt Mechanism [L] with Seat [K] via Screws [A]x4.
Turn the Screws and finish with Allen Wrench [E].




Step 4: Assemble Chair Back [J] with Seat [K] via the Screws [C]x2 & [M]x2.
Tighten the screws and finish with Allen Wrench [E].



Step 5: Assemble the Armrests [I] with the Chair Back [J] and seat [K] via Screws [B].



Step 6: Attach the assembled seat to the assembled base by aligning the hole in the tilt mechanism to the top of the gas cylinder.



Step 7: Enjoy Your New Chair !