

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Svelte

### Wall Sconce 2700K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens
WS-7316 16"	2700K 90	BN Brushed Nickel CH Chrome	24.5W	1845	875

Example: **WS-7316-CH**

•For alternate color temperature, special order adding 30 or 35:WS-7316-35-CH

For custom requests please contact [customs@wacighting.com](mailto:customs@wacighting.com)

#### DESCRIPTION

Water clear glass with mitered edge lines speak to the sophistication of this ultra minimalist, rectilinear luminaire, artfully framed with die-cast metal end caps. Robust illumination as a vanity in hospitality bath applications or as a sconce in hallways. Proprietary LED technology.

#### FEATURES


- 5mm thick mitered glass with ceramic glaze
- Conversion plate for 4 inch J box included
- ACLED driverless technology
- 5 year warranty

#### SPECIFICATIONS

Color Temp:	2700K
Input:	120 VAC,50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	80000 Hours
Mounting:	Can be mounted on ceiling or wall in all orientations
Standards:	ETL, cETL Damp Location Listed
Construction:	Aluminum hardware with glass diffuser




#### FINISHES:



Brushed Nickel Chrome

#### LINE DRAWING:



**WS-7316**

# WAC LIGHTING

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Svelte

### Wall Sconce 2700K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens
WS-7322 22"	2700K 90	BN Brushed Nickel CH Chrome	34.5W	2580	1350

Example: **WS-7322-CH**

•For alternate color temperature, special order adding 30 or 35:WS-7322-35-CH

For custom requests please contact [customs@wacighting.com](mailto:customs@wacighting.com)

#### DESCRIPTION

Water clear glass with mitered edge lines speak to the sophistication of this ultra minimalist, rectilinear luminaire, artfully framed with die-cast metal end caps. Robust illumination as a vanity in hospitality bath applications or as a sconce in hallways. Proprietary LED technology.

#### FEATURES


- 5mm thick mitered glass with ceramic glaze
- Conversion plate for 4 inch J box included
- ACLED driverless technology
- 5 year warranty

#### SPECIFICATIONS

Color Temp:	2700K
Input:	120 VAC,50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	80000 Hours
Mounting:	Can be mounted on ceiling or wall in all orientations
Standards:	ETL, cETL Damp Location Listed
Construction:	Aluminum hardware with glass diffuser




#### FINISHES:



Brushed Nickel Chrome

#### LINE DRAWING:



**WS-7322**

# WAC LIGHTING

Fixture Type: \_\_\_\_\_

Catalog Number: \_\_\_\_\_

Project: \_\_\_\_\_

Location: \_\_\_\_\_

## Svelte

### Wall Sconce 2700K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens
WS-7334 34"	2700K 90	BN Brushed Nickel CH Chrome	48W	4043	2100

Example: **WS-7334-CH**

•For alternate color temperature, special order adding 30 or 35:WS-7334-35-CH

For custom requests please contact [customs@wacighting.com](mailto:customs@wacighting.com)

#### DESCRIPTION

Water clear glass with mitered edge lines speak to the sophistication of this ultra minimalist, rectilinear luminaire, artfully framed with die-cast metal end caps. Robust illumination as a vanity in hospitality bath applications or as a sconce in hallways. Proprietary LED technology.

#### FEATURES


- 5mm thick mitered glass with ceramic glaze
- Conversion plate for 4 inch J box included
- ACLED driverless technology
- 5 year warranty

#### SPECIFICATIONS


Color Temp:	2700K
Input:	120 VAC,50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	80000 Hours
Mounting:	Can be mounted on ceiling or wall in all orientations
Standards:	ETL, cETL Damp Location Listed
Construction:	Aluminum hardware with glass diffuser



#### FINISHES:



#### LINE DRAWING:



**WS-7334**