



Installation Manual


MOTIVATE
YOUR LIFE !





Thank you for shopping with us!


We encourage you to take a few minutes to go through this booklet. It contains important information on installation and care tips to keep your furniture looking as good as new.

Hardware


NO.	Draw	QTY
A	 Screws Ø4x14mm	96
B	 Two-in-one connector	75
C	 Two-in-one connector	75
D	 Wood plug	6
E	 Plastic anchor(Ø10mm)	4
F	 Screws for fix on the wall	4
G	 Bracket (53x70x44mm)	4
H	 Screws Ø4x25mm	2
I	 Metal Feet	4
J	 Screws M4x16mm	8
K	 Screws Ø4x20mm	9

NO.	Draw	QTY
L	 Track	3
M	 Handle(L = 337mm)	5
N	 Screws M4x18mm	10
O	 Hinges(Internal hiding)	6
P	 Door stopper	2
Q	 Middle metal foot M4*12mm	2
R	 Movable laminate support	8
S	 Anti-collision gasket	8
T	 Screwdriver	1


Recommended tools




Dimensions





Components



Step 1




	x5
B	
	x5
C	
T	




Notes: Screw installation depth as shown


Attention: Cam lock arrow point to the steel rod.




Step 2




	x8
B	
	x8
C	
T	



first step




second step



third step




Step 3




Step 4


Note: The D parts are used for these two holes




Step 5




Step 6



Step 7



Step 8



x4

G

(Ø4 x 14mm)





x24

A



Tool

Step 9



x4

I

(M4x16mm)



x8

J






x2

Q




Tool




Step 10






Step 11



Step 12




Step 13




Step 14


Notes: Disassemble the three fold side mounted buffer rail as shown in the following diagram.



Step 15




x3




Notes: Install the dismantled side mounted rail as shown in the diagram.

	x3
L	
($\varnothing 4 \times 14\text{mm}$)	
	x18
A	

Step 16




Notes: Tighten the self working screw according to the hole position shown in the diagram.




	x3
L	
($\varnothing 4 \times 14\text{mm}$)	
	x18
A	
	
Tool	

Step 17




Step 18

Notes: Pull out the tracks on the cabinet body and push them into the upper and lower drawers as shown in the diagram. The drawer tracks are interlocked with the cabinet body tracks.




Step 19




	x6
O	($\varnothing 4 \times 14\text{mm}$)
	x36
A	
	x2
P	

You can adjust the doors by tightening or loosening the screws on the hinge. →





Step 20





(L = 337mm)	
	x2
M	(M4 x 18mm)
	x4
N	
	x2
S	
Tool	



Step 21




Step 22




Step 23



Step 24



Step 25




Step 26




x8


R




Finished



Dimensions



Back View



Front View

CARE CLEANING AND MAINTENANCE

1. Dust regularly with a soft , dry cloth.
2. Avoid the use of all chemicals household cleaners, abrasives, or cleaners that contain lemon, vinegar, or other acids that may damage the finish.
3. Excessive exposure to sunlight and extreme changes in temperature and moisture can damage wood furniture.
4. The sink is fragile, please pay attention to maintaining its appearance.
5. Do not place hot appliances, such as curling irons and hot hair dryers directly on the countertop. Wipe spills immediately.