



10'x10' Outdoor Storage Shed Instruction

If you have any questions about the outdoor storage shed, please feel free to contact us.
E-mail: Patiofurniture Serviceteam@outlook.com



E-mail: Patiofurniture Serviceteam@outlook.com
Please be careful any sharp edges & corners.



SAFETY & PRECAUTIONS

Before You Begin...

1. Check your local building codes regarding footings, location, etc.
2. Select a site that allows enough working space around the shed.
3. Determine building foundation and anchor system.
4. Read and understand the Owner's manual enclosed in the package.
5. Follow all directions and dimensions thoroughly.
6. Follow the steps given in the manual carefully for correct assembly.
7. Make sure all parts are present before you start assembling.
8. BE SAFE: Follow safety instructions and avoid injury. (See inside page).
9. GROUND MUST BE EVEN: Make sure the foundation frame lies flat on the ground.

If the earth bed is uneven, remove the sod and other debris and level it with a flat shovel.

10. Separate contents of the carton by the part number and review the list. Be sure you have all the necessary parts for your shed. Refer Owner's manual for the part list.




For your own safety, please read and follow these instructions during the shed assembly.

1. Always wear work gloves, long sleeves and eye protection during assembly of the shed. Some pieces of the shed contain sharp edges and can cause injury.




2. Be cautious with the tools used for the assembly of the shed. Familiarize yourself with the operation of all the power tools.



3. Children and pets should be kept away from the assembly site to avoid any distractions and accidents.




4. When using a step ladder, make sure it is on even ground and fully open with the safety latch in place. Never concentrate your full weight on the roof or any part of the shed.



SAFETY & PRECAUTIONS

5. Do not attempt to assemble the shed on a windy day. Shed panels can be whipped across by the wind making the worksite difficult and dangerous.



For your own safety, please read and follow these instructions during the shed assembly.

1. Always wear work gloves, long sleeves and eye protection during assembly of the shed. Some pieces of the shed contain sharp edges and can cause injury.
2. Be cautious with the tools used for the assembly of the shed. Familiarize yourself with the operation of all the power tools.
3. Children and pets should be kept away from the assembly site to avoid any distractions and accidents.
4. When using a step ladder, make sure it is on even ground and fully open with the safety latch in place. Never concentrate your full weight on the roof or any part of the shed.
5. Do not attempt to assemble the shed on a windy day. Shed panels can be whipped across by the wind making the worksite difficult and dangerous.

IMPORTANT

1. **Wear eye protection when using any form of the power tool. Do not use voltage power tools in a wet or damp environment to avoid electric shock.**
2. **Do not use any part of the shed as a means of personal support while attaching components during assembly.**
3. **The shed is recommended to be constructed on a solid base foundation. A concrete pad or a large size concrete patio stone squares is recommended for a suitable floor base. Make sure it is firm and level and will allow drainage away from the site.**
4. **Recommended: for a concrete pad base, prepare a level bed for a firm footing layer of crushed stone. The concrete pad should then be poured to a thickness of 4 inches (100mm) to 5 inches (125mm). Allow drying thoroughly for at least 48 hours.**
5. **The shed is recommend to be firmly anchored to the concrete pad or large concrete patio stone squares, to help protect against damage in high winds.**
6. **The shed could be used without foundation, please make sure the shed is stable.**

Care & Maintenance

Although this unit does not require any maintenance, care should be taken to prolong the life of your shed.

ROOF: Keep the roof clean of leaves and snow with a long-handled, soft-bristled broom. Heavy amounts of snow on the roof can damage the shed making it unsafe. Do not step on the roof.

WALLS: Do not rest any object against the wall panels of the shed.

DOORS: Keep doors closed to prevent wind damage.

FASTENERS: Regularly check your shed for loose screws, bolts, nuts, etc. And retighten them as necessary.









MOISTURE: With changing temperatures, condensation will accumulate inside the shed. Good ventilation will help in regulating and avoid moisture.

TIP: A noncorrosive caulking is helpful to seal the shed.




**DO NOT store swimming pool chemicals in your building.
Combustibles and corrosive must be stored in airtight containers**

HARDWARE

1  2 PC	2  2 PC	BS1  1 PC	BS1L  1 PC
BS2  1 PC	BS2L  1 PC	W1A  22 PC	WS2A  4 PC


PARTS

P1




2 PC

P2



2 PC

P3




4 PC

PRA



1 PC

DRB



1 PC

DLA




1 PC

DLB



1 PC

21L




2 PC

21R




2 PC

P3A




4 PC

P4




2 PC

P5




2 PC

UL1




1 PC

UR1




1 PC

DX2



4 PC

20



4 PC

7




1 PC

8



1 PC

9




4 PC

10L




1 PC

PARTS



PARTS

GC



4 PC


F1



M4x10

461 PC

F2



M4x10

54 PC


F3



M5x12

32 PC

F4



M6x10

5 PC

V1



156 PC

V2



418 PC

GROUND MUST BE EVEN




The ground must be even, otherwise the holes will not line up properly!!!

The shed must be constructed on a solid base foundation. A concrete pad or a large size concrete patio stone squares is recommended for a suitable floor base. Make sure it is firm and level and will allow drainage away from the site. The base foundation should be at least 4 inches(100mm)larger than the shed dimensions. The manufacturer is not responsible for the choice and construction of the foundation


Note: For a concrete pad base, prepare a level bed for a firm footing layer of crushed stone. The concrete pad




should then be poured to a thickness of 4 inches (100mm) to 5 inches (125mm). Allow drying thoroughly for at least 48 hours




PRODUCT ASSEMBLY




Step 1



BS1		1 PC
BS1L		1 PC
F1		M4x10 2 PC



Step 2





BS2		1 PC
BS2L		1 PC
F1		M4x10 2 PC

PRODUCT ASSEMBLY

Step 3







Step 4




PRODUCT ASSEMBLY




Step 5



WS2A		4 PC
F1		M4x10
V2		16 PC


Step 6



W1A		4 PC
F1		M4x10
V2		16 PC


PRODUCT ASSEMBLY

Step 7



9		4 PC
GR		2 PC
F1		M4x10
V2		20 PC
C2		4 PC


Step 8




10L		1 PC
10R		1 PC
GS		1 PC
F1		M4x10
V2		10 PC
		6 PC

PRODUCT ASSEMBLY

Step 9







Step 10




PRODUCT ASSEMBLY




Step 11



W1A	
	10 PC
F1	
	M4x10
V2	
	80 PC



Step 12





W1A	
	1 PC
F1	
	M4x10
V2	
	1 PC

PRODUCT ASSEMBLY

Step 13





Step 14



PRODUCT ASSEMBLY


Step 15



21L	21R	B1	B2
2 PC	2 PC	4 PC	2 PC
B3	GF	F2	V2
2 PC	4 PC	20 PC	16 PC


PRODUCT ASSEMBLY

Step 16




Note: 14 is pressed into 13

Don't tighten these two screws too tightly







Don't tighten these two screws too tightly




PRODUCT ASSEMBLY

Step 17




PRODUCT ASSEMBLY

Step 18



Tighten all screws


F2











M4x10

12 PC



Step 19






P1  2 PC	P2  1 PC	P3  3 PC	P3A  3 PC
P4  2 PC	P5  2 PC	F1  M4x10 147 PC	V2  147 PC

PRODUCT ASSEMBLY

Step 20




Step 21








PRODUCT ASSEMBLY


Step 22






Installation tips: You need to gently lift the 19 and then screw it



P2	
	1 PC
P3	
	1 PC
P3A	
	1 PC
F1	
	M4x10
V2	
	33 PC


Step 23



15	
	2 PC
16	
	2 PC
GE	
	2 PC
F1	
	M4x10
V2	
	6 PC


PRODUCT ASSEMBLY

Step 24




17	
18	2 PC
GC	2 PC
F1	4 PC
V2	10 PC
	6 PC

Step 25




PRODUCT ASSEMBLY

Step 26



DRA	
2 PC	
DRB	
2 PC	
DLA	
4 PC	
DLB	
10 PC	
FF2	
M4x10	
6 PC	



Step 27





20	
4 PC	
F1	
4 PC	

PRODUCT ASSEMBLY

Step 28








Step 29




PRODUCT ASSEMBLY





Step 30




PRODUCT ASSEMBLY





Step 31



DF	
	1 PC
F4	
	M6x10
	2 PC
F1	
	M4x10
	8 PC
V2	
	8 PC


Step 32




DG	
	1 PC
F4	
	M6x10
	3v PC
F1	
	M4x10
	8 PC
V2	
	8 PC

PRODUCT ASSEMBLY

Step 33




F3




M5x12

16 PC

Step 34



S1



72 PC

AFTER-SALE SERVICE CARD

If you have any suggestions for our products or find that the products have quality problems, please contact us first, our after-sales team will reply you within 24 hours, and we will do our best to give you solutions until you are satisfied.

Guaranteed Customer Service

Your shopping experience is very important to us!
Feel unsatisfied? Contact us!
Have any questions? Contact us!

Wanna Share how wonderful our smart products makes your home?
Share your pictures with us.
Any suggestions? Contact us!
We gotcha back!

✉ Patiofurniture Serviceteam@outlook.com

