

# 52"

- DC motor
- 25 Watt LED light kit - 1700 lumens
- Light Cap included
- Low profile motor housing (only 3.5" high with glass, 2.75" with cap)
- 6 speed Remote Control included with hand-held transmitter, Light Dimmer, and reverse (pictured right)
- **Special Downrod required.**



LED Info	W	25
	CCT	3000K
	lm	1700
	lm/W	68
	CRI	80+

Satin Nickel with matching blades



Light Cap included



## Specifications

No. of Blades	4	Total Fan Height	11.0"
Blade Pitch	13°	Blade to Ceiling	8.8"
Motor Size (mm)	120DC x 15	Net Weight	14.1 lb
Motor Amps (High)	0.36	Hanging System	Downrod
RPM (H / L)	195 / 76	Reverse	Remote

## Energy Information

(at high speed excluding lights)

Airflow	Electricity use	Efficiency
<b>5426 CFM</b>	<b>23.5 Watts</b>	<b>230.9 CFM/Watt</b>

# CONTEMPORARY FANS

Architectural Bronze with matching blades



Light Cap included



Low Profile motor housing



# 54"

- DC motor
- 12 Watt LED light kit
- Light Cap included
- 6 speed Remote Control included with hand-held transmitter, Light Dimmer, and reverse (pictured right)
- Ceiling mounted motor with Shaft-Drive system (height not adjustable - not compatible with sloped ceilings)
- 5 warp-free ABS blades available in Dark Maple or Matching finishes




LED Info	W	12
	CCT	3000K
	lm	700
	lm/W	58.3
	CRI	80+

Satin Nickel with Dark Maple blades



Light Cap included



## Specifications

No. of Blades	5	Total Fan Height	21.5"
Blade Pitch	16°	Blade to Ceiling	19.0"
Motor Size (mm)	120DC x 25	Net Weight	18.5 lb
Motor Amps (High)	0.26	Hanging System	Shaft Drive
RPM (H / L)	177 / 75	Reverse	Remote

## Energy Information (at high speed excluding lights)

Airflow	Electricity use	Efficiency
<b>5657 CFM</b>	<b>17.0 Watts</b>	<b>332.8 CFM/Watt</b>

# CONTEMPORARY FANS

---

Satin Nickel with matching blades



Light Cap included



Architectural Bronze with Dark Maple blades



Light Cap included



Architectural Bronze with matching blades



Light Cap included



# 60"

- DC motor
- 15 Watt LED light kit
- 3 warp-free ABS blades spanning 60 inches
- 6 speed Remote Control included with hand-held transmitter, Light Dimmer, and reverse (pictured right)



LED Info	W	15
	CCT	3000K
	lm	900
	lm/W	60
	CRI	80+



Satin Nickel with matching blades

## Specifications

No. of Blades	3	Total Fan Height	11.0"
Blade Pitch	14°	Blade to Ceiling	9.1"
Motor Size (mm)	188DC x 14	Net Weight	17.6 lb
Motor Amps (High)	0.29	Hanging System	Downroad
RPM (H / L)	180 / 78	Reverse	Remote

## Energy Information (at high speed excluding lights)

Airflow	Electricity use	Efficiency
<b>6241 CFM</b>	<b>20.0 Watts</b>	<b>312.0 CFM/Watt</b>



# CONTEMPORARY FANS

---

Architectural Bronze with matching blades



# 50"

- DC motor
- 15 Watt LED light kit
- 3 warp-free ABS blades
- 6 speed Remote Control included with hand-held transmitter, Light Dimmer, and reverse (pictured right)



LED Info	W	15
	CCT	3000K
	lm	800
	lm/W	53.3
	CRI	80+



Satin Nickel with matching blades

## Specifications

No. of Blades	3	Total Fan Height	12.5"
Blade Pitch	14°	Blade to Ceiling	10.5"
Motor Size (mm)	120DC x 15	Net Weight	10.9 lb
Motor Amps (High)	0.45	Hanging System	Downrod
RPM (H / L)	173 / 74	Reverse	Remote

## Energy Information (at high speed excluding lights)

Airflow	Electricity use	Efficiency
<b>5369 CFM</b>	<b>30.0 Watts</b>	<b>179.0 CFM/Watt</b>

# CONTEMPORARY FANS

---

Architectural Bronze with matching blades

