



Important Notes Before Installation



Please read this manual carefully before use and follow the installation steps strictly. Upon receiving the package, immediately inspect the outer box for any damage. After unpacking, carefully check the product for completeness and condition.


2




① Base×1









② Tabletop×1




③ Bottom connecting plate×1



④ Connecting plate×1

a	×1	b	×6	c	×5	d	×10	e	×6	f	×10
											
Hex screwdriver		Screw washers		Screws		Screws		Oblique screw		Screw washers	


Installation components



Install the chassis

Install the base and chassis first.
Place the base on the ground, align the holes for connection, and tighten with screws using a screwdriver.

4




Attach the base to the mounting plate

Align the mounting plate with the 4 screw holes on the top disc of the pedestal base.

Insert the 4pcs bolts from the top side (finger-tighten only at this stage).

Important: All 4 bolts must be inserted and lightly seated before final tightening to prevent misalignment.

Tighten the 4 bolts evenly using an hex screwdriver.



Attach the base and the tabletop

Lift the tabletop together and place it onto the assembled base.

Align the holes on the tabletop with those on the connecting plate, then use a screwdriver to install each screw. After all screws are installed, tighten them securely one by one.


Installation complete

Double-check that every screw is properly tightened.

Gently shake the table to ensure stability no- wobbling or unusual noise.

Assembly complete!

Height adjustment screws usage instructions



This component is a height adjustment screw that can be installed at the bottom of the base to adjust for uneven surfaces.

This screw can be optionally installed. Even if it is not installed, it will not affect the functionality of the product.