Assembly Instructions

CAUTION: You must read these Assembly Instructions before you proceed.

Care & Maintenance


● Not for commercial use. For residential use only.


● Do not put hot items directly on furniture surface.



● Do not clean furniture with harsh cleansers or polish.


● To obtain the longest lifespan of your outdoor product minimizing exposure to direct sunlight is recommended.


● Children should not climb or jump on the furniture.


● Do not write on furniture without a padded barrier to protect the surface.


● To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine. Whenever possible cover the product and /or place under patio or awnings.




● Stains may be removed with mild soap solution and damp cloth.









● Dust and pick-up spills using a clean, non-colored, lint- free cloth.

Please look in the Leg Panel for Hardware packs





3 SEATER



Parts List:


Label	Picture	Description	QTY
A		Backrest Panel	1
B		Seat Panel	1
C		Left Leg Panel	1
D		Right Leg Panel	1
E		Front Bar	1
F		Support Leg	2
G		Back Cushion	3
H		Seat Cushion	3

Hardware:

No	Picture	Description	QTY
①		Bolt (M6x80mm)	3
②		Nut (6x13mm)	3
③		Screw (M6x35mm)	5
④		Screw (M6x40mm)	3
⑤		Screw (M6x50mm)	8
⑥		Screw (M6x70mm)	3
⑦		Allen Wrench	2

Assembly Preparation:


Before Beginning Assembly:



- Read instructions, cover to cover-
- Have 2 adults on hand for assembly-
- Do not assemble on flooring or carpet-
- Assemble on a clean non-marring surface (packing foam)-
- Save all packaging until finished-


Assembly Steps:

Overview:




This 3 Seater has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the 3 Seater parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

Step 1:



Unpack and place all parts on a clean, non-marring surface.

Step 2:




With the help of your adult partner, put the tenons of Front Bar (E) to the mortises of Left Leg Panel (C) and Right Leg Panel (D) and then secure by using Bolts (①), Nuts (②) and Allen Wrenchs (⑦) as shown above.

Note: Affix the Bolt (①) into the Nut (②) inside the Leg Panels (C, D) then remove Bolt (①) from the Nut (②).

<u>DO NOT</u> fully tighten the Bolts.


Step 3:



With the help of your adult partner, place Seat Panel (B) facing down then attach Support Legs (F) to Seat Panel (B) by using Screws (③) and Allen Wrench (⑦) as shown above.


<u>DO NOT</u> fully tighten the Screws.

Step 4:




With the help of your adult partner, attach the assembled part in Step 3 to the assembled part in Step 2 as shown above.
Then secure Seat Panel (B) to Leg Panels (C, D) by using Screws (⑤) and Allen Wrench (⑦).
<u>DO NOT</u> fully tighten the Screws.

Step 5:




With the help of your adult partner, attach Backrest Panel (A) to the assembled part in Step 4 and then secure Backrest Panel (A) to Leg Panels (C, D) by using Screws (⑥) and Allen Wrench (⑦) as shown above
<u>DO NOT</u> fully tighten the Screws.

Step 6:



With the help of your adult partner, turn the assembled part in Step 5 front facing down as shown above. Then:
Step 6.1, secure Seat Panel (B) to Backrest Panel (A) by using Screws (⑤) and Allen Wrench (⑦).
Step 6.2, secure Seat Panel (B) to Front Bar (E) by using Screws (④) and Allen Wrench (⑦).
DO NOT fully tighten the Screws.

Step 7:



Inspect it and make sure all parts are adequately connected.
With the help of your adult partner, turn the 3 Seater right side up.
Gently and gracefully, sit onto the 3 Seater.
This will help to align all the parts at all joint areas.
Then get off the 3 Seater and in a sequential manner, gradually tighten all Bolts, Screws at all joints until evenly connected.
If there are still wobbles, loosen the Bolts, Screws and execute this same process.
Note: The Back Cushions (G) were compressed, and after getting it from the PE bag, it will return to its normal shape.
Place the Seat Cushions (H) by affix the Magic Tape Straps on the Seat Panel (B) then place the Back Cushions (G) onto the Seat Cushions (H) as shown above.
WARNING!! IF 3 SEATERS IS NOT STABLE, IT COULD LEAD TO DAMAGING THE PRODUCT.
Your 3 Seater is ready for use.
This 3 Seater can only be used on a flat, level surface.