













# Installation

To avoid scratches and swallowing parts, please do not install by children!

Hardware List		Hardware List			
	Seat	1		Backrest	1
	Armrest	1		Seat cushion	1
	Back cushion	1		Armrest cushion	1
	Legs	4		Sofa cover	1
	Base cloth	1		Buckle	1
	Screw	2			



2



Seal the bottom with the base cloth. And then Screw the sofa Legs into the reserving holes on the seat.

3



Put on the sofa cover.

Suggestion: you'd better not remove the protective strip before finish putting the cover on.














4


Apply the connection buckles to connect the seats together (or not, it's totally up to users).



# Installation

To avoid scratches and swallowing parts, please do not install by children!

Hardware List		Hardware List			
	Seat	1		Backrest	1
	Armrest	1		Seat cushion	1
	Back cushion	1		Armrest cushion	1
	Legs	4		Sofa cover	1
	Base cloth	1		Buckle	1
	Screw	2			



2



Seal the bottom with the base cloth. And then  
Screw the sofa Legs into the reserving holes on the seat.

3


Put on the sofa cover.

Suggestion: you'd better not remove the protective strip before finish putting the cover on.










4

Apply the connection buckles to connect the seats together (or not, it's totally up to users).




# Installation

To avoid scratches and swallowing parts, please do not install by children!

Hardware List		Hardware List			
	Seat	1		Backrest	1
	Seat cushion	1		Back cushion	1
	Sofa cover	1		Base cloth	1
	Legs	4		Buckle	1
	Screw	2			

1



2



Seal the bottom with the base cloth. And then  
Screw the sofa Legs into the reserving holes on the seat.

3

Put on the sofa cover.

Suggestion: you'd better not remove the protective strip before finish putting the cover on.



4

Apply the connection buckles to connect the seats together (or not, it's totally up to users).

