



General Information

Type	Bulb
Light colour Complete	TUNEABLE WHITE
Illuminant Type (1)	E27-LED-ST64
kW/1000h	5.5
Energy efficiency class (EEI)	G

Dimensions

Article Diameter (in mm)	64
Article Length (in mm)	142

Light Information

Colour Tolerance (LED, SDCM)	<6
------------------------------	----

Technical Information

Equivalent power (W)	33
Lamp Power Factor	0.5
Nominal Current (in mA)	47
Nominal Lifetime (in h)	20000
Rated Lamp Power (0,1W precision)	5.5
Rated Lifetime (in h)	20,000
item-number LED-board (1)	12242
Lighting Technology	LED
Directional Light source	No
Lamp cap (Socket)	E27
Mains light source	Yes
Connected light source	Yes
Colour-tunable light source	Yes
High luminance light source	No
Dimmable (bulb, board, stripe,...)	No
Energy consumption (kWh/1000h)	5
Rated useful lumen	360
Beam angle (°) - at measurement	360
Color temperature (K)	2200-6500
Nominal wattage (W)	4,9
Standby power (P sb, W)	0,5
Chromaticity coordinates x (1)	0,5044
Chromaticity coordinates y (1)	0,4173
Color rendering index (CRI)	80
Lamp survival factor @3000h	> = 90 %
Lumen maintenance factor @3000h % in decimal number	0,93
Flicker Metric / Pst LM	0,1
Stroboscopic Effect Metric / SVM	0,1

Switch information

Function	control via APP + remote control CCT
Starting Time	<0,5 sec
Warm-Up Time up to 60%	< 0,5 sec
Switching Cycles	25,000



