


# Assembly Instructions




## ASSEMBLY RATING

The Assembly Rating is a 5-point system that shows the degree of effort needed in assembling a specific product (with 1 being easy and 5 being difficult). For some products, two persons are recommended.

EASY  DIFFICULT

## Tools Required For Assembly:

Allen Wrench



(Included)

Phillips Screwdriver



(Not Included)




2 PERSONS RECOMMENDED

# ASSEMBLY & CARE ADVICE

FOR YOUR FURNITURE TO LAST, CORRECT ASSEMBLY AND PROPER MAINTENANCE ARE NECESSARY. PLEASE FOLLOW THE INFORMATION PROVIDED BELOW TO FULLY ENJOY YOUR FURNITURE.

## BASIC ASSEMBLY TECHNIQUES




1  
When lock or spring washer is used in an assembly, please make sure the lock or spring washer is placed between the larger flat washer and the head of the screw or bolt.




2  
Position each part correctly and insert screws or bolts into their respective holes by hand tighten or using the proper hand tool. Only tighten when step is completed or when instructed to do so.



3  
Use cardboard or carpet area when assembling furniture to prevent scratches. Make sure the furniture rests on a flat and level surface with each leg evenly touching the floor.



4  
Some furniture comes with height adjustment knobs underneath each leg. To lower or to raise each leg, you need to turn clockwise or counterclockwise, respectively.



5  
Make sure all parts are properly aligned, then use the appropriate hand tool to completely tighten the bolts or screws. Do not use power tools and do not overtighten.



6  
Save the instructions and store the Allen wrench or any supplied tool for later maintenance. After two weeks, check and tighten any loose hardware and repeat again every six months thereafter.

IT IS THE USER'S RESPONSIBILITY TO MAINTAIN THE FURNITURE. THE HARDWARE MAY LOOSEN OVER TIME AND MAY CAUSE THE FURNITURE TO BE WOBBLY AND UNABLE TO SUPPORT ITS INTENDED WEIGHT CAPACITY. THIS MAY LEAD TO COLLAPSE AND MAY CAUSE SERIOUS INJURY.



FAILURE TO FOLLOW THE GUIDELINES ABOVE MAY RESULT IN INJURY AND/OR PROPERTY DAMAGE.

















Before you begin, please read Page 2 of "Assembly and Care Advice".

And remember, do not tighten until each step is completed or instructed.

### Parts List

### Hardware List


	#1 x 1pc Cabinet body
	#2 x 4pcs Leg
	#3 x 2pcs Hutch Top
	#4 x 4pcs Hutch panel
	#5 x 1pc Hutch Back
	#6 x 2pcs Drawer
	#7 x 2pcs Mirror Support
	#8 x 1pc Mirror

	#A x 16pcs Bolt 1/4 x 2"
	#B x 16pcs Flat Washer Ø1/4"
	#C x 16pcs Lock Washer Ø1/4"
	#D x 1pc Allen Key 4mm
	#E x 4pcs Barrel Nuts Ø1/4"
	#F x 4pcs Bolt 1/4" x 1-3/8"



Pull out drawer for access to rear holes.

#A x 8pcs  
#B x 8pcs  
#C x 8pcs




1. Prepare 8 bolt assemblies by first inserting a lock washer (#C) onto the bolt (#A) then a flat washer (#B) onto that same bolt (#A).

2. Align the legs (#2) to the holes along the corners of the body (#1), then insert the bolt assemblies from within and secure using the Allen wrench (#D).




#A x 2pcs  
#E x 2pcs

2. Insert the barrel nuts (#E) into the large holes along the hutch back (#5), make sure the holes face the openings. Then insert the bolts (#A) into the hutch top (#3) and secure.




1. Insert the pins along the hutch panels (#4) into the holes along the hutch back (#5) and hutch top (#3) as shown above.



Insert each end into the holes along the cabinet body (#1).




#A x 2pcs  
#E x 2pcs




1. Insert the barrel nut (#E) into the large holes along the hutch back (#5) make sure to align the hole.

2. Insert the bolts (#A) into the holes from beneath and into the nuts. Secure using the Allen wrench (#D).






#A x 4pcs  
 #B x 4pcs  
 #C x 4pcs




1. Prepare 2 bolt assemblies by first inserting a lock washer (#C) onto the bolt (#A) then a flat washer (#B) onto that same bolt (#A).




2. Insert into rear inner holes and secure.





#B x 4pcs  
 #C x 4pcs  
 #F x 4pcs




1. Prepare 4 bolt assemblies by first inserting a lock washer (#C) onto the bolt (#F) then a flat washer (#B) onto that same bolt (#F).



2. Place the mirror (#8) onto the body (#1). Align the mirror supports (#7) to the holes along the back, then insert the bolt assemblies and secure.




ASSEMBLY IS COMPLETED




Before you begin, please read Page 2 of "Assembly and Care Advice".

And remember, do not tighten until each step is completed or instructed.

### Parts List




#1 x 1pc  
Seat




#2 x 4pcs  
Leg


### Hardware List




#A x 8pcs  
Bolt  $\text{\O}1/4" \times 2"$



#B x 8pcs  
Flat Washer  $\text{\O}1/4"$



#C x 8pcs  
Lock Washer  $\text{\O}1/4"$




#D x 1pc  
Allen Key 4mm



#A x 8pcs  
#B x 8pcs  
#C x 8pcs

1. Prepare 8 bolt assemblies by first inserting a lock washer (#C) onto the bolt (#A) then a flat washer (#B) onto that same bolt (#A).



2. Align the legs (#2), then insert the bolt assemblies from within and secure.