



Sunlounger w/Arms and Adjustable Leg Rest





REPLACEMENT PARTS


Please do not contact the company purchased from as we can help you faster.
Order replacement parts and hardware




- . Use of power tool to assemble this product will invalidate any claim and damage this product making it unsafe !!!
- . Please assemble on a clean soft surface to avoid damage.



Tools Required




Part list - Sunlounger W/Arms and Adjustable Leg Rest



Identifying the hardware-Identify the hardware using the illustrations below

J



M6*40mm

04

K



M6*30mm

08

L



M6*15mm

08

M



M8*40mm


08

N




02

O




01

Step 01




Step 02




Step 03

K		M6*30mm	08
L		M6*15mm	08
O			01




Step 04

J		M6*40mm	02
N			02
O			01




Step 05



M		08
M8*40mm		
O		01



Step 06



Step 07



Care & Maintenance

While weathering and color variation over time is natural for outdoor wood furniture, we recommend the following care and maintenance for best results:

- .Store wood furniture indoors out of season. Make sure furniture is completely dry before storage.
- . Cover wood furniture with outdoor covers when left outside during inclement weather or when not in use.
- . Wipe spills with a clean dry cloth.
- . Avoid the use of harsh cleaners and abrasives. Do not power wash.
- . Use Teak Oil to protect from sun and weather exposure. This will require light sanding. Use a natural bristle brush or lint free cloth to apply the oil. Usually, oil should be reapplied every two to three months. Before each application, clean thoroughly and make sure your furniture is completely dry.
- .Inspect your furniture every three to six months. Tighten any loose fittings or bolts as required.

IMPORTANT! RETAIN THESE INSTRUCTIONS FOR FUTURE REFERENCE