




84040 Product Installation Instructions







1 x3




2 x6




3 x3




4 x3




5 x1




6 x2




7 x1




8 x1




9 x1




10 x1




11 x1




12 x2




13 x1




14 x1




15 x1




16 x1



17 x1










18 x1




1

Accessories list

A		Two In One Screw (6x28mm)	71pcs +7pcs
B		Two In One Nut (10x12mm)	71pcs +7pcs
C		Wood Chipping (6x30mm)	12pcs +2pcs
D		Guide rails & screws (3x12mm) 29cm	30pcs +6pcs 6pcs
E		Non-slip pads (50x2mm)	6pcs +1pcs
F		Fixing Clip & Screw (3x16mm)	12pcs +1pcs
G	 1pcs  1pcs  1pcs  1pcs  2pcs	anti-tipping tape Screw & gasket (3.5x12mm) Screw (4x45mm)	1pcs
H		Double end connecting line	1pcs
I		Wire clamp	4pcs +2pcs




1pcs



Double-head screwdriver, use as required


2

Product structure decomposition




Use parts ① and ②




Step1



Step2



Step3





Use a screwdriver to lock in the direction of the "+" sign

Disassemble along the direction of "-" sign


Step 1

A




4



Step 2





Step 3



Step 4




Step 5




Use parts D

Drawer rail breakdown diagram




① Dismantle the schematic diagram

Step 1 : Pull the rails apart




Step 2 : Press the nylon button and pull out (a).


Drawer rail decomposition completed schematic diagram




Step 6





Step 7




Product structure decomposition





Step 8





Step 9



Step 10



Step 11




Note: When installing the F board to the H board, note that there is a groove under the H board.

Step 12

B




x3





Step 13

E



x6



Tear off release paper and stick the black foot pad on the board





Schematic diagram of
installation completion

12

Step 14





Step 15





This hole is a reinforced fixing hole which can be installed as required

Step 16





Step 17





Step 18

This hole is a reinforced fixing hole which can be installed as required



Step 19




Step 20

B



x6





Step 21

B





x6




16

Step 22




Step 23




Pay attention to the position of the hole

A




x2

Step 24



Step 25





Insert Panel (17) into Panel (9), but do not tighten it to facilitate subsequent installation.

18




Step 26





Bend the (17) plate a little outward to facilitate the installation of the (16) plate




Step 27




Step 28





Step 29




Step 30




Step 31



I





x4






21


Step 32



Step 33




Step 34




As shown, When installing the drawer,
pull the guide rail out first, Slide beads are also pulled out.

Step 35




If a large gap is found after installing the drawer the slide rail can be moved up and down to adjust the gap

Step 36




Step 37

F






x12






Step 38

(H)  x1



Step 39



Step 40

G




1pcs



1pcs




1pcs




Step 41

use a ruler to measure the approximate height of the product on the wall, and then mark it with a pencil.




Use a tape drill to make holes in the wall that are suitable for the product screws.




Put the expansion bolt into the hole.


Pass the matching screws through the "anti-rewind" and tighten them to fix them on the wall.



Step 42



x1




User's Guide

Thank you for purchasing this product. To use this product, please plug it into a 12V DC power supply. Please use if the product works normally after connecting to power.

Introduction

The box is an intelligent controller with 2 touch buttons. It can turn ON/OFF the light, change light colors, and adjust the light luminance.

Product Show



ATTENTION PLEASE

1. If there is no touch response suddenly, Re-plug the power to reset the touch static electricity.
2. If bubbles appear on the panel, remove the protective film.

Operation



This touch button is used to turn on/off, change colors, and adjust brightness.

A. Short touch -> lighting on -> short touch -> change light color -> short touch -> change light color -> short touch -> lighting off. B. Long touch -> adjust the luminance



This touch button is used to turn on/off the induction function.

- A. Short touch to turn on the induction function. It can auto-turn on the light when people are close to the controller in 1 meters. It can auto power off the light when the body is far away from the controller after 30 seconds.
- B. Long touch to turn off the induction function.
- C. Note: When you touch the light button to change the light modes, the induction function will automatically turn off. It is best to turn on this function after selecting the light color and adjusting the brightness you want.