



Kensho® | K-8325

28" oval vessel bathroom sink, no overflow

Features

- Natural honed marble or limestone etched with Japanese kimono-inspired textural patterns
- Etched surface is highlighted with a subtle champagne-gold metallic finish
- Asymmetrical oval basin
- No faucet holes; requires wall- or counter-mount faucet
- Coordinates with optional Kensho drain cover (sold separately)



Available Colors/Finishes

Color tiles intended for reference only.

- CS6 Biancone
- CS7 Grey Fousana



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
8-04-2026 19:01 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

ADA CSA B651 OBC

ADA
ICC/ANSI A117.1
CSA B651
OBC

Technical Information

Basin Configuration:	Single Bowl
Basin Length:	27-3/16" (690 mm)
Basin Width:	13-1/4" (337 mm)
Basin Depth:	3-3/16" (81 mm)

Material

- Available in Biancone marble from Italy or Grey Foussana limestone from Tunisia
- Carved from natural stone, each sink is unique and shows distinctive variations in stone characteristics such as color, veining, and markings

Recommended Products/Accessories



K-23726 Drain treatment
K-95069 Drain cover
K-23723 Faucet cleaner

Warranty


See website for detailed warranty information.

KOHLER® One-Year Limited Warranty





Recommended ADA Installation



Installation

- Vessel

Installation Notes

Install this product according to the installation instructions.

NOTICE: Countertop manufacturer or cutter must use the cut-out template provided with the product, or a current one provided by Kohler Co. (call 1-800-4-KOHLER). Kohler Co. is not responsible for cutout errors when the incorrect cut-out template is used.

Both the product and the drain to be installed using clear, 100% Silicone sealant.

The faucet should be installed such that the water stream does not directly impact the decorated surface.

If the faucet is deck-mounted on the center-line of the product we recommend a minimum of a 5" faucet reach to extend past the decorated portion of the surface.

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

8-04-2026 19:01 - US-CA