


Assembly Instructions

Caution: You must read this Assembly Instructions before you proceed.

Please look in the Seat Panel for Hardware packs.



BARSTOOL





CAUTION: This Barstool is NOT a TOY.

Keep your child / children at bay during the process of assembly. For turning the Barstool and to prevent any damage to it, 2 adults may be needed to execute this action.

Part List:



Label	Picture	Description	Qty
A		Seat Panel	1
B		First Leg	1
C		Second Leg	1
D		Third Leg	1
E		First Cross Bar	1
F		Second Cross Bar	1
G		Footrest	1

Hardware:

Label	Picture	Description	Qty
①		Screw (M6x35mm)	2
②		Screw (M6x40mm)	3
③		Screw (M6x45mm)	2
④		Screw (M6x70mm)	5
⑤		Bolt (M6x75mm)	5
⑥		Flat Washer (M6x16x1mm)	5
⑦		Allen Wrench	1

Assembly Preparation:

Before Beginning Assembly:



☒ Read instructions, cover to cover.



☒ Have 2 adults on hand for assembly.



☒ Do not assemble on flooring or carpet.




☒ Assemble on a clean non-marring surface (packing foam).



☒ Save all packaging until finished.

Assembly Steps:


Overview



This Barstool has multiple parts and may require up to some 30 minutes to assemble.


To give you an overview of the Barstool parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

Step 1:



Unpack and place all parts on a clean, non-marring surface.

Step 2:




Place the First Leg (B), First Cross Bar (E) and Second Cross Bar (F) on a clean, non-marring surface.

Place the Slots of First Cross Bar (E) and the Second Cross Bar (F) into the First Leg (B) as shown above.

Attach the First Cross Bar (E) and Second Cross Bar (F) to the First Leg (B) using Screw (①) and Screw (③) with the Allen Wrench (⑦) as shown in the picture above.


DO NOT fully tighten the Screws at this time.

Step 3:




Attach the Second Leg (C), Third Leg (D), and Footrest (G) to the assembled part of Step 2, using Screws (④) and the Allen Wrench (⑦) as shown above. **DO NOT** fully tighten the Screws at this time.

Step 4:



Secure the Footrest (G) to the assembled part of Step 3 using Screws (②) and the Allen Wrench (⑦) as shown in the picture above. **DO NOT** fully tighten the Screws at this time.


Step 5:



Place the Seat Panel (A) onto the surface facing downwards, as shown above. Insert the assembled frame of Step 4 to the Seat Panel (A) using Bolts (⑤) and Flat Washers (⑥) with the Allen Wrench (⑦) as pictured above.

DO NOT fully tighten the Bolts at this time.

Step 6:



Turn the Barstool right side up.

Place the Barstool on a **LEVEL SURFACE**.

Inspect it and make sure all parts are adequately connected.

Gently and gracefully, sit onto the Barstool.

This will help to align all the parts at all joint areas.

Then get off the Barstool and proceed to tighten the Bolts and Screws in a sequential manner.

When tightening the Bolts and Screws, tighten sequentially.


DO NOT tighten any Bolt or Screw fully and then move on towards the next one.

If there are any wobbles after tightening, loosen the Bolts/Screws and execute this same process.

Your Barstool is ready for use.

This Barstool can only be used on a flat, level surface.

Care & Maintenance

-  Do not put hot items directly on furniture surface.
-  Do not clean furniture with harsh cleansers or polish.
-  To obtain the longest lifespan of your outdoor products, minimizing exposure to direct sunlight is recommended.
-  Children should not climb or jump on the furniture.
-  Do not write on furniture without a padded barrier to protect the surface.
-  To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine. Whenever possible cover the product and /or place under patio or awnings.
-  Not for commercial use. For residential use only.
-  Stains may be removed with mild soap solution and damp cloth.
-  Keep away from sources of ignition.
-  Dust and pick-up spills using a clean, non-colored, lint-free cloth.