


Gutinneer



INSTRUCTION MANUAL

GUT 05

! NOTICE


Please retain these instructions for future reference.

- Firmly secure all bolts, screws and knobs before use.
- Reconfirm that all bolts, screws, and knobs are secure every 90 days.
- Fasten screws loosely during initial assembly. Do not fully tighten screws until the item is completely assembled.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Be aware that moving parts can injure, crush, and cut.
- If any parts are missing, broken, damaged, or worn, stop using this product until repairs are made and/or factory replacement parts are installed.
- Do not use this item in a way inconsistent with the manufacturer's instructions as this could void the product warranty.

TOOLS REQUIRED



PHILLIPS
SCREWDRIVER



DRILL
(RECOMMENDED)



2 PERSON
ASSEMBLY



APPROXIMATELY
30 MIN.
ASSEMBLY

HARDWARE

P1

M8.0x50 mm
SCREW



2PCS

P2

M6.0x35 mm
SCREW



8PCS+1 spare

P3

M3.5x35 mm
SCREW



60PCS+1 spare

P4

M3.5x25 mm
SCREW



8PCS+1 spare


P5

M3.0x16 mm
SCREW



24PCS+1 spare


PARTS




PARTS

M

Canopy




1 PC



PRODUCT ASSEMBLY


1

Attach three part J seat dividers to a part C bench seat with 6xP3 screws. Repeat on other bench seat.



2


Attach a part B backrest to a part C bench with 6xP5 screws, three screws per hinge. Repeat on other bench seat.



PRODUCT ASSEMBLY


3

Attach part D and part E together by 8xP3 screws on each side.



4


Place sandbox on the part L sand screen.



PRODUCT ASSEMBLY


5

Attach a part G frame support inside of part E with 4xP4 screws.
Then attach a part F canopy support from outside of part E with 4xP2 bolts.



6


Repeat on other sandbox side.



PRODUCT ASSEMBLY


7

Attach two part A bench frames with 8xP3 screws.



8


Attach two assembled benches with 12xP5 Screws, three screws per hinge.



PRODUCT ASSEMBLY

9


Attach three part K stopper with 6xP3 screws, two screws per stopper.



10


Repeat attach the part K on the other side.

Attach two part I to part F canopy support by 1xP1 each side.




PRODUCT ASSEMBLY

11 Attach three part H to part I with 12xP3 screws.



12 Stick the canopy by the magic sticks.



Finish

HELP CENTER



Question about your product? we're here to help contact us via

service@gutinneen.com



Product Inquiry



Orders FAQ



Product Assembly



Returns & Refunds

THANK YOU

Your satisfaction is our #1 priority

We hope you enjoy it and have a good shopping experience.

If you do, please share your feedback or leave a product review.

Login your Amazon account → Your account → Your orders → Gutinneen → Write your review

If your feel anything less than 5 Star Experience, please tell us and we will make it right:

service@gutinneen.com

We will feedback within 8 hours

To expedite your service, please provide your Order ID

We are committed to resolve any situation when it does not meet your expectations.

Gutinneen

WARNING

Manufacturer and seller expressly disclaim any and all liability for personal injury, property damage or loss, whether direct, indirect, or incidental, resulting from the incorrect attachment, improper use, inadequate maintenance, or neglect of this product.