


BATHROOM LED








INSTALLATION MANUAL



ABOUT US









Thank you for shopping with us! We hope that our products have added a touch of brightness to your life. If you need any assistance, please don't hesitate to reach out. Our dedicated team is available 24/7 to ensure your satisfaction.

PACKING LIST

	 	
Wall Anchors - A*4+2	1-Screws*4+2 2-Screws*4+2	
	 	
Wall Anchors - B*4+2	Brackets*2	
		LED Mirror*1

INSTALLATION INSTRUCTIONS

Tools Required

			
Level Ruler	Marker	Hammer	Tape Measure
 			
Electric Drill	Phillips Screwdriver	Safety Goggles	

BEFORE INSTALLATION

Thank you for choosing products. To ensure the best possible experience, please read carefully and follow the instructions provided below before assembling and installing the product.

1. Important Safety Instructions:

- Assembly by two or more adults is highly recommended, in order to ensure proper installation.
- To connect the wires to electrical junction box, a qualified technician or electrician is highly recommended.
- Disconnect power before installing, adding or changing any components.
- Make sure that the fixing location can support the weight of the entire fixture (e.g. solid stone or brick walls).
- To prevent injury, the mirror must be installed according to the instructions provided.

2. Pre-assembly:


- Inspect the product immediately upon receipt for any transit damage or missing parts.
- The voltage for your product should be between 100V and 120V. If the voltage exceeds 120V, please use a transformer.
- You can connect the wires directly to your junction box or the plug.

3. Before installation:

Please check and make sure that the mirror is functioning properly.

① Color Temperature ()

You can select the color temperature by tapping the button: the first tap is white light, the second tap is warm light, and the third one is natural light.



 Color Temperature

 ON/OFF/Brightness

 Anti-fog

② ON/OFF/Brightness ()

The lighting mode will change as you tap the button: the first tap is for both front light and backlight, the second tap is for front light only, the third one is for backlight only, and the light will be all off with a fourth tap. The brightness can be adjusted with a long press on the button.


③ Anti-fog ()

The anti-fog function helps resist the troubling fog and keep a clear reflection image. To save energy, it will automatically turn off after one hour.


By following these steps, you can ensure that your mirror is working properly before installation. If there're any problems, please contact us for support.

INSTRUCTIONS: WALL MOUNTING SETUP

1. Confirm the locations of four drill holes with the positioning ruler provided in the package, and mark the spots on the wall with a marker.



2. Use an electric drill to punch holes at the marked spots, and then apply wall anchors with a hammer.



Thickness of wall

Recommended Drill Bit

> 16mm

1/4" (6mm) drill bit, drilling depth in 1 31/32" (50mm)



8 - 16mm

(25/64) " (10mm) drill bit




< 8mm

Unapplicable

NOTE: Please wear goggles and pay attention to your safety while drilling.


3. Secure the two brackets to the wall with screws.



4. Connect the power by plugging into an outlet or hardwired to a standard circuit panel.

● Plug-in

After hanging the mirror securely, plug the power cable to a standard socket.




● Hardwired

Cut the head off the plug and hardwire it into an outlet.



Reminder: Please make sure the power is cut off before installation.

5. Place the mirror against the wall, align the hook with the mounted bracket, slowly lower the mirror down, and make sure that it slots into the right position and hangs securely.



Completion !

USE INSTRUCTION

1. Please ensure that the product is used within the safe voltage range of 100V-120V.
2. Please wrap electrical tape around the wires to prevent electrical leakage.
3. Avoid using hard or pointed items to strike the mirror glass so as to prevent.



CAUTION: Make sure the power is cut off before installation.



REMINDER: A qualified technician or electrician is highly recommended.