

PURPLE LEAF

est. 2013



10'x12'

***HARDTOP GAZEBO
WITH DOUBLE ROOF***

Assembly Manual

©Copyright 2013-2026 Purple Leaf Inc. All Rights Reserved

CONTENT

● Warnings and cautions	1
● Pre-assembly	2
● Anchoring scheme	3
● Check list	6
● Frame installation	13
● Roof frame installation	29
● Roof panel installation	41
● Curtain and netting installation	55
● Care and cleaning	64
● Warranty	65

WARNINGS AND CAUTIONS

1. Please read the instruction carefully before assembly and retain it for future usage.
2. Make sure you have all the parts & hardware as the check list shows before you install.
3. Do not discard or recycle boxes until completely assembled.
4. **2 adults or more** are recommended to install your gazebo.
5. Do not fully tighten the screws until finish each step of installation. Check all bolts for tightness after installation.
6. **Anchor the gazebo as soon as finish Step 2(The frame).**
7. Some parts might have sharp edges/corners. Please follow basic safety precautions to reduce the risk of injuries.
8. Do not install near roof lines or other structures that could shed snow, ice, or excessive rain run-off onto the roof top.

CHOKES HAZARD

This item contains small parts which can be swallowed by children and pets.


Please keep it away from children under 3 years old and pets during installation.

PRE-ASSEMBLY

TOOLS THAT MAY BE REQUIRED (Not included in boxes)
***NOTE:** Tools/equipment are not shown to actual size and scale.



LEVEL



RUBBER Mallet



CROSS SCREWDRIVER



DRILL



**ALLEN WRENCH
DRILL BIT(M5)**



**ALLEN WRENCH
DRILL BIT(M6)**



SAFETY HAT



GLOVES




SAFETY GOGGLES



**STEPLADDER
(6 ft height is recommended)**



ANCHORING SCHEME

Gazebo 10'×12'



Attention: The above dimensions are manually measured and error is within 1-2 inches.
We suggest you anchor the gazebo after installed the main frame.



1




×12

(not included in package)

If the deck is hardwood and the depth of it is over 3 inches, you can use **1/4 in. × 3 in. Structural Wood Screw** to mount the gazebo.




2



14# x 12

(included in package)



If the ground is concrete and the depth of it is over 3 inches, you can use 1/4 inch expansion bolts **14#** included in package to mount the gazebo.

3




15 in.

Or you can make concrete footings for gazebo. **15 x 15 x 15 inches** is recommended. Using expansion bolts to mount the gazebo like ② shows.








IMPORTANT:
Anchor is not
recommended





CHECK LIST

Note: Please lay tarpaulin underneath all the parts to avoid scratching.





M×4 

M1×4 

N×4 

P×2 

P1×2 

Q×2 

Q1×2 

Q2×2 

R×8 


S1×8 

T×2 

T1×2 


U1×4 

U2×4 


U4×4 


U5×4 

Y×4
(Netting)




Ya×4
(Curtain)







V1×2




V2×2




V3×2




V4×2



V5×2




V6×2







$\times 1 \times 2$




$\times 2 \times 2$




$\times 3 \times 2$




$\times 4 \times 2$



$\times 5 \times 2$











$\times 6 \times 2$




$\times 7 \times 2$



$\times 8 \times 2$






STEP 1



A × 4




A1 × 8



A2 × 8



8# × 40




STEP 1





A × 4



L × 4



1# × 12



STEP 1






B × 2



F × 2

C × 2

1# × 16





STEP 1



STEP 1



4#×48






STEP 1

Put the hooks into inside track as well as outside track.



S1×4



Note: Install part S1 in case clips fall off.

STEP 1




D × 2



F × 2

E × 2

1# × 16








STEP 1



STEP 1




4#×56



STEP 1

Put the hooks into inside track as well as outside track.



Note: Install part **S1** in case clips fall off.




STEP 1



2# × 16



3# × 16



STEP 1





J1×4



1#×32




J2×4




STEP 1



G × 4



9# × 16





Tighten screw 9# in this step.

STEP 1



H2 × 1



Use the **H2** silicone glue to cover the gap on the gutter to avoid water leaking.

STEP 1






H × 4



9# × 8



1# × 4



STEP 1




Note: Anchor the gazebo once finish Step 2.

STEP 2





K1 × 1



H2 × 1




Apply glue **H2** to the rivet of part **K1** to avoid water leaking.





STEP 2



K × 1



13# × 1




K

13#


STEP 2



K × 1



K1 × 1





1# × 3





12# × 2



K2 × 2



Don't fully tighten the screw 1# and 12#. It might cause problems on roof's installation.



STEP 2




M × 4



M1 × 4



2# × 8



STEP 2



M × 1




N × 1



M1 × 1



1# × 3




STEP 2



1# x 3



One person needs to hold the part **K** & **K1** as picture shows.



STEP 2




M×3



M1×3



1#×9






STEP 2



N × 1



1# × 3






STEP 2



N × 2





1# × 6



STEP 2

Check if the frame shows as pictures below.




STEP 2



T × 2




1# × 8



R × 4



T1 × 2



Don't fully tighten the screws which picture indicates.

STEP 2



STEP 3



V1×2



V2×2



V3×2



Z×8



V4×2










V5×2



V6×2




Z1×8



STEP 3

If you can't install **V4** or **V5**, push the part **K1** up and try to insert them again. If part **Z** and **Z1** fall off, apply glue to them.



STEP 3



U1×4



U4×4




U5×4



U2×4



1#×24



STEP 3



W1 × 2



W2 × 2



W3 × 2



Z × 24



W4 × 2




W5 × 2



W6 × 2




Z1 × 4




STEP 3





STEP 3



Note: Overlap panels by one single column. If part **Z** and **Z1** fall off, apply glue to them.




STEP 3



5#×64



10#×4






Note: Please tighten screw 5# and 10# to avoid water leaking.

STEP 3



6# × 24



STEP 3

Note: Please tighten screw 6# to avoid water leaking.



P × 2




R × 4




1# × 4




Q × 2



M1



M1



Tighten the screws on the corners.


STEP 3




P1×2



Q1×2




Q2×2




1#×4



11#×12






Smooth the netting before
you tighten screws.



STEP 3



Don't forget to stick the velcro between the bug nettings.



STEP 3




H2×1



Fill the gaps with glue H2.

Note: Please tighten all screws in **Step 1-Step 3**.


STEP 3





STEP 4




Y × 4
(Netting)



Ya × 4
(Curtain)





CROSS SECTION OF BEAM




Install nettings **Y** to the inside track
and curtains **Ya** to the outside track.

STEP 4




Ensure the middle grommet is close to the pole.




STEP 4



Note: Please align the middle grommet on curtain with the pole first and make sure that short side has 6 holes and long side has 7 holes. If the holes quantity is not correct, change another curtain piece.



STEP 4




Ensure the tie back and hook is close to the pole.






STEP 4

Note: Please align tie back with the pole first and make sure that short side has 6 holes and long side has 7 holes. If the holes quantity is not correct, change another netting piece.




STEP 4

Lock the netting hook into pole.



STEP 4






STEP 4

USAGE TIPS

In blizzard conditions, the weight on the roof can double compared to usual. To prevent potential damage or collapse, you may need to add support poles to reinforce your gazebo.

Please feel free contact Customer Service at gazebo@purpleleafgarden.com for detailed information or make a purchase.



Care and Cleaning

1. Wash frame parts and fabric with mild soap and water, rinse thoroughly.
2. Dry frame completely and allow the fabric to drip dry.
3. Do not use bleach, acidic material other solvents on fabric or frame parts.
4. Periodically check and tighten bolts and anchors to ensure your gazebo works properly.
5. Snow should be regularly cleared from the roof and not allowed to accumulate.
6. Tighten curtain and netting to the pole when it is incoming over 30 mph wind and remove them in winter.

Warranty

Frame & Bolts & Nuts

Frame & Bolts & Nuts constructions are warranted to be free from defects in material and workmanship for **1 year** from item purchased.

Curtain & Netting

Curtain and netting are warranted to be free from defects in material and workmanship for **2 years** from item purchased.

Panels

Panels are warranted to be free from defects in material and workmanship for **5 years** from item purchased.

Warranty Limitation & Exclusion

This warranty is for the original purchase order only and it is non-transferable.

The warranty does not cover situations subject to improper operation, poor maintenance, natural uncontrollable factors (heavy rain, snow, storm, hurricane etc.) and damage from exposure to chemicals (including but not only oils, spills, fluids).

Part missing and damage due to transportation will not invalidate warranty. We are responsible to fix or offer free replacements. Please feel free to contact Purple Leaf Customer Service at gazebo@purpleleafgarden.com and provide you order number.

The transportation and delivery costs, as well as the assembly or disassembly fees paid to third parties, remain the responsibility of the purchaser.

Purchasers of "Open Box", Second-Hand purchasers or original purchasers outside of the warranty period can obtain replacement parts for the current production product from Purple Leaf at nominal cost.

Purple Leaf reserves the right to explain warranty exclusions. When replacement item is applied, warranty automatically expires.



*Purple Leaf Inc.
1820 E Locust St, Ontario
CA, 91761, US
gazebo@purpleleafgarden.com
©Copyright 2013-2026 Purple Leaf Inc.
All Rights Reserved.V1.*