



Gilford™ | K-12787

30" x 22" bracket-mount scrub-up/plaster sink with 8" widespread faucet holes

Features

- Single rectangular basin
- 8" (203 mm) widespread faucet holes
- 30" (762 mm) x 22" (559 mm) x 8-5/8" (219 mm)
- Sink drain with strainer sold separately



Available Colors/Finishes

Color tiles intended for reference only.

0 White



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-29-2026 20:17 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ASME A112.19.2/CSA B45.1

Technical Information

Number of Deck Holes:	2
Faucet Hole(s) Size:	1-3/8" (35 mm)
Center(s):	8" (203 mm)
Drain Hole Diameter:	2-1/4" (57 mm)
Basin Configuration:	Single Bowl
Basin Length:	28" (711 mm)
Basin Width:	18" (457 mm)
Basin Depth:	9-7/16" (240 mm)

Material

- Vitreous china

Recommended Products/Accessories

K-23726 Drain treatment

K-8820 Brass sink strainer for 2" outlets

K-9115 Sink strainer with 1-1/2" tailpiece

Required Products/Accessories

- K-1814-P Wall brackets

Warranty

See website for detailed warranty information.

KOHLER® One-Year Limited Warranty




1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

7-29-2026 20:17 - US-CA



Installation

- Wall-mount
- Requires K-1814-P (sold separately) and service part 63002 (included) for installation

Installation Notes

Install this product according to the installation instructions.

Product dimensions are nominal and may vary per ASME A112.19.2 tolerances.

