

## WARNING

- \* Switch off the main electrical supply from the main fuse box / circuit breaker before installation.
- \* Inspect item carefully before attempting to install.
- \* If there is any damages or obvious defects, do not install.
- \* Item may not be returned once it has been installed.

## CARE AND MAINTENANCE














- \* To clean the outside of the fixture, use a dry or slightly dampened clean cloth (use clean water, never a solvent) to wipe the surface of the fixture.
- \* To clean the inside of the fixture, first disconnect power to the fixture by turning off the circuit breaker or by removing the fuse at the fuse box. Next, use a dry or slightly dampened clean cloth (use clean water, never a solvent) to wipe the interior surface of the fixture.
- \* Do not use any cleaners with chemical, solvents or harsh abrasives. Use only a dry soft cloth to dust or wipe carefully.

## NOTICE& IMPORTANT SAFETY INSTRUCTIONS

**\*\* WE RECOMMEND INSTALLATION OF THIS LIGHTING FIXTURE BE DONE BY A LICENSED ELECTRICIAN \*\***

- \* Please make sure that you have all parts indicated before you begin assembly of this item
- \* This item should be assembled on a soft surface to prevent scratching the finish during assembly
- \* To reduce the risk of fire, electrical shock or injury to persons or property, please follow the guideline below for safe use and installation
- \*The external flexible cable or cord of this lamp cannot be replaced  
If the cord is damaged, the lamp shall be destroyed

### Part List and Hardware List


PIECE	DESCRIPTION	PICTURE	QUANTITY	PIECE	DESCRIPTION	PICTURE	QUANTITY
A	Mounting Plate		1X	H	Short Stem		2X
B	Mounting Screw		2X	I	Lamp Body		1X
C	Wire Nut		3X	J	Big Glass		7X
D	Ground Screw		1X	K	Middle Glass		12X
E	Canopy		1X	L	Small Glass		18X
F	Canopy Nut		1X	M	Bulb		37X
G	Long Stem		2X				

# SAFAVIEH

## C O U T U R E

**Model#: CTL1084**


**Product Dimensions: 30"L X 30"W X 26-56"H**




## PREPARATION

- \* Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list.
- \* If any part is missing or damaged, do not attempt to assemble the product.
- \* Estimated Assembly Time: 20 minutes.
- \* Tools Required for Assembly (not included): Screwdriver, Junction box
- \* If you are having difficulty, our friendly Customer Care team is always here to help. Please email [customersupport@safavieh.com](mailto:customersupport@safavieh.com)

**NOTE: PLEASE USE DIMMABLE TYPE"G9" BULB MAX 5-WATT OR LED BULB MAX 5-WATT THERE ARE 37PCS LED 3-WATT BULB IN THE BOX**





**Step 1:** Unpack all parts from cartons carefully. Insert Canopy (E) and Canopy Nut (F) into one end of Mounting Plate (A) in turn



**Step 2:** Rotate clockwise to fix the Short Tube (H), the Long Tube (G) and the previous Mounting Plate (A) to the outer teeth of the Lamp Body (I)

## PREPARATION

- \* Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list.
- \* If any part is missing or damaged, do not attempt to assemble the product.
- \* Estimated Assembly Time: 20 minutes.
- \* Tools Required for Assembly (not included): Screwdriver, Junction box
- \* If you are having difficulty, our friendly Customer Care team is always here to help. Please email [customersupport@safavieh.com](mailto:customersupport@safavieh.com)




### Step 3: Wire connection

Connect fixture neutral wire (ribbed) to the outlet box neutral wire (usually white) using a wire nut. Connect fixture hot wire (smooth with markings) to the outlet box hot wire (usually black) using a wire nut. CAUTION: Do not reverse the hot and neutral connections

### Grounding Instructions:


Wrap ground wire from outlet box around green ground screw on Mounting Plate (A), no less than 2" from wire end. Tighten Ground Screw(B). If fixture is supplied with a ground wire, connect to outlet ground wire with a wire connector.




**Step 4:** Fix the Mounting Plate(A) to the junction box with Mounting Screw (B).

## PREPARATION

- \* Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list.
- \* If any part is missing or damaged, do not attempt to assemble the product.
- \* Estimated Assembly Time: 20 minutes.
- \* Tools Required for Assembly (not included): Screwdriver, Junction box
- \* If you are having difficulty, our friendly Customer Care team is always here to help. Please email [customersupport@safavieh.com](mailto:customersupport@safavieh.com)



**Step 5:** Attach the Canopy(E) to the junction box and fix it by turning the Canopy Nut(F) clockwise.



**Step 6:** First insert the Bulb (M) into the Lamp Holder, and then turn clockwise to fix the Big Glass (J), Middle Glass (K) and Small Glass (L) to the outer iron of the Lamp Holder