


Product Instructions




PARTS


A 4pcs




B 4pcs



C 4pcs




D 4pcs



E 4pcs



F 4pcs



G1 2pcs




G2 2pcs




H 4pcs




J 4pcs



K 8pcs



L 1pc




M 1pc



N 8pcs



P 1pc



Q 1pc



①



24pcs+1pc

②




4pcs+1pc

③




4pcs+1pc



Step 1: Put Part C and Part F together and put Part A in the middle of them, then use four Screw ① to tighten them. Repeat the steps to assemble the other three Part A, Part F and C. Please note: Part C is not the same length as Part F.


①



Step 2: Use Nut ③ and Screw ② to attach two Part C (or Part F), and tighten them. Then put one Part J on the bottom side of Part C (or Part F). Use Screw ① to tighten the Part J.


Repeat the steps above to assemble the other two Part C (or Part F).

②




Step 3: Insert the small head of Part H to Part D directly and insert one Part K to the other head of Part H. Then insert one Part K to the short side of Part D. Insert the small head of Part G1 & G2 to Part E. Repeat the steps above to assemble the other Part D, H, K, E and G1 & G2.

③



Step 4: Insert four Part H to the four corners of the frame (the top of Part A). Then insert the other side (the bottom side of Part D) to Part L.


④



Step 5: Insert Part G1 to the connection part of the two attached Part F. Then Insert Part G2 (the shorter piece) to the connection part of the two attached Part C. Next insert Part E to Part L.


Insert Part M to Part L. Please note: The Part E which is attached to G2 should connect to the short piece of Part L. The Part E which is attached to G1 should connect to the long piece of Part L.

⑤




Step 6: Put the canopy fabric (Part P&Q) on the frame, extend it fully. Put the heads of tubes (Part K) into the corner pocket of canopy fabric.

⑥



Step 7: Insert Part B to Part A, then turn it to make it tight.

⑦



Step 8: Insert the stakes (Part N) on the foot pad to the ground deeply, then you can use the gazebo.

⑧