






|


5x3 44mm




1/2





5x3 44mm




2/2



5x3 44mm











































5x3 44mm
























1. PROFILIS IV45
2. FALZ -18, ASIS -9
3. FURNITŪROS SPALVA: RUDA
Grudintas paketas:
1454x470 - 2 vnt.
1418x473 - 3 vnt.





1. PROFILIS IV45
2. FALZ -18, ASIS -9
3. FURNITŪROS SPALVA: RUDA






5x3 44mm			500x300 cm			Date	
			44mm	2020.01.16			
Degree < 82°		Dimensions, mm			Pos.	Quantity	
		A	B	C			
		2800	40	100	1	2	
		4600	40	100	2	2	
		4600	40	55/60	3	5	
		2702	19	100/86	4	47/55	
			19	24	5	~ 15 meters	
		5000	45	65	6	2	
		1790	45	130	7	2	
		1790	45	130	8	2	
		555	45	130	9	37	
		545	45	130	10	24	
		5000	45	130	11	1	
		5000	45	130	12	16	
		3000	45	130	13	16	
		3000	45	130	14	1	
		1755	45	130	15	13	
		5200	45	140	16	2	
		5200	44	140	17	3	
		3330	19	100/86	18	52/61	
		3330	19	90	19	2	
		2619	19	90	20	4	
		3330	19	40	21	2	
Constructor: I.Paulauskas						Pages 1/2	







— · · 5x3 44mm		500x300 cm				Date	
		44mm 2020.01.16					
Degree < 82°		Dimensions, mm			Pos.	Quantity	
		A	B	C			
		3200	507		F - 2,4	2	
		1420	1900		22	1	Packing no.
		690	1700		23	3	
		1520	28	45	24	2	
		790	28	45	25	6	
		1880	19	40	26	8	
Constructor: I.Paulauskas						Pages 2/2	




5x3 44mm		500x300 cm		
		45mm x 130 2019.02.19		
3.5x35 mm  x64	5x70 mm  x4	5x80 mm  x10	5x120 mm  x4	2.5x50 mm  x270
6x150 mm  x14	6x180 mm  x6	8x60 mm  x16	M8  x16	3.5x50 mm  x380
M8  x16	3 mm  x4	 x1	 x3	





















5x3 44mm				500x300 cm			Date
				44mm 2020.01.16			
Degree < 82°		Dimensions, mm			Pos.	Quantity	
		A	B	C			
		2800	40	100	1	2	
		4600	40	100	2	2	
		4600	40	55/60	3	5	








5x3 44mm		500x300 cm			Date	
		44mm 2020.01.16				
Degree < 82°		Dimensions, mm			Pos.	Quantity
		A	B	C		
		5000	45	65	6	2
		3000	45	130	13	16








5x3 44mm		500x300 cm				Date
		44mm 2020.01.16				
Degree < 82°		Dimensions, mm			Pos.	Quantity
		A	B	C		
		1790	45	130	7	2
		1790	45	130	8	2
		555	45	130	9	37
		545	45	130	10	24
		5000	45	130	12	16







5x3 44mm				500x300 cm			Date
				44mm 2020.01.16			
Degree < 82°		Dimensions, mm			Pos.	Quantity	
		A	B	C			
		5000	45	130	11	1	
		5200	45	140	16	2	





5x3 44mm				500x300 cm			Date
				44mm 2020.01.16			
Degree < 82°		Dimensions, mm			Pos.	Quantity	
		A	B	C			
		5000	45	130	12	16	
		5200	45	140	16	2	
		3200	507		F - 2,4	2	





5x3 44mm				500x300 cm			Date	
				44mm 2020.01.16				
Degree < 82°			Dimensions, mm			Pos.	Quantity	
			A	B	C			
			5200	44	140	17	3	





5x3m 44mm







5x3 44mm				500x300 cm			Date
				44mm 2020.01.16			
Degree < 82°		Dimensions, mm			Pos.	Quantity	
		A	B	C			
		3330	19	100/86	18	52/61	


If the last board needs
to be placed lengthwise cut






5x3m 44mm







5x3 44mm				500x300 cm			Date
				44mm 2020.01.16			
Degree < 82°		Dimensions, mm			Pos.	Quantity	
		A	B	C			
		3330	19	90	19	2	
		3330	19	40	21	2	




5x3 44mm				500x300 cm			Date
				44mm 2020.01.16			
Degree < 82°		Dimensions, mm			Pos.	Quantity	
		A	B	C			
		2619	19	90	20	4	







5x3 44mm				500x300 cm			Date
				44mm 2020.01.16			
Degree < 82°			Dimensions, mm			Pos.	Quantity
			A	B	C		
		2702	19	100/86	4	47/55	
			19	24	5	~ 15 meters	

- 1.Expansion braces should be fitted internally for ease of adjustment
- 2. The bolt head should be external, the nut internal
- 3. Once the cabin has been completely erected, do not over tighten – hand tight is sufficient – in order to allow timbers to expand & contract.



Door and window extra part above is longer must be cut in the construction site

5x3 44mm				500x300 cm			Date
				44mm 2020.01.16			
Degree < 82°		Dimensions, mm			Pos.	Quantity	
		A	B	C			
		1520	28	45	24	2	
		790	28	45	25	6	
		1880	19	40	26	8	